



Thermoplastic Pipe, Joints, and Fittings

Material Producer List

Materials & Test Division

March 5, 2024

Thermoplastic Pipe, Joints, and Fittings

The following producers are prequalified in accordance with DMS-4710, “Thermoplastic Pipe, Joints, and Fittings.”

The Department reserves the right to conduct random sampling and testing and visual inspections of materials from approved manufacturers. Department representatives may sample material from the manufacturing plant. MTD reserves the right to test samples to verify compliance with DMS-4710.

For more information, contact the Material & Tests Division at DMS_Prequal@txdot.gov.

Table 1: Pre-Approved High Density Polyethylene (HDPE) Pipe

Product Name	Manufacturer	Location(s)	Pipe Diameter (in)	Maximum Fill Depth (ft)		
				Granular Backfill	Cement Stabilized Backfill	Flowable Backfill
ADS N-12 HDPE Pipe	Advanced Drainage Systems, Inc	Byram, MS Ennis, TX Harrisonville, MO Mendota, IL Vicksburg, MS Yoakum, TX	12	20	20	20
			15	20	20	20
			18	20	20	20
			24	20	20	20
			30	20	20	20
			36	19	20	20
			42	17	20	20
			48	18	20	20
Prinsco GOLDFLO – M294 HDPE Pipe	Prinsco, Inc	Prinsco-Chatsworth IL Prinsco-Fresno, CA Prinsco-Jesup IA Prinsco-Prinsburg, MN	12	20	20	20
			15	20	20	20
			18	20	20	20
			24	20	20	20
			30	20	20	20
			36	20	20	20
			42	18	20	20
			48	18	20	20

Table 2: Pre-Approved Polypropylene Pipe (PP) Pipe

Product Name	Manufacturer	Location(s)	Pipe Diameter (in)	Maximum Fill Depth (ft)		
				Granular Backfill	Cement Stabilized Backfill	Flowable Backfill
ADS HP Storm Polypropylene Pipe	Advanced Drainage Systems, Inc	Ennis, TX Harrisonville, MO Mendota, IL Vicksburg, MS Yoakum, TX	12	20	20	20
			15	20	20	20
			18	20	20	20
			24	20	20	20
			30	20	20	20
			36	20	20	20
			42	20	20	20
			48	20	20	20
Prinsco GOLDPRO - STORM M330 Polypropylene Pipe	Prinsco, Inc	Prinsco-Chatsworth IL Prinsco-Fresno, CA Prinsco-Jesup IA Prinsco-Prinsburg, MN	12	20	20	20
			15	20	20	20
			18	20	20	20
			24	20	20	20
			30	20	20	20
			36	20	20	20
			42	20	20	20
			48	20	20	20