

Texas Department of Transportation
TECHNICAL PROVISIONS
FOR
TXDOT SH 288 TOLL LANES PROJECT IN HARRIS COUNTY


ATTACHMENT 16-1
REQUIRED MISCELLANEOUS SIGNS

December 18, 2014

Developer must design all signing in accordance with Section 16 of the Technical Provisions. In addition, the Developer must use the signs below. The schematic drawings as attached to the RID provide guidance to the location and use of these signs.

SHIELD/ROUTE SIGN

Per the TxDOT *Preferential & Managed Lane Signing Guidelines*, the Developer must use the shield/route sign below to designate the SH 288 Toll Lanes in the design of all signing.



M90-4T

BANNER/LEGEND SIGNS

Toll Lanes

Developer must use the "Express Toll Lane" legend/banner sign shown below for the design of the signing for the SH 288 Toll Lanes. The "Express Toll Lane" legend/banner sign replaces the "Express Lane" (E91-1T) banner/legend as shown in the TxDOT *Preferential & Managed Lane Signing Guidelines*, TxDOT's *Standard Highway Sign Design for Texas* (SHSD), and the TxDOT MUTCD (TMUTCD). The word "Express" may not be used without the word "Toll".



Beltway 8 Direct Connectors

Developer must use the “Toll Ramp” legend/banner sign shown below for the design of the signing for the Beltway 8 Direct Connectors. The “Toll Ramp” legend/banner sign replaces the “Toll Road” (W90-11T) banner/legend as shown in the TxDOT *Toll Road Signing Guidelines*, TxDOT’s *Standard Highway Sign Design for Texas* (SHSD), and the TxDOT MUTCD (TMUTCD).



Tag Only

Developer must use the “Tag Only” banner sign shown below in locations requiring the tag only banner.

