Dowel Bars for Concrete Pavement

Material Producer List Materials and Tests Division



Dowel Bars for Concrete Pavement

The following lists of dowel bar products and sizes are pre-qualified in accordance with DMS-7325, "Dowel Bars for Concrete Pavement."

The coating listed for each product in Tables 1 – 3 meet the following ASTM standards:

- Green Epoxy ASTM A775
- Purple Epoxy ASTM A934
- Galvanized Coating ASTM A653

The Department reserves the right to obtain random samples without notice for quality assurance.

For more information, contact the Materials & Tests Division's Rigid Pavements and Concrete Materials Section at (512) 484-6484.

Table 1: 1" Dowel Bars and equivalents

Producer	Product	Coating	Dimensions ¹
American Highway	Epoxy Coated Dowel Bar	Green Epoxy	1″ O.D.
O-Dowel	G90 Galvanized O-Dowel	Galvanized Green Epoxy Purple Epoxy	1-5/16″ O.D. 0.120″ W.T.

¹O.D. = Outer Diameter, W.T. = Wall Thickness

Table 2: 1-1/4" Dowel Bars and equivalents

Producer	Product	Coating	Dimensions ¹
American Highway	Epoxy Coated Dowel Bar	Green Epoxy	1-1/4″ O.D.
O-Dowel	G90 Galvanized O-Dowel	Galvanized Green Epoxy Purple Epoxy	1-5/16″ O.D. 0.120″ W.T.
O-Dowel	G90 Galvanized O-Dowel	Galvanized Green Epoxy Purple Epoxy	1-3/8″ O.D. 0.120″ W.T.

¹O.D. = Outer Diameter, W.T. = Wall Thickness

Producer	Product	Coating	Dimensions ¹
American Highway	Epoxy Coated Dowel Bar	Green Epoxy	1-1/2″ O.D.
O-Dowel	G90 Galvanized O-Dowel	Galvanized Green Epoxy Purple Epoxy	1-5/8″ O.D. 0.120″ W.T.

Table 3: 1-1/2" Dowel Bars and equivalents

¹O.D. = Outer Diameter, W.T. = Wall Thickness