



SECTION 1

Regulatory

Standard Highway Sign Designs for Texas

2026 Edition | September 2026

Texas Department of Transportation

Drawings may not be to scale. Do not photocopy for manufacturing.

(This page left intentionally blank)

REGULATORY



R1-1
STOP



R1-2
YIELD



R1-2aP
TO ONCOMING TRAFFIC (Plaque)



R1-2bP
TO TRAFFIC IN CIRCLE (Plaque)



R1-2cP
TO ALL LANES (Plaque)



R1-2dPT
TO RAMP (Plaque)



R1-2ePT
TO TRAIN (Plaque)



R1-3P
ALL WAY (Plaque)



R1-5bL
Stop Here For Pedestrians



R1-5bR
Stop Here For Pedestrians



R1-5eL
Stop Here For Trail Crossing




R1-5eR
Stop Here For Trail Crossing




R1-6a
In-Street Pedestrian Crossing - Stop




R1-6e
In-Street Trail Crossing - Stop



R1-9a
Overhead Pedestrian Crossing - Stop



R1-9e
Overhead Trail Crossing - Stop



R1-10P
EXCEPT RIGHT TURN (Plaque)



R2-1
SPEED LIMIT



R2-1T
SPEED LIMIT (with Red Border)



R2-4P
MINIMUM Speed Limit (Plaque)



R2-4a
Combined Maximum and Minimum Speed Limits



R2-5P
UNLESS OTHERWISE POSTED (Plaque)



R2-5aP
CITYWIDE (Plaque)

REGULATORY



R2-5bP
NEIGHBORHOOD (Plaque)

R2-5cP
RESIDENTIAL (Plaque)



R2-13
END VARIABLE SPEED LIMIT



R3-1
Movement Prohibited - No Right Turn



R3-1a
No Right Turn Across Tracks (Activated Blank-Out)



R3-1b
Movement Prohibition - [TRUCKS] (1 Line)



R3-1c
Movement Prohibition - [TRUCKS BUSES] (2 Lines)



R3-1d
Movement Prohibition - TRUCKS OVER XX,XXX LBS



R3-1e
Movement Prohibition- Except [BUSES] (1 Line)



R3-1f
Movement Prohibition - Except [BUSES TAXIS] (2 Lines)



R3-1g
Movement Prohibition - Time and Day



R3-1h [A]
Movement Prohibition - Multiple Times [hours] and Day



R3-1h [B]
Movement Prohibition - Part-Time [hours and minutes] and Day



R3-2
Movement Prohibition - No Left Turn



R3-2a
No Left Turn Across Tracks (Activated Blank-Out)



R3-3
Movement Prohibition - NO TURNS



R3-4
Movement Prohibition - No U Turn



R3-5L
Mandatory Movement Lane Control - Turn Only



R3-5R
Mandatory Movement Lane Control - Turn Only



R3-5a
Mandatory Movement Lane Control - Through Only



R3-5bP
LEFT LANE (Plaque)



R3-5eP
CENTER LANE (Plaque)



R3-5gP
BUS LANE (Plaque)



R3-5cP
HOV 2+ (Plaque)



R3-5dP
TAXI LANE (Plaque)



R3-5fP
RIGHT LANE (Plaque)



R3-5hP
BIKE LANE (Plaque)



R3-5iPT
Distance (Plaque)


REGULATORY




R3-5uT
Turnaround ONLY



R3-6L
Optional Movement
Lane Control -
Thru and Turn



R3-6R
Optional Movement
Lane Control -
Thru and Turn



R3-6a
Optional Movement
Lane Control -
U and Left Turns



R3-6bL
Optional Movement
Lane Control - Oblique



R3-6bR
Optional Movement
Lane Control - Oblique



R3-7L
LEFT LANE MUST
TURN LEFT



R3-7R
RIGHT LANE MUST
TURN RIGHT




R3-7aP
EXCEPT BUSES
(Plaque)




R3-7bP
EXCEPT BICYCLES
(Plaque)




R3-8 L[M]
Advance Intersection
Lane Control
(2 Lanes)




R3-8 [K]R
Advance Intersection
Lane Control
(2 Lanes)




R3-8 LS
Advance Intersection
Lane Control (2 Lanes)




R3-8 SR
Advance Intersection
Lane Control (2 Lanes)




R3-8 LK
Advance Intersection
Lane Control (2 Lanes)




R3-8 LL
Advance Intersection
Lane Control (2 Lanes)




R3-8 RR
Advance Intersection
Lane Control (2 Lanes)




R3-8 LR
Advance Intersection
Lane Control (2 Lanes)



R3-8 MS
Advance Intersection
Lane Control (2 Lanes)




R3-8 MR
Advance Intersection
Lane Control (2 Lanes)




R3-8 SK
Advance Intersection
Lane Control (2 Lanes)


REGULATORY




R3-8a L[MR]
Advance Intersection
Lane Control (3 Lanes)




R3-8a [LK]R
Advance Intersection
Lane Control (3 Lanes)




R3-8a LMS
Advance Intersection Lane
Control (3 Lanes)




R3-8a LLK
Advance Intersection
Lane Control (3 Lanes)




R3-8a ULM
Advance Intersection Lane
Control (3 Lanes)




R3-8a UMS
Advance Intersection Lane
Control (3 Lanes)




R3-8a LMRR
Advance Intersection Lane
Control (4 Lanes)




R3-8a LMSR
Advance Intersection Lane
Control (4 Lanes)




R3-8a LMSRR
Advance Intersection Lane
Control (5 Lanes)




R3-8b LLS
Advance Intersection Lane
Control (3 Lanes)




R3-8b SRR
Advance Intersection Lane
Control (3 Lanes)



R3-8b LSS
Advance Intersection
Lane Control (3 Lanes)




R3-8b SSR
Advance Intersection Lane
Control (3 Lanes)




R3-8b [LSR]
Advance Intersection Lane
Control (3 Lanes)

REGULATORY



R3-8b LSRR
Advance Intersection Lane Control (4 Lanes)



R3-8b LLSR
Advance Intersection Lane Control (4 Lanes)




R3-8cT
Advance Intersection Lane Control (1 Lane)



R3-8xa
Advance Intersection Lane Control with Bike Lane



R3-8xb
Advance Intersection Lane Control with Bike Lane




R3-8xc
Advance Intersection Lane Control with Bike Lane



R3-8zd
Advance Circular Intersection Lane Control (2 Lanes)



R3-8ze
Advance Circular Intersection Lane Control (2 Lanes)



R3-8zf
Advance Circular Intersection Lane Control (2 Lanes)



R3-8zg
Advance Circular Intersection Lane Control (2 Lanes)



R3-9a
Two-Way Left Turn Only (Overhead)




R3-9b
Two-Way Left Turn Only (Post-Mounted)



R3-9cP
BEGIN (Plaque)



R3-9dP
END (Plaque)



R3-9e
Reversible Lane Control (Symbol)



R3-9f
Reversible Lane Control (Post-Mounted)



R3-9g[A]
Advance Reversible Lane Control Transition



R3-9h[A]
Advance Reversible Lane Control Transition



R3-9g[B]
Advance Reversible Lane Control Transition



R3-9h[B]
Advance Reversible Lane Control Transition



R3-9i
END REVERSE LANE



R3-17
BIKE LANE



R3-17aP
AHEAD (Plaque)



R3-17bP
ENDS (Plaque)



R3-18
Movement Prohibition -
No U or Left Turn



R3-19
LANE FOR LEFT
TURN ONLY



R3-19a
LANE FOR U TURN
ONLY



R3-19b
LANE FOR U AND
LEFT TURNS ONLY



R3-20L
BEGIN LEFT
TURN LANE



R3-20R
BEGIN RIGHT
TURN LANE



R3-24
ALL TURNS [Directional Arrow 45º]



R3-25
ALL TURNS [Directional Arrow]



R3-23
ALL TURNS FROM
RIGHT LANE



R3-23a
U TURN FROM
RIGHT LANE



R3-24a
U TURN AND LEFT TURNS
[Directional Arrow 45º]



R3-25a
U TURN AND LEFT TURNS
[Directional Arrow]



R3-24b
U TURN [Directional Arrow 45º]



R3-25b
U TURN [Directional Arrow]



R3-26
U TURN AND LEFT TURNS
[Directional Up Arrow]



R3-26a
U TURN [Directional Up Arrow]



R3-27
Movement Prohibition -
No Straight Through



R3-33L
LEFT LANE MUST EXIT

REGULATORY



R3-33R
RIGHT LANE MUST EXIT



R3-33TL
LEFT LANE MUST EXIT



R3-33TR
RIGHT LANE MUST EXIT



R3-33aTL
LEFT LANE MUST ENTER RAMP



R3-33aTR
RIGHT LANE MUST ENTER RAMP



R3-33bTL
LEFT LANE MUST ENTER FRWY



R3-33bTR
RIGHT LANE MUST ENTER FRWY



R3-33cT
ALL TRAFFIC MUST EXIT



R4-1
DO NOT PASS



R4-2
PASS WITH CARE



R4-2aT
LEFT LANE FOR PASSING ONLY



R4-3
SLOWER TRAFFIC KEEP RIGHT



R4-3bT
DO NOT CROSS DOUBLE WHITE LINE



R4-4
BEGIN RIGHT TURN LANE YIELD TO BIKES



R4-5aT [A]
NO TRUCKS LEFT LANE



R4-5aT [B]
NO TRUCKS LEFT LANE



R4-5aT [C]
NO TRUCKS LEFT LANE



R4-5aT [D]
NO TRUCKS LEFT LANE NEXT XX MILES



R4-5bT
BEGIN NO TRUCKS LEFT LANE



R4-5cT
END NO TRUCKS LEFT LANE



R4-7
Keep Right

REGULATORY




R4-7a
KEEP RIGHT



R4-7b
KEEP RIGHT



R4-7c
Narrow Keep Right




R4-8
Keep Left



R4-8a
KEEP LEFT



R4-8b
KEEP LEFT



R4-8c
Narrow Keep Left



R4-9
STAY IN LANE



R4-10
RUNAWAY
VEHICLES ONLY



R4-17
DO NOT DRIVE ON
SHOULDER



R4-18
DO NOT PASS ON
SHOULDER



R4-19
Bicycle Passing
Clearance



R4-20L
ALL TRAFFIC



R4-20R
ALL TRAFFIC



R4-21L
LEFT TURN ONLY



R4-21R
RIGHT TURN ONLY



R5-1
DO NOT ENTER



R5-1PT
RAMP (Plaque)



R5-1a
WRONG WAY



R5-1b
Bicycle WRONG
WAY



R5-2
No Trucks



R5-2aP
EXCEPT LOCAL
DELIVERY (Plaque)

REGULATORY



R5-2b
NO THRU TRUCKS



R5-3
NO MOTOR VEHICLES



R5-4
NO COMMERCIAL VEHICLES



R5-4aT
NO ENGINE BRAKE BY LOCAL ORDINANCE




R5-5
NO VEHICLES WITH LUGS



R5-6
No Bicycles



R5-7
NO NON-MOTORIZED TRAFFIC



R5-8
NO MOTOR-DRIVEN CYCLES



R5-10
NO PEDESTRIANS, BICYCLES, MOTOR-DRIVEN CYCLES



R5-10a
NO PEDESTRIANS, BICYCLES, MOTOR-DRIVEN CYCLES ON FREEWAY



R5-10b
NO PEDESTRIANS OR BICYCLES



R5-10c
NO PEDESTRIANS



R5-10dP
ON FREEWAY
(Plaque)



R5-11
AUTHORIZED VEHICLES ONLY



R5-11T
FOR OFFICIAL OR EMERGENCY VEHICLE USE ONLY



R5-12
NO THRU TRAFFIC



R6-1L
ONE WAY



R6-1R
ONE WAY



R6-2L
ONE WAY



R6-2R
ONE WAY



R6-3
DIVIDED HIGHWAY
Crossing



R6-3a
DIVIDED HIGHWAY
Crossing



R6-5P
Roundabout
Circulation (Plaque)

REGULATORY



R6-6
BEGIN ONE WAY



R6-7
END ONE WAY



R7-1L (R,DBL)
NO PARKING ANY TIME



R7-2
No Parking
(Part-Time)



R7-2aR (L,DBL)
NO PARKING
(Part-Time)



R7-3DBL (L,R)
NO PARKING
EXCEPT SUNDAYS
AND HOLIDAYS



R7-4DBL (L,R)
NO STANDING
ANY TIME



R7-4aDBL (L,R)
NO STOPPING
ANY TIME



R7-5DBL (L,R)
Parking Permitted
(Time Limit)



R7-6DBL (L,R)
NO PARKING
LOADING ZONE



R7-8T
RESERVED
PARKING -
Accessible



R7-8aP
VAN ACCESSIBLE
(Plaque)



R7-8aPT
VIOLATORS SUBJECT
TO FINE AND TOWING
(Plaque)



R7-9
NO PARKING
BIKE LANE



R7-9a
No Parking
BIKE LANE



R7-10L (R,DBL)
BACK-IN
PARKING



R7-11TDBL (L,R)
PARALLEL
PARKING (Arrow)



R7-20
Parking Fee Station,
Multispace Meter



R7-21R (L,DBL)
Metered Parking



R7-21aP
Mobile Parking
Payment (Plaque)



R7-22DBL (L,R)
METERED
PARKING



R7-107R (L,DBL)
NO PARKING BUS
STOP



R7-107aR (L,DBL)
No Parking Bus Stop

REGULATORY



R7-107bR (L,DBL)
No Parking Bus Stop (with Transit Pictograph)



R7-108 [A]
Parking Allowed (Time Limit, Part-Time)



R7-108 [B]
Parking Allowed (Time Limit, Part-Time)



R7-111R (L)
NO PARKING EXCEPT ELECTRIC VEHICLES



R7-111aDBL (L, R)
NO PARKING EXCEPT ELECTRIC VEHICLES (Part-Time)



R7-112R (L,DBL)
Electric Vehicle Parking (Time Limit)



R7-112aDBL (L,R)
Electric Vehicle Parking (Time Limit, Part-Time)



R7-112bR (L,DBL)
Electric Vehicle Parking (Time Limit, Part-Time)



R7-113 DBL
NO PARKING EXCEPT WHILE CHARGING



R7-113aP
VEHICLE MUST BE PLUGGED IN (Plaque)



R7-113bP
VACATE STALL WHEN CHARGING COMPLETED (Plaque)



R7-114L (R,DBL)
VEHICLE CHARGING ONLY (Time Limit)



R7-114aDBL (L,R)
VEHICLE CHARGING ONLY (Time Limit, Part-Time)



R7-114bR (L,DBL)
VEHICLE CHARGING ONLY (Time Limit, Part-Time)



R7-200 (L | R)
NO PARKING/Restricted Parking (Combined Sign)



R7-200 (DBL | DBL)
NO PARKING/Restricted Parking (Combined Sign)


REGULATORY



R7-200a (L | R)
NO PARKING/
Restricted Parking
(Combined Sign)




R7-200a (DBL | DBL)
NO PARKING/
Restricted Parking
(Combined Sign)



R7-201P (BLK)
Tow Away Zone
(Plaque)



R7-201aP
TOW AWAY ZONE
(Plaque)



R7-201P (RED)
Tow Away Zone
(Plaque)



R7-202P
THIS SIDE OF SIGN
(Plaque)



R7-202aPT (GRN)
BETWEEN SIGNS



R7-202bPT (GRN)
HERE TO CORNER
(Plaque)



R7-202aPT (RED)
BETWEEN SIGNS



R7-202bPT (RED)
HERE TO CORNER
(Plaque)



R8-1
NO PARKING ON
PAVEMENT



R8-1aT
NO PARKING ON
BRIDGE



R8-1bT
NO PARKING ON
ROW



R8-1cT
NO PARKING ON
TRACKS



R8-1dT
NO PARKING ON
SHOULDER



R8-2
NO PARKING
EXCEPT ON
SHOULDER



R8-2T
NO PARKING
WITHIN 10 FEET OF
PAVEMENT



R8-3
No Parking (Symbol)



R8-3a
NO PARKING

REGULATORY



R8-3aTL
NO PARKING
(with Arrow)



R8-3aTR
NO PARKING
(with Arrow)



R8-3aTDBL
NO PARKING
(with Arrow)



R8-3bPT
EXCEPT SUNDAYS
AND HOLIDAYS
(Plaque)



R8-3c
ON PAVEMENT



R8-3cPT
ON PAVEMENT
(Plaque)



R8-3d
ON BRIDGE



R8-3dPT
ON BRIDGE
(Plaque)



R8-3e
ON TRACKS



R8-3ePT
ON TRACKS
(Plaque)



R8-3f
EXCEPT ON
SHOULDER



R8-3fPT
EXCEPT ON
SHOULDER (Plaque)



R8-3gPT DBL (L,R)
LOADING ZONE
(Arrow) (Plaque)



R8-3hPTL (R,DBL)
Times of Day
(Plaque)



R8-3iT
ON SHOULDER



R8-3iPT
ON SHOULDER
(Plaque)



R8-3kT
NO TRUCK
PARKING (Plaque)



R8-4
EMERGENCY
PARKING ONLY



R8-5
NO STOPPING ON
PAVEMENT



R8-6
NO STOPPING
EXCEPT ON
SHOULDER



R8-7
EMERGENCY
STOPPING ONLY



R8-8
DO NOT STOP ON
TRACKS



R8-9
TRACKS OUT OF
SERVICE



R8-10L
STOP HERE WHEN
FLASHING

REGULATORY



R8-10R
STOP HERE WHEN FLASHING



R8-10aL
STOP HERE WHEN FLASHING



R8-10aR
STOP HERE WHEN FLASHING



R9-1
WALK ON LEFT FACING TRAFFIC



R9-2
CROSS ONLY AT CROSS WALKS



R9-3
No Pedestrian Crossing (Symbol)



R9-3a
NO PEDESTRIAN CROSSING



R9-3bPL
USE CROSSWALK (Plaque)



R9-3bPR
USE CROSSWALK (Plaque)



R9-3cP
RIDE WITH TRAFFIC (Plaque)




R9-4
No Hitchhiking (Symbol)



R9-4a
NO HITCHHIKING



R9-5
Bicycles USE PEDESTRIAN SIGNAL



R9-6
Bicycles YIELD TO PEDESTRIANS



R9-7
Shared-Use Path Restriction



R9-8
PEDESTRIAN CROSSWALK



R9-9
SIDEWALK CLOSED



R9-10DBL
SIDEWALK CLOSED, USE OTHER SIDE



R9-10L
SIDEWALK CLOSED, USE OTHER SIDE



R9-10R
SIDEWALK CLOSED, USE OTHER SIDE



R9-11L
SIDEWALK CLOSED AHEAD, CROSS HERE



R9-11R
SIDEWALK CLOSED AHEAD, CROSS HERE



R9-11aL
SIDEWALK CLOSED, CROSS HERE

REGULATORY



R9-11aR
SIDEWALK CLOSED,
CROSS HERE



R9-12
BIKE LANE CLOSED




R9-13
No Skaters



R9-14
No Equestrians



R9-16
No All-Terrain
Vehicles



R9-19P
EXCEPT ON
SHOULDER (Plaque)



R9-20
Bicycles ALLOWED
USE OF FULL LANE



R9-21
Bicycles USE
SHOULDER ONLY



R9-22
BICYCLES MUST
EXIT



R9-23
Bicycle ALL TURNS
FROM BIKE LANE



R9-23a
Bicycle LEFT TURN
FROM BIKE LANE



R9-23b
Bicycle LEFT TURN
MUST USE TURN
BOX



R9-23c
Bicycle LEFT TURN
MUST USE TURN BOX
(with Arrow, Oblique)



R9-24
Bicycle ALL TURNS
(with Arrow, Oblique)



R9-24a
Bicycle ALL TURNS
(with Arrow, Horizontal)



R9-25
Bicycle U AND LEFT TURNS
(with Arrow, Oblique)



R9-25a
Bicycle U AND LEFT TURNS
(with Arrow, Horizontal)



R9-25b
Bicycle U AND LEFT TURNS
(with Arrow, Through)



R9-26
Bicycle U TURN
(with Arrow, Oblique)



R9-26a
Bicycle U TURN
(with Arrow, Horizontal)



R9-26b
Bicycle U TURN
(with Arrow, Through)

REGULATORY



R9-27
Bicycle LEFT TURN
(with Arrow, Oblique)



R9-27a
Bicycle LEFT TURN
(with Arrow, Horizontal)



R9-27b
Bicycle LEFT TURN
(with Arrow, Through)



R10-1
CROSS ONLY ON
GREEN
[symbolic circular green]



R10-2
CROSS ONLY ON
[symbolic walk
indication] SIGNAL



R10-3L
Push Button For Walk
Signal



R10-3R
Push Button For Walk
Signal



R10-3aL
PUSH BUTTON TO
CROSS STREET -
Wait For Walk Signal




R10-3aR
PUSH BUTTON TO
CROSS STREET -
Wait For Walk Signal




R10-3bL
Push Button
Educational




R10-3bR
Push Button Educational




R10-3cL
Push Button
Educational




R10-3cR
Push Button
Educational




R10-3dL
Push Button Educational -
Two-Stage Crossing




R10-3dR
Push Button Educational -
Two-Stage Crossing




R10-3eL
Push Button Educational -
Countdown Signal




R10-3eR
Push Button Educational -
Countdown Signal




R10-3fL
Push Button Educational -
Street Name



R10-3fR
Push Button Educational -
Street Name




R10-3gL
Push Button Educational -
Street Name




R10-3gR
Push Button Educational -
Street Name


REGULATORY




R10-3hL
Push Button Educational - Street Name -Two-Stage Crossing



R10-3hR
Push Button Educational - Street Name -Two-Stage Crossing



R10-3iL
Push Button Educational - Countdown Signal - Street Name



R10-3iR
Push Button Educational - Countdown Signal - Street Name



R10-4L
PUSH BUTTON FOR GREEN



R10-4R
PUSH BUTTON FOR GREEN



R10-4aL
PUSH BUTTON - WAIT FOR GREEN



R10-4aR
PUSH BUTTON - WAIT FOR GREEN



R10-4bL
PUSH BUTTON FOR (Symbol)



R10-4bR
PUSH BUTTON FOR (Symbol)



R10-5L
LEFT ON GREEN ARROW ONLY



R10-5R
RIGHT ON GREEN ARROW ONLY



R10-6L
STOP HERE ON RED (Arrow)




R10-6R
STOP HERE ON RED (Arrow)



R10-6aL
STOP HERE ON RED



R10-6aR
STOP HERE ON RED



R10-7
DO NOT BLOCK INTERSECTION



R10-7
DO NOT BLOCK CROSSING



R10-7
DO NOT BLOCK DRIVEWAY



R10-8
USE LANE WITH GREEN ARROW



R10-9T
PROTECTED LEFT ON GREEN ARROW

REGULATORY



R10-9aPT
(IA-23-1P)
TURN ONLY IN
DIRECTION OF ARROW



R10-10L
LEFT TURN
SIGNAL



R10-10R
RIGHT TURN
SIGNAL



R10-10a
U TURN SIGNAL



R10-11
NO TURN ON RED



R10-11a
NO TURN ON
Circular RED



R10-11b
NO TURN ON RED



R10-11c
NO TURN ON RED
EXCEPT FROM
RIGHT LANE



R10-11d
NO TURN ON RED
FROM THIS LANE
(Arrow)



R10-11T
NO RIGHT TURN
ON RED



R10-12
LEFT TURN YIELD
ON GREEN



R10-12aT
LEFT TURN YIELD
ON FLASHING
YELLOW ARROW



R10-12b
LEFT TURN YIELD
TO Bicycle



R10-13
EMERGENCY
SIGNAL




R10-14b
STOP HERE ON
FLASHING RED



R10-15aL
TURNING VEHICLES
Stop for Pedestrians



R10-15aR
TURNING VEHICLES
Stop for Pedestrians



R10-16
U-TURN YIELD TO
RIGHT TURN



R10-20aP [A]
SUNDAY (and Times)
(2 Lines)(Plaque)



R10-20aP [B]
MON-FRI (and Times)
(3 Lines)(Plaque)



R10-20bPT [A]
TIMES (And MON-FRI)
(2 Lines) (Plaque)



R10-20bPT [B]
TIMES (And MON-FRI)
(1 Line) (Plaque)



R10-22
Bicycle Detector



R10-23
CROSSWALK -
STOP ON RED



R10-23a
STOP ON RED -
YIELD ON FLASHING
RED AFTER STOP



R10-24
Bike PUSH BUTTON
FOR GREEN LIGHT




R10-25
PUSH FOR
WARNING LIGHTS -
WAIT FOR GAP



R10-26L
Bike PUSH BUTTON
FOR GREEN LIGHT
(Arrow)



R10-26R
Bike PUSH BUTTON
FOR GREEN LIGHT
(Arrow)



R10-27
LEFT TURN YIELD
ON FLASHING RED
ARROW AFTER STOP



R10-28
XX VEHICLES PER
GREEN




R10-29
XX VEHICLES PER
GREEN EACH LANE



R10-30
RIGHT TURN ON
RED MUST YIELD
TO U-TURN



R10-31P
AT SIGNAL (Plaque)



R10-32P
PUSH BUTTON FOR 2
SECONDS FOR EXTRA
CROSSING TIME
(Plaque)



R10-40
Bicycle Signal
Mandatory Movement
(Left Turn)



R10-40a
Bicycle Signal
Mandatory Movement
(Thru)



R10-40b
Bicycle Signal
Mandatory Movement
(Right Turn)



R10-41
Bicycle Signal
Optional Movement
(Thru and Turn)



R10-41a
Bicycle Signal
Optional Movement
(Left and Right Turns)



R10-41b
Bicycle Signal
Optional Movement
(All)



R10-41c
Bicycle Signal
Optional Movement
(Left and Thru)

REGULATORY



R11-1
KEEP OFF MEDIAN



R11-2
ROAD CLOSED



R11-2a
STREET CLOSED




R11-2bT
BRIDGE CLOSED



R11-2c
PATH CLOSED




R11-2dT
RAMP CLOSED



R11-3
ROAD CLOSED -
LOCAL TRAFFIC ONLY



R11-3a
STREET CLOSED -
LOCAL TRAFFIC ONLY



R11-3b
BRIDGE CLOSED - LOCAL
TRAFFIC ONLY




R11-4
ROAD CLOSED TO
THRU TRAFFIC




R11-5aT
HIGH WATER ROAD
CLOSED
(Folding Sign)




R11-5bT
HIGH WATER ROAD
CLOSED WHEN
FLASHING



R11-6T
LOADS OVER
Clearance Height




R11-7T
VEHICLES OVER XX
FT XX IN MUST EXIT




R11-7aT
VEHICLES OVER XX FT
XX IN MUST EXIT XX


REGULATORY




R11-8T
WHEN FLASHING
OVERHEIGHT VEHICLE
MUST EXIT




R11-8aT
WHEN FLASHING
OVERHEIGHT VEHICLE
MUST EXIT XX



R11-9T
WHEN FLASHING
OVERHEIGHT VEHICLES
MUST STOP HERE




R12-1
WEIGHT LIMIT



R12-1T
WEIGHT LIMIT




R12-2bT
WEIGHT LIMIT




R12-2cT
WEIGHT LIMIT




R12-3T
NO TRUCKS OVER
7000 LBS EMPTY WT



R12-4aT
WEIGHT LIMIT




R12-4bT
WEIGHT LIMIT




R12-4cT
WEIGHT LIMIT




R12-7T
EMERGENCY VEHICLE
WEIGHT LIMIT




R12-7PT
EMERGENCY VEHICLES
Weight Limit (Plaque)




R12-8aT
WEIGHT LIMIT




R12-8bT
WEIGHT LIMIT




R12-8cT
WEIGHT LIMIT




R12-8dT
WEIGHT LIMIT




R12-8eT
WEIGHT LIMIT




R12-8fT
WEIGHT LIMIT




R12-8hT
WEIGHT LIMIT




R12-8iT
WEIGHT LIMIT



R12-8jT
WEIGHT LIMIT



R12-8kT
WEIGHT LIMIT



R12-8mT
WEIGHT LIMIT



R12-9T
WIDTH LIMIT
8 FEET




R12-9aT
WIDTH LIMIT
8 FT 6 IN



R13-1T
ALL COMMERICAL VEH & BUSES
NEXT RIGHT WHEN FLASHING



R13-1PTL
ALL TRUCKS NEXT LEFT



R13-1PTR
ALL TRUCKS NEXT RIGHT



R13-1aT
ALL TRUCKS MUST STOP
AHEAD (Folding Sign)



R13-1aT
STATION CLOSED
(When Folded)



R13-1bT
TRUCK-BUSES MUST STOP
AHEAD (Folding Sign)



R13-1bT
STATION CLOSED
(When Folded)




R13-1cT
ALL TRUCKS NEXT
RIGHT WHEN FLASHING

REGULATORY



R13-2T
ALL VEHICLES MUST STOP AHEAD WHEN FLASHING



R13-3T
USE LOW BEAMS



R13-7T
LIVESTOCK POULTRY EXOTICS INSPECTION STATION NEXT RIGHT



R13-7aPT
OPEN STATION
(Folding Sign)



R13-7aPT
STATION CLOSED
(When Folded)



R14-1
TRUCK ROUTE



R14-2
Hazardous Material Route



R14-3
Hazardous Material Prohibition



R14-6T
(HM) MUST FOLLOW



R15-1
Grade Crossing
(Crossbuck)



R15-2P
Number of Tracks
(Plaque)



R15-3P
EXEMPT (Plaque)



R15-4a
Light Rail ONLY
RIGHT LANE



R15-4b
Light Rail ONLY
LEFT LANE



R15-4c
Light Rail ONLY
CENTER LANE



R15-5
Light Rail DO NOT PASS



R15-5a
DO NOT PASS STOPPED TRAIN




R15-6
No Motor Vehicles On Tracks



R15-6a
DO NOT DRIVE ON TRACKS



R15-7
Light Rail, DIVIDED HIGHWAY Symbol




R15-7a
Light Rail, DIVIDED HIGHWAY [T-Intersection] Symbol


REGULATORY



R15-8
LOOK



R16-3
MOVE OVER OR
REDUCE SPEED




R16-4T
MOVE VEHICLES
OFF FREEWAY



R16-15T
PROHIBITED ELECTRONIC
MESSAGING WHILE
DRIVING



R19-3T
DAMAGING TREES OR
PLANTS ON HIGHWAYS
PROHIBITED BY LAW



R19-4T
UNLAWFUL TO WRITE
ON MAR OR DEFACE THE
PROPERTY IN THIS AREA



R19-5T
NO DUMPING
ALLOWED



R19-6T
LITTERING PROHIBITED
$10-2000 FINE



R19-6aT
Don't Mess With Texas
UP TO $2000 FINE FOR
LITTERING



R19-6bT
LITTERING IS
UNLAWFUL



R19-6cT
FIREWORKS
PROHIBITED IN REST
AREA BY COUNTY
COURT ORDER



R19-7T
NO FISHING FROM
BRIDGE



R19-8T
FASTEN SAFETY
BELTS STATE LAW




R19-8aT
Fasten Safety Belts
State Law (Symbol)




R19-9T
CAMPING ON
PUBLIC PROPERTY
PROHIBITED STATE
LAW



R19-10aT
BURN BAN IN EFFECT
(Folding Sign)



R19-10bT
COUNTY BURN
BAN IN EFFECT
(Folding Sign)



R19-11T
NON-MOW AREA

REGULATORY



R20-1PT
NEXT X MILES
(Plaque)



R20-4PT
X MILES AHEAD
(Plaque)



R20-4PT
X MILES AHEAD
(Plaque)



R23-1T
KEEP OUT
(with Symbol)



R23-1aT
NO TRESPASSING
CONSTRUCTION
PERSONNEL ONLY



R24-1T
SOURCE WATER PROTECTION AREA FOR INFORMATION CONTACT LOCAL WATER (XXX) XXX-XXXX



R25-1T
Firearms Prohibited
(Symbol)




R25-1aT
FIREARMS
PROHIBITED



R25-2T
WARNING ILLEGAL TO CARRY FIREARMS - AMMUNITION INTO MEXICO PENALTY - PRISON



R25-2aT
WARNING ILLEGAL TO CARRY FIREARMS - AMMUNITION INTO MEXICO PENALTY - PRISON BY MEXICAN LAW




R1-1
STOP

*Reduce Spacing 40%.

A	B	C	D	E	F	G
18	0.375	6	6C*	3	7.401	7.456
30	0.75	10	10C*	5	12.335	12.426
36	0.875	12	12C*	6	14.802	14.912
48	1.25	16	16C*	8	19.736	19.882


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED



R1-2
YIELD

A	B	C	D	E	F	G	H	J
18	0.375	2	1	1.5C	2.372	2.175	0.625	1.5
30	0.625	4	1.75	2.5C	3.953	3.625	0.875	1.5
36	0.75	5	2	3C	4.718	4.375	1.25	2
48	1	6	2.75	4C	6.249	5.875	2	3
60	1.5	8	3.5	5C	7.905	7.25	2.5	4


COLORS: LEGEND, OUTER BACKGROUND - RED
INNER BACKGROUND, BORDER - WHITE



R1-2aP
TO ONCOMING TRAFFIC (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	18	0.375	0.625	2.5	3D	2	2.191	2.191	9.967	9.967	7.699	7.699	1.5
36	30	0.5	0.75	5.25	4.5D	3	3.287	3.286	14.950	14.950	11.549	11.548	1.875
48	36	0.625	0.875	5	6D	4	4.383	4.382	19.934	19.933	15.399	15.398	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R1-2bP
TO TRAFFIC IN CIRCLE (Plaque)

* Reduce Spacing 20%.

A	B	C	D	E	F	G	H
24	15	0.375	0.438	3.25	3C	2.5	3C
36	24	0.375	0.625	5	5C*	4	5C

J	K	L	M	N	P	Q	R
3.662	2.25	3.467	9.378	2.761	3.122	8.132	1.5
5.983	2.625	5.975	14.583	4.601	5.765	12.991	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R1-2cP
TO ALL LANES (Plaque)

* Increase Spacing 20%.
** Increase Spacing 30%.

A	B	C	D	E	F	G	H
24	15	0.375	0.438	3	3.5D*	2	3.5D**
36	24	0.375	0.625	4.625	5.5D*	3.75	5.5D**

J	K	L	M	N	P	Q
5.204	2.25	0.562	8.016	7.293	7.293	1.5
8.177	3.5	0.896	12.585	11.461	11.460	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R1-2dPT
TO RAMP (Plaque)


A	B	C	D	E	F	G	H
21	15	.375	.438	2.5	4D	2	1.5
30	24	.375	.625	4	6D	4	1.5

Alternate 2nd Line Legend

TRAIN

R1-2ePT
TO TRAIN (Plaque)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R1-3P
ALL WAY (Plaque)

* Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K
18	6	0.5	1.5	3C	5.822	1.455	0.795	6.483	1.5
30	12	0.75	3	6C*	10.805	2.401	0.599	12.606	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED



R1-5bR
Stop Here for Pedestrians



R1-5bL

*See Section 11 for arrow and symbol designs.

A	B	C	D	E	F	G	H	J	K	L	M
36	0.625	0.875	3	4.25	4.5C	1.25	4C	1	7.75	6	4.75

N	P	Q	R	S	T	U	V	W	X	Y	Z
10	15.625	13	5.385	5.920	13.25	2.5	10.804	3.962	3.961	14	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND, STOP SIGN LEGEND - WHITE
STOP SIGN BACKGROUND - RED





R1-5eL

R1-5eR
Stop Here for Trail Crossing


*See Section 11 for arrow and symbol designs.

A	B	C	D	E	F	G	H	J	K
36	42	0.625	0.875	3	4.25	4.5C	5.875	4C	2

L	M	N	P	Q	R	S	T	U	V
7.75	6.375	3	1.375	5.625	11	1	8	3	13

W	X	Y	Z	AA	BB	CC	DD	EE	FF
5.385	5.920	15	2.5	10.804	0.875	7.048	15.25	1	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND, STOP SIGN LEGEND - WHITE
STOP SIGN BACKGROUND - RED




R1-6a
In-Street Pedestrian Crossing - Stop

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	36	0.25	1	2D	0.75	24	2	7.75	1.25	1.5D	8.25	1.5C	3.742

Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD
2.482	2.481	5	3.875	3.618	3.617	2.5	2.75C	1.771	1	0.690	4.765	4.764	1.5

COLORS: LEGEND, INNER BORDER - BLACK
INNER BACKGROUND, STOP SIGN LEGEND - WHITE
OUTER BACKGROUND - YELLOW OR FLUORESCENT YELLOW-GREEN
STOP SIGN BACKGROUND - RED




R1-6e
In-Street Trail Crossing - Stop

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
12	36	0.25	0.75	2D	0.75	0.5	25.5	1	7.25	0.875	1.5D	4.625	7.5	1.5C

R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
3.742	2.482	2.481	5	3.625	2.375	2.5C	3.289	1.771	1	0.690	4.765	4.764	1.5

COLORS: LEGEND, INNER BORDER - BLACK
INNER BACKGROUND, STOP SIGN LEGEND - WHITE
OUTER BACKGROUND - YELLOW OR FLUORESCENT YELLOW-GREEN
STOP SIGN BACKGROUND - RED



R1-9a
Overhead Pedestrian Crossing - Stop


*See Section 11 for symbol design.
**Increase Spacing 85%.

A	B	C	D	E	F	G	H	J	K
90	24	0.5	0.75	3	4D	1.75	0.75	1.625	10

L	M	N	P	Q	R	S	T	U	V
2.875	3	3.5D**	2.25	2.125	9.125	14.447	0.521	4	9.925

W	X	Y	Z	AA	BB	CC	DD	EE
12.489	9.446	1.964	31.899	3.25	4.497	10.550	19.047	1.875

COLORS: LEGEND, BORDER - BLACK
UPPER BACKGROUND - YELLOW OR FLUORESCENT YELLOW-GREEN
LOWER BACKGROUND - WHITE



R1-9e
Overhead Trail Crossing - Stop


*See Section 11 for symbol design.
**Reduce Spacing 10%.

A	B	C	D	E	F	G	H	J	K	L
72	24	0.5	0.75	3	4D	1.75	0.75	2.25	3.5C**	2

M	N	P	Q	R	S	T	U	V	W	X
3.25	2.5	1.5	14.447	0.521	4	9.925	10	2.5	8.5	12.489

Y	Z	AA	BB	CC	DD	EE	FF	GG	HH
9.446	1.521	3.5	5.305	7.724	7.151	12.861	3.144	21.866	1.875


COLORS: LEGEND, BORDER - BLACK
UPPER BACKGROUND - YELLOW OR FLUORESCENT YELLOW-GREEN
LOWER BACKGROUND - WHITE



R1-10P
EXCEPT RIGHT TURN (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
24	18	0.375	0.625	2.5	3D	2	6.905	6.904	5.374	4.834	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R2-1
SPEED LIMIT

*Optically space numerals about centerline.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	24	0.375	0.625	3	3E	2	8E*	7.053	7.052	5.491	5.491	VAR*	1.5
24	30	0.375	0.625	4	4E	2	10E*	9.403	9.403	7.321	7.321	VAR*	1.5
30	36	0.5	0.75	4.5	5E	2.5	12E*	11.754	11.754	9.152	9.151	VAR*	1.875
36	48	0.625	0.875	6	6E	5	14E*	14.105	14.104	10.982	10.981	VAR*	2.25
48	60	0.75	1.25	8	8E	6	16E*	18.806	18.806	14.642	14.642	VAR*	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R2-1T
SPEED LIMIT (with Red border)

A	B	C	D	E	F
30	36	36	42	3	2.25
36	48	44	56	4	3

The red border speed limit signs may only be used at the beginning of a speed reduction where a problem with speed exists. TRF suggests using a larger 48 x 48 inch fluorescent yellow "Reduced Speed Ahead" sign (W3-5) first. If this doesn't remedy the situation, then the district may use the red border speed limit sign but only on the first reduced speed limit sign. For example, entering a town with 70 mph reduced to 55 mph, the 55 speed limit could have a red border.

The recommended red border treatment is to add a red border to the standard Speed Limit sign. This border should be 3 inches for the standard sized Speed Limit sign (30 x 36 inches) and 4 inches for 36 x 48 inch size.




R2-4P
MINIMUM Speed Limit (Plaque)

*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J	K
24	0.375	0.625	3.75	4C	2.5	10D	9.404	VAR*	1.5
36	0.625	0.875	5.875	6C	4.25	14D	14.106	VAR*	2.25
48	0.75	1.25	8.75	8C	6.5	16D	18.808	VAR*	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R2-4a
Combined Maximum and Minimum Speed Limits

*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J
24	48	0.375	0.625	4	4E	2.5	10E	4C
36	72	0.625	0.875	6	6E	4	14E	6C
48	96	0.75	1.25	8	8E	6.5	16E	8C

K	L	M	N	P	Q	R	S	T
8D	9.403	9.403	7.321	7.321	VAR*	9.404	VAR*	1.5
12D	14.105	14.104	10.982	10.981	VAR*	14.106	VAR*	2.25
14D	18.806	18.806	14.642	14.642	VAR*	18.808	VAR*	3


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R2-5P
UNLESS OTHERWISE POSTED (Plaque)

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	18	0.375	0.625	2.5	3D	2	3D*	7.191	7.190	10.008	7.010	7.010	1.5
36	24	0.375	0.625	3.25	4D	2.75	4D	9.587	9.587	13.848	9.347	9.346	1.5




R2-5aP
CITYWIDE (Plaque)

*Increase Spacing 50%.

A	B	C	D	E	F	G	H	J
24	6	0.375	0.375	1.5	3D*	9.485	9.484	1
30	9	0.375	0.375	2.5	4D*	12.646	12.646	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R2-5bP
NEIGHBORHOOD (Plaque)

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J
24	6	0.375	0.375	1.5	3B	10.354	10.354	1
30	9	0.375	0.375	2.5	4B*	13.006	13.005	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R2-5cP
RESIDENTIAL (Plaque)

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J
24	6	0.375	0.375	1.5	3C	10.219	10.218	1
30	9	0.375	0.375	2.5	4C*	12.981	12.980	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R2-13
END VARIABLE SPEED LIMIT

A	B	C	D	E	F	G	H
24	30	0.375	0.625	3.25	4D	2.5	4C
36	48	0.625	0.875	5.25	6D	4.5	6C
48	60	0.75	1.25	6.5	8D	5	8C

J	K	L	M	N	P	Q	R
4.784	4.783	10.284	10.283	7.886	7.885	6.242	1.5
7.176	7.175	15.425	15.425	11.828	11.828	9.363	2.25
9.567	9.567	20.567	20.567	15.771	15.771	12.484	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-1
Movement Prohibited - No Right Turn

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	0.375	0.625	1.5	10.5	4.016	7.5	2	2.531	2.75	6.375	6.75	1.5
36	0.625	0.875	2.25	15.75	6.023	11.25	3	3.797	4.125	9.563	10.125	2.25
48	0.75	1.25	3	21	8.031	15	4	5.063	5.5	12.75	13.5	3

COLORS: CIRCLE, DIAGONAL - RED
ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-1a
No Right Turn Across Tracks (Activated Blank-Out)

A	B	C	D	E	F	G	H	J
24	30	1.5	10.5	2	4D**	1.5	4.016	7.5
30	36	1.5	13.125	1.5	5D**	1.75	5.020	9.375


K	L	M	N	P	Q	R	S
2	2.531	2.75	6.375	2	8.465	8.464	6.75
2.5	3.164	3.438	7.969	2.5	10.581	10.580	8.438

*See Section 11 for arrow design.

**Increase Spacing 100%.

BLANK OUT

COLORS: CIRCLE, DIAGONAL - RED
ARROW, LEGEND - WHITE
BACKGROUND - BLACK



R3-1b
Movement Prohibition - [TRUCKS]** (1 Line)

*NO RIGHT TURN shown as an example, alternative movement prohibition symbols may be applicable.

**Alternative vehicle type legends may be applicable.

A	B	C	D	E	F	G	H	J	K	L
24	36	0.375	0.625	4	5C	3.5	10.5	2.5	VAR	1.5
36	54	0.625	0.875	6.75	7.5C	5.25	15.75	3	VAR	2.25

COLORS: CIRCLE, DIAGONAL - RED
LEGEND, ARROW, BORDER - BLACK
BACKGROUND - WHITE




R3-1c
Movement Prohibition - [TRUCKS BUSES]** (2 Lines)

*NO RIGHT TURN shown as an example, alternative movement prohibition symbols may be applicable.

**Alternative vehicle type legends may be applicable.

A	B	C	D	E	F	G	H	J	K	L	M
24	42	0.375	0.625	4.5	4D	3	10.5	2.5	VAR	VAR	1.5
36	60	0.625	0.875	5.5	6D	4	15.75	3	VAR	VAR	2.25

COLORS: CIRCLE, DIAGONAL - RED
LEGEND, ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-1d
Movement Prohibition - TRUCKS OVER XX,XXX LBS


*Reduce Spacing 20%.

**NO RIGHT TURN shown as an example, alternative movement prohibition symbols may be applicable.

A	B	C	D	E	F	G	H	J	K
24	54	0.375	0.625	3.25	4D*	3	4D	2.5	10.5
36	72	0.625	0.875	3.25	6D*	3	6D	2	15.75

L	M	N	P	Q	R	S
2.25	9.464	9.463	6.444	VAR	4.636	1.5
2.25	14.196	14.195	9.666	VAR	6.365	2.25

COLORS: CIRCLE, DIAGONAL - RED
LEGEND, ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-1e
Movement Prohibition - EXCEPT [BUSES]† (1 Line)

A	B	C	D	E	F	G	H
24	36	0.375	0.625	1.75	10.5	1.5	3D**
36	54	0.625	0.875	2.5	15.75	2	5D***

J	K	L	M	N	P	Q	R
2.25	4D	2.5	7.115	7.114	VAR	VAR	1.5
3	6D	4	11.158	11.157	VAR	VAR	2.25

COLORS: CIRCLE, DIAGONAL - RED
LEGEND, ARROW, BORDER - BLACK
BACKGROUND - WHITE

*NO RIGHT TURN shown as an example, alternative movement prohibition symbols may be applicable.

**Increase Spacing 20%.

***Reduce Spacing 20%.

†Alternative vehicle type legends may be applicable.



R3-1f
Movement Prohibition - EXCEPT [BUSES TAXIS]† (2 Lines)

A	B	C	D	E	F	G	H	J
24	42	0.375	0.625	1.75	10.5	1.5	3D**	2.25
36	66	0.625	0.875	3.5	15.75	3	5D***	3

K	L	M	N	P	Q	R	S	T
4D	2.25	7.115	7.114	VAR	VAR	VAR	VAR	1.5
6D	5	11.158	11.157	VAR	VAR	VAR	VAR	2.25


*NO RIGHT TURN shown as an example, alternative movement prohibition symbols may be applicable.

**Increase Spacing 20%.

***Reduce Spacing 20%.

†Alternative vehicle type legends may be applicable.

COLORS: CIRCLE, DIAGONAL - RED
LEGEND, ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-1g
Movement Prohibition - Time and Day

*Reduce Spacing 30%.

**NO RIGHT TURN shown as an example, alternative movement prohibition symbols may be applicable.

A	B	C	D	E	F	G	H	J	K	L
24	36	0.375	0.625	1.75	10.5	1.75	3.5D**	2	3.5D	2.5
36	54	0.625	0.875	2.5	15.75	3	5D	3	5D	4

M	N	P	Q	R	S	T	U	V	W	X
VAR	VAR	1	VAR	1.225	VAR	VAR	VAR	VAR	VAR	1.5
VAR	VAR	1	VAR	1.75	VAR	VAR	VAR	VAR	VAR	2.25

COLORS: CIRCLE, DIAGONAL - RED
LEGEND, ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-1h [A]
Movement Prohibition - Multiple Times [hours] and Day

*Reduce Spacing 30%.

**NO RIGHT TURN shown as an example, alternative movement prohibition symbols may be applicable.

A	B	C	D	E	F	G	H	J	K	L	M
24	42	0.375	0.625	1.75	10.5	2	3.5D*	2	3.5D	2.75	VAR
36	66	0.625	0.875	3.5	15.75	4	5D	3.5	5D	5	VAR

N	P	Q	R	S	T	U	V	W	X	Y
VAR	0.5	VAR	1	1.225	VAR	VAR	VAR	VAR	VAR	1.5
VAR	0.5	VAR	1	1.75	VAR	VAR	VAR	VAR	VAR	2.25

COLORS: CIRCLE, DIAGONAL — RED
LEGEND, ARROW, BORDER — BLACK
BACKGROUND — WHITE



R3-1h [B]
Movement Prohibition - Part-Time [hours and minutes] and Day

*Reduce Spacing 30%.

**NO RIGHT TURN shown as an example, alternative movement prohibition symbols may be applicable.

A	B	C	D	E	F	G	H	J	K	L
24	42	0.375	0.625	1.75	10.5	2	3.5D*	2	3.5D	2.75
36	66	0.625	0.875	3.5	15.75	4	5D	3.5	5D	5

M	N	P	Q	R	S	T	U	V	W
VAR	VAR	1	VAR	1.225	VAR	VAR	VAR	VAR	1.5
VAR	VAR	1.5	VAR	1.75	VAR	VAR	VAR	VAR	2.25

COLORS: CIRCLE, DIAGONAL - RED
LEGEND, ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-2
Movement Prohibition - No Left Turn

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
24	0.375	0.625	1.5	10.5	4.016	7.5	2	0.5	2.531	2.75	6.375	6.75	2	1.5
36	0.625	0.875	2.25	15.75	6.023	11.25	3	0.75	3.797	4.125	9.563	10.125	3	2.25
48	0.75	1.25	3	21	8.031	15	4	1	5.063	5.5	12.75	13.5	4	3

COLORS: CIRCLE, DIAGONAL - RED
ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-2a
No Left Turn Across Tracks (Activated Blank-Out)

A	B	C	D	E	F	G	H	J
24	30	1.5	10.5	2	4D**	1.5	4.016	7.5
30	36	1.5	13.125	1.5	5D**	1.75	5.020	9.375

*See Section 11 for arrow design.

**Increase Spacing 100%.

K	L	M	N	P	Q	R	S	T
2	0.5	2.531	2.75	6.375	2	8.465	8.464	6.75
2.5	0.625	3.164	3.438	7.969	2.5	10.581	10.580	8.438

BLANK OUT

COLORS: CIRCLE, DIAGONAL - RED
ARROW, LEGEND - WHITE
BACKGROUND - BLACK




R3-3
Movement Prohibition - NO TURNS

*Reduce Spacing 35%.

A	B	C	D	E	F	G	H	J	K	L	M
24	0.375	0.625	4.5	6D	4	5D*	4.834	4.834	9.545	9.544	1.5
36	0.625	0.875	6	10D	6	8D*	8.057	8.056	15.271	15.271	2.25
48	0.75	1.25	9	12D	8	10D*	9.668	9.667	19.089	19.089	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-4
Movement Prohibition - No U Turn


*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	0.375	0.625	1.5	10.5	2.531	2.484	2.25	6	3.75	2	6.75	1.5
36	0.625	0.875	2.25	15.75	3.797	3.728	3.375	9	5.625	3	10.125	2.25
48	0.75	1.25	3	21	5.063	4.969	4.5	12	7.5	4	13.5	3

COLORS: CIRCLE, DIAGONAL - RED
ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-5R
Mandatory Movement Lane Control - Turn Only




R3-5L

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
30	36	0.5	0.75	18.5	5.25	2.5	6D	3.75	9.25	11.25
48	60	.75	1.25	30.5	8.5	5	10D	6	14.75	18.3

M	N	P	Q	R	S	T	U	V	W	X
0.5	5.75	3.75	9.5	10	3.75	3.875	10.176	1.875	5.764	4.250
0.5	9.27	6.2	15.25	16.2	6	6.27	16.8	3	9.222	6.837

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-5a
Mandatory Movement Lane Control - Through Only

*See Section 11 for arrow design.


A	B	C	D	E	F	G	H	J	K	L
30	36	0.5	0.75	4	19	3	6D	10	10.176	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-5bP
LEFT LANE (Plaque)


Alternate Legends




R3-5dP
TAXI LANE (Plaque)



R3-5eP
CENTER LANE (Plaque)



R3-5fP
RIGHT LANE (Plaque)




R3-5gP
BUS LANE (Plaque)




R3-5hP
BIKE LANE (Plaque)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-5cP
HOV 2+ (Plaque)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-5iPT
Distance (Plaque)

Alternate Legends

Distances should be in 500 ft or ½ mile increments.


500 FT
1500 FT
½ MILE
1 MILE
1½ MILES
2 MILES

See Appendix for fraction design.

Vary letter and word spacing as needed.

A	B	C	D	E	F	G
24	8	.375	.375	2	4D	1
30	9	.375	.375	2.5	4D	1
36	12	.375	.438	3.5	5D	1.5
48	16	.375	.438	4	8D	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-5uT
Turnaround ONLY


*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	O
24	30	.375	.625	3	4D	4	6.75	12.25	1.5	.75	5	.75	2.5
30	36	.5	.75	3.5	6D	5	7.375	14.125	1.875	1.313	6.25	.86	3.125

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-6L
Optional Movement Lane
Control - Thru and Turn




R3-6R

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
30	36	0.5	0.75	2.625	15.375	14.25	3.75	3.75

K	L	M	N	P	Q	R	S	T
3.875	8.75	14.5	11.313	5.625	11.75	10	3.274	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-6a
Optional Movement Lane Control - U and Left Turns

*See Section 11 for arrow design.


A	B	C	D	E	F	G	H	J	K	L	M
30	36	0.5	0.75	3.217	13.470	1.313	15.375	2.625	7.833	9	12.240

N	P	Q	R	S	T	U	V	W	X	Y	Z
9.75	0.375	12.625	3.75	5.25	6.5	4	5.563	5.562	10	6	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-6bR
Optional Movement Lane Control - Oblique



R3-6bL

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M
30	36	0.5	0.75	2.5	14.237	1.263	1.937	11.813	0.75	3.5	11.5

N	P	Q	R	S	T	U	V	W	X	Y	Z
2.983	5.687	3.75	5.25	9.375	7.5	11.741	10	16.244	11.905	6	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-7L
LEFT LANE MUST TURN LEFT

A	B	C	D	E	F	G	H
30	0.5	0.75	4.5	4C	4	5C	9.644
36	0.625	0.875	5	4.5C	5	7C	12.055
48	0.75	1.25	7	6C	6.5	9C	15.672

J	K	L	M	N	P	Q	R
1.710	0.790	10.564	6.928	10.884	0.630	1.870	1.875
2.138	0.987	13.205	8.314	13.605	0.788	2.337	2.25
2.748	1.252	17.167	11.085	17.687	0.993	3.007	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-7R
RIGHT LANE MUST TURN RIGHT

*Reduce Spacing 40%.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H
30	0.5	0.75	4.5	4C	4	5C	12.164
36	0.625	0.875	5	4.5C*	5	7C	13.785
48	0.75	1.25	7	6C**	6.5	9C	18.844


J	K	L	M	N	P	Q	R
0.450	2.050	10.564	6.928	10.884	1.890	0.610	1.875
0.853	2.272	12.365	8.314	12.545	2.183	0.942	2.25
0.889	3.111	16.621	11.085	16.998	2.923	1.077	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-7aP
EXCEPT BUSES (Plaque)


A	B	C	D	E	F	G	H	J	K
24	12	0.375	0.438	2	3D	6.905	6.904	5.930	1.5



R3-7bP
EXCEPT BICYCLES (Plaque)

A	B	C	D	E	F	G	H	J	K
24	12	0.375	0.438	2	3D	6.905	6.904	9.156	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8 [K]R
Advance Intersection Lane Control (2 Lanes)



R3-8 L[M]


*See Section 11 for arrow design.

**Reduce Spacing 50%.


A	B	C	D	E	F	G	H	J	K	L	M
30	0.5	0.75	11.5	3	4D**	3.375	12.875	2	9.5	2.344	12.528
36	0.625	0.875	13.75	3.5	5D**	4	15.375	2.300	11.5	2.813	15.660

N	P	Q	R	S	T	U	V	W	X	Y	Z	AA
3.548	6.5	5.75	6.75	4	6.25	14.5	0.5	0.361	8.75	2.5	1.875	4.343
4.281	7.75	6.875	8.100	4.75	7.5	17.4	0.6	0.120	10.5	3	2.25	5.212


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8 LS
Advance Intersection Lane Control (2 Lanes)



R3-8 SR




R3-8 LK
Advance Intersection Lane Control (2 Lanes)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE


*See Section 11 for arrow design

**Reduce spacing 50%




R3-8 LL
Advance Intersection Lane Control (2 Lanes)

*See Section 11 for arrow design.
**Reduce Spacing 50%.



R3-8 RR


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8 LR
Advance Intersection Lane Control (2 Lanes)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE


*See Section 11 for arrow design.
**Reduce Spacing 50%.



R3-8 MS
Advance Intersection Lane Control (2 Lanes)

*See Section 11 for arrow design.
**Reduce Spacing 50%.


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8 MR
Advance Intersection Lane Control (2 Lanes)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE


*See Section 11 for arrow design.
**Reduce Spacing 50%.




R3-8 SK
Advance Intersection Lane Control (2 Lanes)

*See Section 11 for arrow design.
**Reduce Spacing 50%.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8a [LK]R
Advance Intersection Lane Control (3 Lanes)




R3-8a L[MR]

*See Section 11 for arrow design.


A	B	C	D	E	F	G	H	J	K	L	M	N	P
48	30	0.5	0.75	4D	3	11.5	0.75	2.328	3.375	3.548	5.75	3.390	6.5
60	36	0.625	0.875	5D	3.5	13.75	0.875	2.844	4	4.281	6.875	4.532	7.75

Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
6.25	2.344	11.5	6.813	3.5	14.5	8.75	6.75	8	21	13.568	0.810	2.5	10.722	1.875
7.5	2.813	13.75	8.812	4.25	17.400	10.5	8.100	9.550	26.25	16.960	0.927	3	13.391	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8a LMS
Advance Intersection Lane Control (3 Lanes)




R3-8a LLK
Advance Intersection Lane Control (3 Lanes)


*See Section 11 for arrow design

**Reduce spacing 50%

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8a ULM
Advance Intersection Lane Control (3 Lanes)




R3-8a UMS
Advance Intersection Lane Control (3 Lanes)


*See Section 11 for arrow design

**Reduce spacing 50%

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-8a LMRR
Advance Intersection Lane Control (4 Lanes)



R3-8a LMSR
Advance Intersection Lane Control (4 Lanes)

*See Section 11 for arrow design.
**Reduce Spacing 50%.




R3-8a LMSRR


Advance Intersection Lane Control (5 Lanes)

*See Section 11 for arrow design.


**Reduce Spacing 50%.




R3-8b LLS
Advance Intersection Lane Control (3 Lanes)



R3-8b SRR



R3-8b LSS
Advance Intersection Lane Control (3 Lanes)




R3-8b SSR

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

*See Section 11 for arrow design

**Reduce spacing 50%




R3-8b [LSR]
Advance Intersection Lane Control (3 Lanes)

*See Section 11 for arrow design.
**Reduce Spacing 50%.


A	B	C	D	E	F	G	H	J	K
48	30	0.5	0.75	4D**	3	6.5	11.5	3.375	3.548
60	36	0.625	0.875	5D**	3.5	7.75	13.75	4	4.281

L	M	N	P	Q	R	S	T	U	V	W
21	5.75	2.870	0.75	6.25	2.344	12.528	1.069	6.264	1.875	10.72
26.25	6.875	4.135	0.875	7.5	2.813	15.660	1.378	7.830	2.25	13.4

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-8b LSRR
Advance Intersection Lane Control (4 Lanes)



R3-8b LLSR
Advance Intersection Lane Control (4 Lanes)


*See Section 11 for arrow design.
**Reduce Spacing 50%.



R3-8cT
Advance Intersection Lane Control (1 Lane)

* See Section 11 for arrow design.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8xa
Advance Intersection Lane Control with Bike Lane


*See Section 11 for arrow and symbol design.
**Reduce Spacing 25%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
54	36	0.625	0.875	3.5	5D**	17.5	4	6.875	4.281	7.75	2.813	5.469	16.310

Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD
1.720	10.75	2.5	5	3.125	3.75C**	4.125	1.406	4.990	4.989	5.75	7.5	3.75	2.25

LEFT, RIGHT SECTIONS:
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

CENTER SECTION:
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLACK



R3-8xb
Advance Intersection Lane Control with Bike Lane


*See Section 11 for arrow and symbol design.
**Reduce Spacing 25%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
54	36	0.625	0.875	3.5	5D**	17.5	4	6.875	4.281	7.75	2.813	5.469	16.310	1.720

R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
4.685	5.450	8.700	3.850	2.215	8.225	5.5	3.875	1.406	5	5.75	7.5	3.75	2.25

LEFT, RIGHT SECTIONS:
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

CENTER SECTION:
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLACK



R3-8xc
Advance Intersection Lane Control with Bike Lane

*See Section 11 for arrow and symbol design.
**Reduce Spacing 25%.


A	B	C	D	E	F	G	H	J	K	L	M	N	P
66	36	0.625	0.875	3.5	5D**	13.075	4	6.875	4.281	7.75	2.813	4.469	16.310

Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD
0.720	3	8.100	13.800	2.375	13.75	17.400	9.5	12.875	7.5	13.75	8	10.75	0.5

EE	FF	GG	HH	JJ	KK	LL	MM	NN	PP	QQ	RR	SS	TT
1.406	2.5	5	3.125	3.75C**	2.25	0.760	9.979	0.761	11.5	15.5	3.469	3.75	2.25

LEFT, RIGHT SECTIONS:
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

CENTER SECTION:
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLACK



R3-8zd
Advance Circular Intersection Lane Control (2 Lanes)


*Reduce Spacing 30%.
**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
36	0.625	0.875	3	4.75	7.75	4D*	1.301	2.016	14.488	14.5	15.842	16.300	28.5

Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD
16.75	2.800	5.375	11.75	2.75	10.418	3.637	19.25	7.5	5.933	10.757	8	4.5	17.433

EE	FF	GG	HH	JJ	KK	LL	MM	NN	PP	QQ	RR	SS
2.706	6.5	16.875	6.178	12.944	5.433	11.925	4.833	10.310	2	2	7	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8ze
Advance Circular Intersection Lane Control (2 Lanes)

*Reduce Spacing 30%.


**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
36	0.625	0.875	3	4.75	7.75	4D*	1.375	1.5	18	24.875	19.25	28.5

P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB
3.637	11.75	1.512	10.418	8.293	2.75	17.125	6.700	10.125	11.625	5.375	18.625	13.133

CC	DD	EE	FF	GG	HH	JJ	KK	LL	MM	NN	PP	QQ
3.125	7	2.5	7.5	21.375	7.125	2.625	2.016	19.125	2.354	12.944	9.875	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8zf
Advance Circular Intersection Lane Control (2 Lanes)


*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
36	0.625	0.875	4.75	7.75	3	15.842	28.5	18	16.75	19.25

M	N	P	Q	R	S	T	U	V	W	X
11.722	3.637	10.419	2.75	11.625	12.933	5.375	18.625	13.133	2.5	5.933

Y	Z	AA	BB	CC	DD	EE	FF	GG	HH
7	7.5	12.870	7.125	17.433	2.75	19.125	5.433	2.016	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-8zg
Advance Circular Intersection Lane Control (2 Lanes)


*Reduce Spacing 30%.
**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M
36	0.625	0.875	3	4.75	7.75	4D*	1.5	12.5	4	18	19.423

N	P	Q	R	S	T	U	V	W	X	Y	Z
28.5	12.368	19.25	11.75	10.418	3.637	2.75	11.625	5.375	18.625	13.133	2.5

AA	BB	CC	DD	EE	FF	GG	HH	JJ	KK	LL	MM
7	9.833	7.5	7.125	5.75	5.875	2.016	19.125	2.354	12.944	0.25	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9a
Two Way Left Turn Only (Overhead)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
30	36	0.5	0.75	4	3	8	8	3

K	L	M	N	P	Q	R	S
6D	6	9	2.270	6.75	4	10.176	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9b
Two Way Left Turn Only (Post-Mounted)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
24	36	0.375	0.625	2.5	3E	1.5	1.188	1.187	16	2.5
36	48	0.625	0.875	3.5	5E	1.5	1.063	1.062	20	3.5

M	N	P	Q	R	S	T	U	V	W	X
8.478	8.477	5.762	8	2.5	6	1.5	5.988	5.987	5.25	1.5
14.129	14.129	9.603	12	3	9	2	9.980	9.979	8	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9cP
BEGIN (Plaque)

A	B	C	D	E	F	G	H
24	12	0.375	0.438	3	6C	9.245	1.5
36	18	0.375	0.625	4.5	9D	16.524	1.5
48	18	0.375	0.625	4.5	9D	16.524	1.5
108	24	0.75	1.25	7	10E	21.382	3
144	24	0.75	1.25	7	10E	21.382	3

for use with R4-5aT[A].
for use with R4-5aT[B].
for use with R4-5aT[C] and R4-5aT[D.]

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9dP
END (Plaque)

A	B	C	D	E	F	G	H	J
24	12	0.375	0.438	3	6E	8.493	8.493	1.5
36	18	0.375	0.625	4.5	9E	12.740	12.739	1.5
48	18	0.375	0.625	4.5	9E	12.740	12.739	1.5
108	24	0.75	1.25	7	10E	13.96	13.96	3
144	24	0.75	1.25	7	10E	13.96	13.96	3

for use with R4-5aT[A].
for use with R4-5aT[B].
for use with R4-5aT[C] and R4-5aT[D].

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9e
Reversible Lane Control (Symbol)

*See R3-6L for details.
**See R3-9a for details.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
108	48	0.75	1.25	17.333	3.75	3.25	19	3	6D	3.5E	2.25	4	5

Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC
7B	19	27	3	9	27.5	0.625	11	10.176	VAR	8.280	7.457	3

COLORS: LEGEND, BORDER - BLACK
LANE CLOSED SYMBOL - RED
BACKGROUND - WHITE




R3-9f
Reversible Lane Control (Post-Mounted)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
30	42	0.5	0.75	2.625	4E	2	1.875	2	4D	2	2.625	3D	3.875	11.303
36	54	0.625	0.875	3	5E	2.75	2.75	3.25	5D	2.5	3.5	4D	4.75	14.129

R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE	FF
7.683	7.682	6.365	2.75	0.166	9.280	4.644	4.643	VAR	VAR	2	VAR	VAR	1.5	1.875
9.603	9.603	7.956	3.5	0.176	11.632	5.805	5.804	VAR	VAR	2.5	VAR	VAR	2	2.25

UPPER SECTION:
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLACK

UPPER SECTION:
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9g[A]
Advance Reversible Lane Control Transition

A	B	C	D	E	F	G	H	J
108 MIN	36	0.625	0.875	7.5	8C	5	16.166	6

K	L	M	N	P	Q	R	S	T
21.246	16.288	21.128	VAR	7.263	VAR	VAR	6C	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9g[B]
Advance Reversible Lane Control Transition

A	B	C	D	E	F	G	H
108 MIN	36	0.625	0.875	7.5	8C	5	16.166

J	K	L	M	N	P	Q	R
6	21.246	16.288	21.128	VAR	VAR	VAR	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9h[A]
Advance Reversible Lane Control Transition

A	B	C	D	E	F	G	H	J
108 MIN	36	0.625	0.875	7.5	8C	5	24.568	6

K	L	M	N	P	Q	R	S	T
17.045	20.489	21.128	VAR	7.263	VAR	VAR	6C	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9h[B]
Advance Reversible Lane Control Transition

A	B	C	D	E	F	G	H
108 MIN	36	0.625	0.875	7.5	8C	5	24.568

J	K	L	M	N	P	Q	R
6	17.045	20.489	21.128	VAR	VAR	VAR	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-9i
END REVERSE LANE

*See R3-5L for design details.

A	B	C	D	E	F	G	H	J
108	48	0.75	1.25	6.5	8E	5.5	35	29

K	L	M	N	P	Q	R	S	T
18.5	5.524	22.648	9.521	43.455	1.603	30.730	3	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-17
BIKE LANE


A	B	C	D	E	F	G	H
24	18	0.375	1.75	8	1.25	1	4C**
30	24	0.375	2.375	10.5	2.125	1.5	5C***

J	K	L	M	N	P	Q
2	0.625	8.203	1.757	0.243	9.724	1.5
2.5	0.625	10.324	2.127	0.37	12.081	1.5

*See Section 11 for symbol design.
**Reduce Spacing 50%.
***Reduce Spacing 54%.

TOP SECTION:
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLACK


BOTTOM SECTION:
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-17aP
AHEAD (Plaque)

A	B	C	D	E	F	G	H	J	
24	9	0.375	0.375	2.5	4D	8.606	8.605	1	
30	12	0.438	0.375	3.5	5D	10.899	10.899	1.5	
36	12	0.438	0.375	3	6D	13.078	13.078	1.5	
48	18	0.75	1.25	5	8D	17.438	17.438	3	for use with R4-5aT[A].
108	24	0.75	1.25	7	10E	25.677	25.676	3	for use with R4-5aT[B].
144	24	0.75	1.25	7	10E	25.677	25.676	3	for use with R4-5aT[C] and R4-5aT[D].


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-17bP
ENDS (Plaque)

A	B	C	D	E	F	G	H
24	9	0.375	0.375	2.5	4D	6.445	1
30	12	0.438	0.375	3.5	5D	8.086	1.5
36	12	0.438	0.375	3	6D	9.703	1.5
48	18	0.75	1.25	5	8D	12.938	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-18
Movement Prohibition - No U or Left Turn

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
24	0.375	0.625	1.625	10.375	2.063	3.719	1.875	6.75	0.438
36	0.625	0.875	2.437	15.563	3.094	5.578	2.812	10.125	0.656
48	0.75	1.25	3.25	20.75	4.125	7.434	3.75	13.5	0.875

L	M	N	P	Q	R	S	T	U
1.438	4.344	2.281	2.875	1.625	8.125	1.75	5.25	1.5
2.156	6.516	3.422	4.312	2.438	12.188	2.625	8.25	2.25
2.875	8.688	4.562	5.75	3.25	16.25	3.5	11	3

COLORS: CIRCLE, DIAGONAL - RED
ARROW, BORDER - BLACK
BACKGROUND - WHITE



R3-19
LANE FOR LEFT TURN ONLY


*Reduce Spacing 20%.

**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
30	24	0.375	0.625	2.5	5C	2	5C*	1	12.804	0.401

M	N	P	Q	R	S	T	U	V	W	X
9.904	11.685	1.695	0.305	13.075	3	2.986	10.919	7.505	5.5	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-19a
LANE FOR U TURN ONLY

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M
30	24	0.375	0.625	2.5	5C	2	5C	1	12.804	0.401	9.904

N	P	Q	R	S	T	U	V	W	X	Y
3.359	3.5	3.351	10.254	3	2.986	10.919	7.5	5.5	5D	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-19b
LANE FOR U AND LEFT TURNS ONLY


*Increase Spacing 5%.
**Reduce Spacing 20%.
***See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
30	0.5	0.75	2.875	4.5C	2	4.5C*	4.5C**	2.25

K	L	M	N	P	Q	R	S	T
1	4.5D	11.885	3	8.913	2.461	3.5	1.531	8.093

U	V	W	X	Y	Z	AA	BB	CC
10.517	1.75	1.317	13.584	2.253	10.262	7.5	5.5	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-20L
BEGIN LEFT TURN LANE




R3-20R

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
24	36	0.375	0.625	2.75	4D	2	1.75	2.242

K	L	M	N	P	Q	R	S	T	U
7.205	5.722	6.445	6.444	6.443	5.454	12	5.5	1.5	14.33

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-23
ALL TURNS FROM RIGHT LANE

*Increase Spacing 20%.

A	B	C	D	E	F	G	H	J
60	36	0.625	0.875	4	7C*	3.5	7D*	13.977

K	L	M	N	P	Q	R	S	T
7	2.081	23.058	11.956	22.281	1.897	5.103	19.075	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-23a
U TURN FROM RIGHT LANE

*Increase Spacing 20%.


A	B	C	D	E	F	G	H	J
60	36	0.625	0.875	4	7D*	3.5	7C*	4.765

K	L	M	N	P	Q	R	S	T
7	5.789	17.553	11.956	22.281	1.897	5.103	19.075	2.25


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-24
ALL TURNS [Directional Arrow 45º]




R3-24a
U TURN AND LEFT TURNS [Directional Arrow 45º]




R3-24b
U TURN [Directional Arrow 45º]

*See Section 11 for arrow design.


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-25
ALL TURNS [Directional Arrow]




R3-25a
U TURN AND LEFT TURNS [Directional Arrow]




R3-25b
U TURN [Directional Arrow]

*See Section 11 for arrow design.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-26
U TURN AND LEFT TURNS [Directional Up Arrow]



R3-26a
U TURN [Directional Up Arrow]

*See Section 11 for arrow design.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R3-27
Movement Prohibition - No Straight Through

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
24	0.375	0.625	1.5	10.5	2	6.75	8.25	8	1.5
36	0.625	0.875	2.25	15.75	3	10.125	12.375	12.125	2.25
48	0.75	1.25	3	21	4	13.5	16.5	16.25	3

COLORS: CIRCLE, DIAGONAL - RED
ARROW, BORDER - BLACK
BACKGROUND - WHITE




R3-33L
LEFT LANE MUST EXIT

A	B	C	D	E	F	G	H
78	36	0.625	0.875	7	8E	6	27.600

J	K	L	M	N	P	Q	R
4.565	1.435	30.730	30.768	0.284	6	24.484	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-33R
RIGHT LANE MUST EXIT

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J
78	36	0.625	0.875	7	8E*	6	8E	32.204

K	L	M	N	P	Q	R	S
1.855	4.145	29.914	30.768	0.284	6	24.484	2.25



R3-33TR
RIGHT LANE MUST EXIT



R3-33TL
LEFT LANE MUST EXIT

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-33aTL
LEFT LANE MUST ENTER RAMP

RIGHT LANE

R3-33aTR
RIGHT LANE MUST ENTER RAMP



R3-33bTL
LEFT LANE MUST ENTER FRWY

RIGHT LANE


R3-33bTR
RIGHT LANE MUST ENTER FRWY

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R3-33cT
ALL TRAFFIC MUST EXIT

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-1
DO NOT PASS

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	0.375	0.438	2.875	2.75D	2	2.188	2.188	3.247	3.247	4.308	4.307	1.5
18	24	0.375	0.625	3.5	4D	2.5	3.183	3.182	4.723	4.723	6.266	6.265	1.5
24	30	0.375	0.625	3.5	6D	2.5	4.774	4.774	7.085	7.084	9.399	9.398	1.5
36	48	0.625	0.875	7	8D	5	6.365	6.365	9.446	9.446	12.531	12.531	2.25
48	60	0.75	1.25	8	10D	7	7.957	7.956	11.808	11.807	15.664	15.664	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-2
PASS WITH CARE

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	0.375	0.438	2.5	3C	2	3.977	3.976	3.587	3.586	4.052	4.051	1.5
18	24	0.375	0.625	3.5	4C	2.5	5.302	5.302	4.782	4.782	5.402	5.402	1.5
24	30	0.375	0.625	3.5	6C	2.5	7.953	7.953	7.173	7.173	8.103	8.103	1.5
36	48	0.625	0.875	7	8C	5	10.604	10.604	9.564	9.564	10.804	10.804	2.25
48	60	0.75	1.25	8	10C	7	13.255	13.255	11.955	11.955	13.505	13.505	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R4-2aT
LEFT LANE FOR PASSING ONLY

*Reduce spacing 25%.

A	B	C	D	E	F	G	H
24	36	.375	.625	3	4D	2.5	1.5
36	54	.625	.875	4.5	6D	3.75	2.25
48	72	.75	1.25	6	8D	5	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R4-3
SLOWER TRAFFIC KEEP RIGHT

*Reduce Spacing 25%.

A	B	C	D	E	F	G	H	J
12	18	0.375	0.438	3.25	1.75D*	1.5	1.75D	4.170
18	24	0.375	0.625	3	3D*	2	3D	7.149
24	30	0.375	0.625	3.625	4D*	2.25	4D	9.531
36	48	0.625	0.875	6	6D*	4	6D	14.297
48	60	0.75	1.25	7.25	8D*	4.5	8D	19.062

K	L	M	N	P	Q	R	S
4.170	4.295	4.294	2.741	2.740	3.135	3.134	1.5
7.148	7.362	7.361	4.698	4.697	5.374	5.374	1.5
9.531	9.816	9.815	6.264	6.263	7.165	7.165	1.5
14.296	14.724	14.723	9.396	9.395	10.748	10.747	2.25
19.062	19.631	19.631	12.527	12.527	14.330	14.330	3


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-3bT
DO NOT CROSS DOUBLE WHITE LINE

A	B	C	D	E	F	G
36	.625	.875	4.75	4C	3.5	2.25
48	.75	1.25	5.25	6C	4.5	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-4
BEGIN RIGHT TURN LANE YIELD TO BIKES

*See Section 11 for arrow design.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M	N
36	30	0.5	0.75	3.5	4C	2	4B**	9	4B	1.313	6.142	9.380

P	Q	R	S	T	U	V	W	X	Y	Z	AA
2.375	3.618	4.730	8.268	4.729	10	8.5	10.084	1.761	2.041	9.804	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-5aT [A]
NO TRUCKS LEFT LANE

To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



BEGIN (R3-9cP), END (R3-9dP) or AHEAD (R3-17aP) plaques may be used with R4-5aT series.




R4-5aT [B]
NO TRUCKS LEFT LANE

To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



BEGIN (R3-9cP), END (R3-9dP) or AHEAD (R3-17aP) plaques may be used with R4-5aT series.




R4-5aT [C]
NO TRUCKS LEFT LANE

To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



BEGIN (R3-9cP), END (R3-9dP) or AHEAD (R3-17aP) plaques may be used with R4-5aT series.




R4-5aT [D]
NO TRUCKS LEFT LANE NEXT XX MILES

To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




BEGIN (R3-9cP), END (R3-9dP) or AHEAD (R3-17aP) plaques may be used with R4-5aT series.



R4-5bT
BEGIN NO TRUCKS LEFT LANE

To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual.


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-5cT
END NO TRUCKS LEFT LANE

To enact a restricted truck lane, refer to the Sign Guidelines and Applications Manual.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-7
Keep Right (Symbol)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
12	18	0.375	0.438	2.5	3.75	2.5	6.196	3.25
18	24	0.375	0.625	2.25	4.125	2.25	9.294	3.375
24	30	0.375	0.625	2	4.5	2	12.392	3.5
36	48	0.625	0.875	4.5	8.25	4.5	18.588	6.75
48	60	0.75	1.25	4	9	4	24.785	7

K	L	M	N	P	Q	R	S	T
3.25	3.667	4	15	1.807	4.5	1	5.25	1.5
4.875	5.5	6	22.5	2.711	6.75	1.5	7.875	1.5
6.5	7.333	8	30	3.615	9	2	10.5	1.5
9.75	1	12	45	5.422	13.5	3	15.75	2.25
13	14.667	16	60	7.230	18	4	21	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R4-7a
KEEP RIGHT

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
18	24	0.375	0.625	3.75	4D	1.25	6	6.264	6.263	6	6	7.165	7.165	1.5
24	30	0.375	0.625	4.687	5D	1.563	7.5	7.830	7.829	7.5	7.5	8.957	8.956	1.5
36	48	0.625	0.875	7.5	8D	2.5	12	12.527	12.527	12	12	14.330	14.330	2.25
48	60	0.75	1.25	9.375	10D	3.125	15	15.659	15.659	15	15	17.913	17.912	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R4-7b
KEEP RIGHT

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
18	24	0.375	0.625	2.5	4D	1.814	1.814	6.264	6.263	12	6	7.165	7.165	1.5
24	30	0.375	0.625	3.125	5D	2.268	2.268	7.830	7.829	15	7.5	8.957	8.956	1.5
36	48	0.625	0.875	5	8D	3.629	3.628	12.527	12.527	24	12	14.330	14.330	2.25
48	60	0.75	1.25	6.25	10D	4.536	4.536	15.659	15.659	30	15	17.913	17.913	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R4-7c
Narrow Keep Right

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
18	30	0.375	0.625	4.125	18	3.75	9	5.375	4.5

L	M	N	P	Q	R	S	T	U
6	5	25.75	3.087	7.5	1.25	3	8	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R4-8
Keep Left

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
18	24	0.375	0.625	2.25	4.125	2.25	9.294	3.375
24	30	0.375	0.625	2	4.5	2	12.392	3.5
36	48	0.625	0.875	4.5	8.25	4.5	18.588	6.75
48	60	0.75	1.25	4	9	4	24.785	7

K	L	M	N	P	Q	R	S	T
4.875	5.5	6	22.5	2.711	6.75	1.5	7.875	1.5
6.5	7.333	8	30	3.615	9	2	10.5	1.5
9.75	11	12	45	5.422	13.5	3	15.75	2.25
13	14.667	16	60	7.230	18	4	21	3

COLORS: SYMBOL, BORDER - BLACK
BACKGROUND - WHITE




R4-8a
KEEP LEFT

* See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
18	24	0.375	0.625	3.75	4D	1.25	6	6.264	6.263	6	6	5.722	5.722	1.5
24	30	0.375	0.625	4.687	5D	1.563	7.5	7.830	7.829	7.5	7.5	7.153	7.152	1.5
36	48	0.625	0.875	7.5	8D	2.5	12	12.527	12.527	12	12	11.444	11.444	2.25
48	60	0.75	1.25	9.375	10D	3.125	15	15.659	15.659	15	15	14.305	14.305	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R4-8b
KEEP LEFT

* See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
18	24	0.375	0.625	2.5	4D	1.814	1.814	6.264	6.263	12	6	5.722	5.722	1.5
24	30	0.375	0.625	3.125	5D	2.268	2.268	7.830	7.829	15	7.5	7.153	7.152	1.5
36	48	0.625	0.875	5	8D	3.629	3.628	12.527	12.527	24	12	11.444	11.444	2.25
48	60	0.75	1.25	6.25	10D	4.536	4.536	15.659	15.659	30	15	14.305	14.305	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-8c
Narrow Keep Left

* See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
18	30	0.375	0.625	4.125	18	3.75	9	5.375	4.5

L	M	N	P	Q	R	S	T	U
6	5	25.75	3.087	7.5	1.25	3	8	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-9
STAY IN LANE

A	B	C	D	E	F	G	H	J	K	L	M	N
18	24	0.375	0.625	3	4D	3	6.424	2.162	2.161	6.444	6.443	1.5
24	30	0.375	0.625	3.687	5D	3.813	8.030	2.702	2.702	8.055	8.054	1.5
36	48	0.625	0.875	8.25	7D	5.25	11.242	3.783	3.782	11.276	11.276	2.25
48	60	0.75	1.25	7.5	10D	7.5	16.060	5.404	5.404	16.109	16.108	3


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-10
RUNAWAY VEHICLES ONLY

A	B	C	D	E	F	G	H	J	K	L
48	0.75	1.25	10	6D	5	18.703	18.221	18.220	10.176	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-17
DO NOT DRIVE ON SHOULDER


*Increase Spacing 40%.

**Increase Spacing 20%.

A	B	C	D	E	F	G	H	J	K
18	24	0.375	0.625	3	3C	2	3C	3B**	4.208*
24	30	0.375	0.625	3.25	4C	2.5	4C	4B**	5.610*
36	48	0.625	0.875	6	6C	4	6C	6B**	8.415*
48	60	0.75	1.25	7.5	8C	5	7C	7C	11.220*

L	M	N	P	Q	R	S	T	U
2.463	0.537	6.134**	4.562	4.561	2.026	2.026	7.308	1.5
3.284	0.716	8.179**	6.082	6.082	2.701	2.701	9.744	1.5
4.927	1.073	12.269**	9.123	9.123	4.052	4.051	14.616	2.25
6.069	0.931	16.358**	12.164	12.164	4.727	4.727	19.992	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-18
DO NOT PASS ON SHOULDER

*Increase Spacing 40%.
**Increase Spacing 20%.

A	B	C	D	E	F	G	H	J	K
18	24	0.375	0.625	3	3C	2	3C	3B**	4.208*
24	30	0.375	0.625	3.25	4C	2.5	4C	4B**	5.610*
36	48	0.625	0.875	6	6C	4	6C	6B**	8.415*
48	60	0.75	1.25	7.5	8C	5	7C	7C	11.220*

L	M	N	P	Q	R	S	T	U
2.463	0.537	6.134**	3.977	3.976	2.026	2.026	7.308	1.5
3.284	0.716	8.179**	5.302	5.302	2.701	2.701	9.744	1.5
4.927	1.073	12.269**	7.953	7.953	4.052	4.051	14.616	2.25
6.069	0.931	16.358**	10.604	10.604	4.727	4.727	19.992	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-19
Bicycle Passing Clearance

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M
30	0.5	0.75	2.75	3.5D	2.125	3.5C	7.5	2.875	VAR	VAR	2.5

N	P	Q	R	S	T	U	V	W	X	Y	Z
4.552	0.202	2.298	7.354	10.942	10.941	4.272	1.254	8.025	6.563	6.562	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R4-20R
ALL TRAFFIC




R4-20L

A	B	C	D	E	F	G	H
24	30	0.375	0.625	4.25	5C*	3.75	5C*
36	48	0.625	0.875	6.25	7.5C*	6.125	7.5C*
48	60	0.75	1.25	8.5	10C*	7.5	10C*

J	K	L	M	N	P	Q	R
2.75	6.5	2.75	4.992	10.279	10.279	6	1.5
5.125	9.75	5.75	7.488	15.418	15.418	9	2.25
5.5	13	5.5	9.984	20.558	20.557	12	3

*Increase Spacing 20%.
**Reduce Spacing 40%.
***See Section 11 for arrow design.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R4-21R
RIGHT TURN ONLY



R4-21L

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
24	30	0.375	0.625	4	5C	3.5	7.603	7.602	6.803	6.802	6.953	6.952	6.028	6.027	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-1
DO NOT ENTER


A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	6.5	4D	2	5	14.5	12.5	6.365	3.541	0.459	9.446	7.725	7.724	1.875
36	7.5	5D	2.5	6	17.5	15	7.956	4.426	0.574	11.808	9.656	9.655	2.25
48	11	6D	3	8	23.5	20	9.548	5.311	0.689	14.169	11.587	11.587	3

COLORS: INNER BACKGROUND — RED
LEGEND, OUTER BACKGROUND — WHITE
NO BORDER



R5-1PT
RAMP (Plaque)


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-1a
WRONG WAY

A	B	C	D	E	F	G	H	J
30	18	0.5	3	5D	2	10.958	6.804	1.5
36	24	0.75	4.5	6D	3	13.150	8.165	1.5
42	30	0.75	5	8D	4	17.533	10.886	1.875
48	36	0.75	6.5	9D	5	19.969	12.059	2.25

COLORS: LEGEND, BORDER — WHITE
BACKGROUND — RED




R5-1b
Bicycle WRONG WAY

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	0.375	2.5	5	2	2.5C	1	4.652	2.702	2.701	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED




R5-2
No Trucks

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
24	0.375	0.625	1.5	6.25	7.625	7.125	7.404	6.5	2	1.5
30	0.5	0.75	1.875	7.875	9.5	8.875	9.298	8.027	2.5	1.875
36	0.625	0.875	2.25	9.5	11.5	10.75	11.258	9.758	3	2.25

COLORS: SYMBOL, BORDER - BLACK
CIRCLE, DIAGONAL - RED
BACKGROUND - WHITE




R5-2aP
EXCEPT LOCAL DELIVERY (Plaque)

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	12	0.375	0.438	2.625	2.5C*	1.75	2.5D	9.504	1.75	8.148	7.617	7.616	1.5
30	15	0.375	0.438	3.125	3.25C*	2.25	3.25D	12.355	2.25	10.593	9.902	9.901	1.5
36	18	0.375	0.625	3.625	4C*	2.75	4D	15.206	2.375	13.037	12.187	12.186	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-2b
NO THRU TRUCKS

A	B	C	D	E	F	G	H
24	30	0.375	0.625	3.75	5E*	3.75	5D**
30	36	0.5	0.75	4.5	6E*	4.5	6D**
36	48	0.625	0.875	7.25	7E*	6.25	7D**

*Increase Spacing 50%.
**Increase Spacing 20%.
***Reduce Spacing 20%.

J	K	L	M	N	P	Q
5C***	4.990	8.337	8.336	9.939	9.939	1.5
6C***	5.988	10.004	10.003	12.425	12.424	1.875
7C***	6.986	11.671	11.671	14.496	14.495	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-3
NO MOTOR VEHICLES

*Increase Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	0.375	0.625	3.5	4D*	2.5	4C	4B	3.311	3.310	7.103	8.344	8.343	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-4
NO COMMERCIAL VEHICLES


*Reduce Spacing 50%.

**Increase Spacing 20%.

A	B	C	D	E	F	G	H
24	30	0.375	0.625	5	4D**	4	4B*
36	48	0.625	0.875	9	6D**	6	6B*

J	K	L	M	N	P	Q	R
4B**	3.311	3.310	9.875	9.874	8.800	8.799	1.5
6B**	4.966	4.966	14.812	14.812	13.200	13.199	2.25


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-4aT
NO ENGINE BREAK BY LOCAL ORDINANCE

(Sign to be installed by the City or County that has a Local Ordinance)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-5
NO VEHICLES WITH LUGS

*Increase Spacing 20%.

A	B	C	D	E	F	G	H	J
24	30	0.375	0.625	5	4D*	4	4B*	4B
36	48	0.625	0.875	9	6D*	6	6B*	6B
48	60	0.75	1.25	10	8D*	8	8B*	8B

K	L	M	N	P	Q	R	S	T
3.311	3.310	8.800	8.799	8.003	1.261	0.739	8.524	1.5
4.966	4.966	13.200	13.199	12.005	1.891	1.109	12.786	2.25
6.621	6.621	17.599	17.599	16.006	2.521	1.479	17.048	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R5-6
No Bicycles

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
18	0.375	0.625	1.125	4.563	6.5	4.687	5.688	5.687	1.5	1.5
24	0.375	0.625	1.5	6.083	8.667	6.25	7.657	7.657	2	1.5
30	0.5	0.75	1.875	7.604	10.833	7.813	9.188	9.188	2.5	1.875
36	0.625	0.875	2.25	9.125	13	9.375	10.938	10.937	3	2.25
48	0.75	1.25	3	12.167	17.333	12.5	16.657	16.656	4	3

COLORS: SYMBOL, BORDER - BLACK
CIRCLE, DIAGONAL - RED
BACKGROUND - WHITE




R5-7
NO NON-MOTORIZED TRAFFIC

*Increase Spacing 20%.
**Reduce Spacing 20%.
***Reduce Spacing 40%.

A	B	C	D	E	F	G	H	J	K
30	24	0.375	0.625	4	3.5D*	2.75	3.5B	3.5D	2.897
42	24	0.375	0.625	3	4D*	3	4C**	4D	3.311
48	30	0.5	0.75	3.75	5D*	3.75	5C***	5D	4.138

L	M	N	P	Q	R	S	T	U
2.896	5.953	0.875	1.75	3.730	13.182	8.983	8.982	1.5
3.310	8.123	2	2	4.415	18.538	10.266	10.265	1.5
4.138	9.754	2	2.5	5.559	21.812	12.832	12.832	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-8
NO MOTOR-DRIVEN CYCLES

*Increase Spacing 20%.
**Reduce Spacing 20%.
***Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K
30	24	0.375	0.625	4	3.5D*	2.75	3.5C***	3.5D	2.897
42	24	0.375	0.625	3	4D*	3	4C	4D	3.311
48	30	0.5	0.75	3.75	5D*	3.75	5C**	5D	4.138

L	M	N	P	Q	R	S	T	U	V
2.896	11.310	0.625	1.227	0.523	0.875	11.764	8.528	8.528	1.5
3.310	14.206	2	1.440	0.560	2	15.085	9.747	9.746	1.5
4.138	17.118	2.5	1.709	0.791	2.5	18.036	12.183	12.183	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-10
NO PEDESTRIANS, BICYCLES, MOTOR-DRIVEN CYCLES

*Increase Spacing 50%.
**Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K	L
30	36	0.5	0.75	3.75	3.5E*	2.75	3.5C	3.5C**	3.493	12.622

M	N	P	Q	R	S	T	U	V	W	X
8.946	8.945	11.310	0.625	1.227	0.523	0.875	11.764	7.073	7.072	1.875

COLORS: LEGEND, BORDER — BLACK
BACKGROUND — WHITE



R5-10a
NO PEDESTRIANS, BICYCLES, MOTOR-DRIVEN CYCLES ON FREEWAY

*Increase Spacing 50%.
**Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
30	36	0.5	0.75	3	3.5E*	2.25	3.5 C	3.5C**	1.75	2D*	2.75	3.493	12.622	8.946

R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
8.945	11.310	0.375	1.165	0.585	0.5	11.764	7.073	7.072	3.443	2	3.457	8.899	1.875


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-10b
NO PEDESTRIANS OR BICYCLES

*Increase Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
30	18	0.375	0.625	2.75	3D*	1.75	3C	2.483	10.819	4.052	2.25	4.517	10.818	1.5




R5-10c
NO PEDESTRIANS

*Reduce Spacing 40%.

A	B	C	D	E	F	G	H	J	K	L
24	12	0.375	0.438	2.25	3D	1.5	3C*	2.417	9.895	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R5-10dP
ON FREEWAY (Plaque)

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L
24	6	0.375	0.375	1.5	3C*	3.932	2	4.060	9.992	1
30	9	0.375	0.375	2.625	3.75C*	4.914	2.5	5.076	12.489	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-11
AUTHORIZED VEHICLES ONLY

*Reduce Spacing 10%.
**Increase Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
30	24	0.375	0.625	3.5	4C*	2.5	4 C	4D**	13.085	13.084	10.324	10.323	6.992	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R5-11T
FOR OFFICIAL OR EMERGENCY VEHICLE USE ONLY

A	B	C	D	E	F	G	H	J	K	L
30	.5	.75	3	3C	3	6C	1.875	4	2.7	18.3
48	.75	1.25	4.5	5C	4	12C	3	6.6	4	30.0

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R5-12
NO THRU TRAFFIC


*Increase Spacing 50%.
**Increase Spacing 20%.
***Reduce Spacing 30%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	30	0.375	0.625	3.75	5E*	5D**	5C***	4.990	8.337	8.336	10.067	10.066	1.5
30	36	0.5	0.75	4.5	6E*	6D**	6C***	5.988	10.004	10.003	12.845	12.844	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R6-1L
ONE WAY



R6-1R
ONE WAY

A	B	C	D	E	F	G	H	J
36	12	0.5	1.25	2.125	0.625	4D	3	1.25
48	18	0.75	1.875	3.625	1	5D	3.5	2.5
72	24	1	2.5	4.25	1.25	8D	6	2.5


K	L	M	N	P	Q	R	S	T
9.886	2	10.398	7.466	2	5.25	0.248	9.5	1.5
12.358	3	12.997	11.144	2.5	7	0.311	14.25	1.875
19.772	4	20.796	14.932	4	10.5	0.496	19	3

*See Section 11 for arrow design.

COLORS:
LEGEND, BACKGROUND - BLACK
ARROW, BORDER - WHITE



R6-2L




R6-2R
ONE WAY

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	24	0.375	0.625	2.5	5D	1.5	6	6.179	6.179	6.804	6.804	6.5	1.5
24	30	0.375	0.625	3	6D	2	8	7.415	7.414	8.165	8.164	8.625	1.5
30	36	0.5	0.75	3.75	7D	2.625	9.25	8.651	8.650	9.526	9.525	10	1.875
36	48	0.625	0.875	4.75	10D	3	12.5	12.358	12.357	13.608	13.607	13.75	2.25
48	60	0.75	1.25	6	12D	4	16	14.829	14.829	16.329	16.329	17.25	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R6-3
DIVIDED HIGHWAY Crossing

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K
30	24	0.375	0.625	3	3E	1.375	4.330	5.25	1.045
36	30	0.5	0.75	3.5	4E	1.75	5.385	6.5	1.365

L	M	N	P	Q	R	S	T	U
7.375	4.329	8.583	12.625	6.75	1.25	10.146	10.145	1.5
9.25	5.384	11.444	15.375	8.25	1.5	13.528	13.527	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R6-3a
DIVIDED HIGHWAY [T-Intersection] Crossing

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J
30	24	0.375	0.625	3	3E	5.705	5.25	1.045
36	30	0.5	0.75	3.5	4E	7.134	6.5	1.365

K	L	M	N	P	Q	R	S	T
7.375	4.329	8.583	12.625	6.75	1.25	10.146	10.145	1.5
9.25	5.384	11.444	15.375	8.25	1.5	13.528	13.527	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R6-5P
Roundabout Circulation (Plaque)

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
30	0.5	0.75	3.583	11.417	12.897	2.103	12.776	2.224	0.25	1.875


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R6-6
BEGIN ONE WAY

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
24	30	0.375	0.625	3.5	6C	2.5	6D	9.213	9.213	7.415	7.414	8.165	8.164	1.5
30	36	0.5	0.75	4.25	7C	3.25	7D	10.749	10.748	8.651	8.650	9.526	9.525	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R6-7
END ONE WAY

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	30	0.375	0.625	3.5	6D	2.5	7.176	7.175	7.415	7.414	8.165	8.164	1.5
30	36	0.5	0.75	4.25	7D	3.25	8.371	8.371	8.651	8.650	9.526	9.525	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R7-1 (R,DBL)
NO PARKING ANY TIME



R7-2
No Parking (Part-Time)



R7-2aR (L,DBL)
NO PARKING (Part-Time)

*See Section 11 arrow design.


**Reduce Spacing 60%.

***Reduce Spacing 20%.


COLORS: LEGEND, BORDER, CIRCLE, DIAGONAL - RED
SYMBOL - BLACK
BACKGROUND - WHITE



R7-3DBL (L,R)
NO PARKING EXCEPT SUNDAYS AND HOLIDAYS



R7-4DBL (L,R)
NO STANDING ANY TIME




R7-4aDBL (L,R)
NO STOPPING ANY TIME

*See Section 11 for arrow design.

**Reduce Spacing 60%.

***Reduce Spacing 30%.

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R7-5DBL (L,R)
Parking Permitted (Time Limit)

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-6DBL (L,R)
NO PARKING LOADING ZONE

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE

*See Section 11 for arrow design.

**Reduce Spacing 60%.




R7-8T
RESERVED PARKING - Accessible


*Reduce spacing 50%.

**See Section 11 for symbol design.

COLORS: LEGEND, BORDER - GREEN
SYMBOL - WHITE ON BLUE
BACKGROUND - WHITE



R7-8aP
VAN ACCESSIBLE (Plaque)



R7-8aPT
VIOLATORS SUBJECT TO FINE AND TOWING (Plaque)

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-9
NO PARKING BIKE LANE

*Reduce Spacing 35%.
**Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K	L
12	18	0.375	0.438	2.25	2B*	1.5	1.312	3C	3	2.75B**

M	N	P	Q	R	S	T	U	V	W
1.75	2.710	0.604	1.936	4.936	3.75	3.496	3.962	3.961	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED




R7-9a
No Parking BIKE LANE

A	B	C	D	E	F	G	H	J	K
12	18	0.375	0.438	1.5	1.625	5E(m)	1.375	1	2.5C

L	M	N	P	Q	R	S	T	U	V
1.625	2.428	4	3.375	0.625	2.914	2.913	3.302	3.301	1.5

COLORS: LEGEND, BORDER, CIRCLE, DIAGONAL - RED
BACKGROUND - WHITE
SYMBOL - BLACK




R7-10L (R,DBL)
BACK-IN PARKING

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
12	18	0.375	0.438	3.5	2C	1.5	2	0.75	4.526

L	M	N	P	Q	R	S	T	U	V
0.936	0.25	1	0.5	1.841	4.602	4.601	2.781	3.875	1.5


COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-11T DBL (L,R)
PARALLEL PARKING (Arrow)

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

*See Section 11 for arrow design.



R7-20
Parking Fee Station, Multispace Meter


*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L
24	18	0.375	0.625	1.25	6E(m)	0.5	1E	1	5.75	2

M	N	P	Q	R	S	T	U	V	W
2.875	13.5	VAR	VAR	VAR	14.5	0.938	3.5	0.937	1.5

UPPER RIGHT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



R7-21R (L,DBL)
Metered Parking

A	B	C	D	E	F	G	H	J	K	L
12	18	0.375	0.438	1.25	2B*	0.625	0.5	0.687	1.5C**	1

M	N	P	Q	R	S	T	U	V	W
2	1.5	1.5C***	3D	VAR	VAR	1.862	4.986	1.827	4.952

X	Y	Z	AA	BB	CC	DD	EE	FF	GG
3.875	1.912	0.794	VAR	VAR	1.885	1	VAR	VAR	1.5

* Reduce Spacing 40%.
** Increase Spacing 30%.
*** Reduce Spacing 30%.
† See Section 11 for arrow design.

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-21aP
Mobile Parking Payment (Plaque)

* Reduce Spacing 50%.
** Increase Spacing 10%.
*** Reduce Spacing 20%.
† Increase Spacing 100%.


A	B	C	D	E	F	G	H	J	K
12	6	0.375	0.375	0.75	1C*	0.25	0.75C**	0.375	0.75D***

L	M	N	P	Q	R	S	T	U	V
0.313	1E†	0.562	0.812	0.5E	0.938	0.5D	4.092	0.5	0.260

W	X	Y	Z	AA	BB	CC	DD	EE	FF
4.852	VAR	VAR	0.806	VAR	VAR	1.936	1	VAR	1

UPPER SECTION
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

LOWER SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



R7-22DBL (L,R)
METERED PARKING


*Reduce Spacing 20%.

**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
12	18	0.375	0.438	1.375	2C*	0.5	0.75	2C	2

L	M	N	P	Q	R	S	T	U
1.125	4.590	4.398	4.397	VAR	VAR	VAR	3.875	1.5

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-107R (L,DBL)
NO PARKING BUS STOP

*Reduce Spacing 35%.

**Reduce Spacing 50%.

***See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	0.375	0.438	2	2B*	1.25	3C	1	0.625	1.187	1.5

N	P	Q	R	S	T	U	V	W	X	Y	Z
2.75B**	2.710	0.604	1.936	4.936	3.75	3.031	3.947	3.946	3.875	0.75	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE




R7-107aR (L,DBL)
No Parking Bus Stop

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
12	24	0.375	0.438	2	8	1.063	1.688	5.75E(m)

K	L	M	N	P	Q	R	S
1.687	0.437	1.5	1.75	2.910	1	3.875	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE
SYMBOL - BLACK



R7-107bR (L,DBL)
No Parking Bus Stop (with Transit Pictograph)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K
12	30	0.375	0.438	2	5	1	8	2.688	5.75E(m)

L	M	N	P	Q	R	S	T	U
2.062	1.5	4	1.75	2.910	4.5	3.5	3.875	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE
SYMBOL - BLACK



R7-108 [A]
Parking Allowed (Time Limit, Part-Time)


*Reduce Spacing 50%.
**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	0.375	0.438	1.25	2C	0.75	2B*	0.5	1.312	2B	2	4C	1.625


Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD
VAR	VAR	0.222	2.681	1.734	4.859	3.875	VAR	VAR	1	VAR	1.901	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-108 [B]
Parking Allowed (Time Limit, Part-Time)



R7-111R (L)
NO PARKING EXCEPT ELECTRIC VEHICLES

*Reduce Spacing 40%.

**Reduce Spacing 60%.


***See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
12	18	0.375	0.438	1.75	2B*	0.875	1.562	1.5C	1	1.375	2	1.5

P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB
3B**	1.25	2.900	0.300	1.827	4.952	3.875	2.956	3.714	3.872	3.871	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R7-111aDBL (L,R)
NO PARKING EXCEPT ELECTRIC VEHICLES (Part-Time)

*Reduce Spacing 40%.

**Reduce Spacing 60%.


***See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
12	18	0.375	0.438	1.75	2B*	0.812	0.75	1.5 C	0.5	2	1.5	3B**	1.25	2.900

R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE	FF
0.300	1.827	4.952	3.875	VAR	VAR	0.5	0.75	VAR	2.956	3.714	3.872	3.871	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R7-112R (L,DBL)
Electric Vehicle Parking (Time Limit)

*Reduce Spacing 40%.

**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
12	18	0.375	0.438	1.25	2C	0.75	2B*	0.5	0.25	1

M	N	P	Q	R	S	T	U	V	W
1.5C	0.75	0.75	2	1.5	4C	1.625	VAR	VAR	0.222

X	Y	Z	AA	BB	CC	DD	EE	FF	GG
2.681	1.827	4.952	3.875	3.714	3.872	3.871	2.086	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-112aDBL (L,R)
Electric Vehicle Parking (Time Limit, Part-Time)

*Reduce Spacing 40%.
**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	0.375	0.438	1.25	2C	0.75	2B*	0.5	0.25	0.375	1.5C

N	P	Q	R	S	T	U	V	W	X	Y
1.5B	2	1	4C	1.625	VAR	VAR	0.222	2.681	1.827	4.952

Z	AA	BB	CC	DD	EE	FF	GG	HH	JJ	KK
3.875	3.714	3.872	3.871	2.086	VAR	VAR	0.5	0.75	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-112bR (L,DBL)
Electric Vehicle Parking (Time Limit, Part-Time, & Day)

*Reduce Spacing 40%.

**See Section 11 for arrow design.


A	B	C	D	E	F	G	H	J	K	L	M
12	21	0.375	0.438	1.25	2C	0.75	2B*	0.5	0.25	0.75	1.5C

N	P	Q	R	S	T	U	V	W	X	Y
1.5B	2	1.5	4C	1.625	VAR	VAR	0.222	2.681	1.827	4.952

Z	AA	BB	CC	DD	EE	FF	GG	HH	JJ	KK
3.875	3.714	3.872	3.871	2.086	VAR	VAR	0.5	0.75	3.875	0.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-113 DBL
NO PARKING EXCEPT WHILE CHARGING


*Reduce Spacing 40%.
**Reduce Spacing 60%.
***See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
12	18	0.375	0.438	1.75	2B*	0.875	1.562	1.5C	1	1.375	2	1.5


P	Q	R	S	T	U	V	W	X	Y	Z	AA
3B**	1.25	2.900	0.300	1.827	4.952	3.875	2.956	2.401	4.044	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - RED

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE




R7-113aP
VEHICLE MUST BE PLUGGED IN (Plaque)



R7-113bP
VACATE STALL WHEN CHARGING COMPLETED (Plaque)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R7-114L (R,DBL)
VEHICLE CHARGING ONLY (Time Limit)


*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
12	18	0.375	0.438	1.75	2C	0.875	1.562	1.5C	1	1.5	2	1.375

P	Q	R	S	T	U	V	W	X	Y	Z	AA
3D	1.25	VAR	VAR	0.284	2.681	4	3.361	4.044	2.086	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-114aDBL (L,R)
VEHICLE CHARGING ONLY (Time Limit, Part-Time)

*Reduce Spacing 50%.


**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	18	0.375	0.438	1.75	2B	0.812	0.75	1.5C	0.5	2	1.5	3B*	1.25

Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD
VAR	VAR	0.135	2.981	4	3.361	4.044	2.086	VAR	VAR	0.5	0.75	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-114bR (L,DBL)
VEHICLE CHARGING ONLY (Time Limit, Part-Time, & Day)

*Reduce Spacing 50%.

**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
12	21	0.375	0.438	1.75	2B	0.875	1.062	1.5C	0.75	0.875	2	1.5	3B*	1.25

R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
VAR	VAR	0.135	2.981	4	3.361	4.044	2.086	VAR	VAR	0.5	0.75	3.875	1.5

UPPER LEFT SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

REMAINDER OF SIGN
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-200 (L | R)
NO PARKING/Restricted Parking (Combined Sign)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	18	0.375	0.438	2.25	2C	1.25	2B	0.5	2	1.5	0.875	2.5B

P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB
3C	1.875	2.026	4.702	2.121	2.401	3.25	VAR	VAR	4.602	4.601	VAR	1

LEFT SECTION
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE

RIGHT SECTION
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-200 (DBL | DBL)
NO PARKING/Restricted Parking (Combined Sign)


* See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	18	0.375	0.438	2.25	2C	1.25	2B	0.5	2	1.5	2.125	2.5B

P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB
0.875	3C	1.875	2.026	4.702	VAR	1	3.875	VAR	VAR	4.602	4.601	5.906

LEFT SECTION
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE

RIGHT SECTION
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-200a (L | R)
NO PARKING/Restricted Parking (Combined Sign)


*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	36	0.375	0.438	1.875	3C	0.875	2.5B	2C	0.5	2	1.5	2.25	1.25

Q	R	S	T	U	V	W	X	Y	Z	AA	BB	CC
2B	2.026	4.702	2.121	2.401	0.75	3.25	2.081	2.891	4.602	4.601	VAR	1.5

LEFT SECTION
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE

RIGHT SECTION
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



R7-200a (DBL | DBL)
NO PARKING/Restricted Parking (Combined Sign)

*See Section 11 for arrow design.


A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	36	0.375	0.438	1.875	3C	0.875	2.5B	2.125	2B	2	1.5	2.25	2C

Q	R	S	T	U	V	W	X	Y	Z	AA	BB
1.25	0.5	2.026	4.702	VAR	0.75	3.875	2.081	2.891	4.602	4.601	1.5

LEFT SECTION
COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE


RIGHT SECTION
COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE

COLORS: LEGEND, BORDER - BLACK OR RED
BACKGROUND - WHITE



R7-201P (BLK)


*See Section 11 for symbol design.



R7-201P (RED)
Tow Away Zone (Plaque)

A	B	C	D	E	F	G	H
12	6	0.375	0.375	1.5	3.375	1.125	1


COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R7-201aP
TOW AWAY ZONE (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
12	6	0.375	0.375	1.375	1.25E	0.75	4.866	4.865	2.420	2.419	1

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R7-202P
THIS SIDE OF SIGN (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
12	6	0.375	0.375	1.375	1.25E	0.75	3.976	0.538	0.462	4.051	2.276	1	0.407	3.682	1



R7-202aPT (RED)
BETWEEN SIGNS

COLORS: LEGEND, BORDER - RED OR GREEN
BACKGROUND - WHITE



R7-202aPT (GRN)



R7-202bPT (GRN)
HERE TO CORNER (Plaque)

COLORS: LEGEND, BORDER - GREEN OR RED
BACKGROUND - WHITE



R7-202bPT (RED)




R8-1
NO PARKING ON PAVEMENT

*Reduce Spacing 60%.

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	3.625	5D	2.25	5C*	3D	2.25
36	48	0.625	0.875	6	7D	5	7C*	4D	4
48	60	0.75	1.25	7.5	9D	6	9C*	5D	5

L	M	N	P	Q	R	S	T	U
4.028	4.028	9.974	9.974	2.417	2.417	9.921	9.920	1.5
5.640	5.639	13.964	13.963	3.223	3.222	13.228	13.227	2.25
7.251	7.250	17.953	17.953	4.028	4.028	16.535	16.534	3

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-1bT
NO PARKING ON ROW

****Alternate 4th Line Legends**

BRIDGE

R8-1aT
NO PARKING ON BRIDGE

TRACKS

R8-1cT
NO PARKING ON TRACKS

SHOULDER

R8-1dT
NO PARKING ON SHOULDER

* Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K	L
24	30	0.375	0.625	3.625	5D	2.25	5C*	3D	2.25	1.5
36	48	0.625	0.875	6	7D	5	7C*	4D	4	2.25
48	60	0.75	1.25	7.5	9D	6	9C*	5D	5	3

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-2
NO PARKING EXCEPT ON SHOULDER

*Reduce Spacing 60%.

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	3.625	5D	2.25	5C*	3C	2.25
36	48	0.625	0.875	6	7D	5	7C*	4C	4
48	60	0.75	1.25	7.5	9D	6	9C*	5C	5

L	M	N	P	Q	R	S	T	U	V
4.028	4.028	9.974	9.974	8.689	3.136	1.5	4.052	8.568	1.5
5.640	5.639	13.964	13.963	11.834	3.932	2.5	5.402	11.424	2.25
7.251	7.250	17.953	17.953	14.855	4.853	3.25	6.753	14.280	3


COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-2T
NO PARKING WITHIN 10 FEET OF PAVEMENT

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE

*Reduce spacing 50%



R8-3
No Parking (Symbol)

A	B	C	D	E	F	G	H	J	K
12	0.375	0.438	1.125	1.875	6E(m)	1.875	2.988	1	1.5
18	0.375	0.625	1.5	3	9E(m)	2.8	4.5	1.5	1.5
24	0.375	0.625	1.5	4.5	12E(m)	3.75	5.976	2	1.5
30	0.5	0.75	1.875	5.625	15E(m)	4.708	7.450	2.5	1.875
36	0.625	0.875	2.25	6.75	18E(m)	5.625	8.964	3	2.25
48	0.75	1.25	3	9	24E(m)	7.5	11.952	4	3

COLORS: LEGEND, BORDER - RED
SYMBOL - BLACK
BACKGROUND - WHITE



R8-3a
NO PARKING

*Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K	L	M	N
18	24	0.375	0.625	7	4D	3	3C	3.223	3.222	6.903	6.902	1.5
24	30	0.375	0.625	7.25	6D	4.5	5C*	4.834	4.834	10.229	10.229	1.5
36	36	0.625	0.875	7.5	8D	6	7C*	6.445	6.445	14.321	14.320	2.25
48	48	0.75	1.25	10.5	10D	8	9C*	8.057	8.056	18.412	18.412	3

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-3aTR
NO PARKING (with Arrow)



R8-3aTL




R8-3aTDBL

*Reduce spacing 50%.

**See Section 11 for arrow design.

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-3bPT
EXCEPT SUNDAYS AND HOLIDAYS (Plaque)

* Reduce spacing to fit.

A	B	C	D	E	F	G	H
12	9	.375	.375	1.375	1.5B	.875	1
24	18	.375	.625	2.5	3C	2	1.5
30	24	.375	.625	4	3.5C	2.75	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-3c
ON PAVEMENT

*Reduce Spacing 40%.

A	B	C	D	E	F	G	H	J	K
18	30	0.375	0.625	1.5	3	9E(m)	2	2.75D	2.25
24	36	0.375	0.625	1.5	4.5	12E(m)	2	3D	2.25
36	54	0.625	0.875	2.25	6.75	18E(m)	2.875	5D	2.875

L	M	N	P	Q	R	S	T	U	V
2.75C*	3.75	2.825	4.470	1.5	2.216	2.215	7.129	7.128	1.5
3D	3.25	3.750	5.976	2	2.417	2.417	9.921	9.920	1.5
5C	4.5	5.625	8.964	3	4.028	4.028	13.981	13.980	2.25

COLORS: BORDER, CIRCLE, DIAGONAL - RED
SYMBOL - BLACK
BACKGROUND - WHITE



R8-3cPT
ON PAVEMENT (Plaque)

*Reduce spacing to fit.

A	B	C	D	E	F	G	H
12	9	.375	.375	2.625	1.375D	1	1
18	12	.375	.438	3	2D	2	1.5
24	18	.375	.625	4.75	3D	2.5	1.5
30	24	.375	.625	6	4D	4	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE




R8-3d
ON BRIDGE

A	B	C	D	E	F	G	H	J	K
18	30	0.375	0.625	1.5	3	9E(m)	2	3D	2
24	36	0.375	0.625	1.5	4.5	12E(m)	1.75	3.5D	1.875
36	54	0.625	0.875	2.25	6.75	18E(m)	2.875	5D	2.875

L	M	N	P	Q	R	S	T	U
3.5	2.825	4.470	1.5	2.417	2.417	6.755	6.755	1.5
2.875	3.750	5.976	2	2.820	2.819	7.881	7.880	1.5
4.5	5.625	8.964	3	4.028	4.028	11.258	11.258	2.25

COLORS: CIRCLE, DIAGONAL, BORDER - RED
SYMBOL - BLACK
BACKGROUND - WHITE



R8-3dPT
ON BRIDGE (Plaque)

A	B	C	D	E	F	G	H
12	9	.375	.375	2	2D	1	1
18	12	.375	.438	2	3D	2	1.5
24	18	.375	.625	3.75	4D	2.5	1.5
30	24	.375	.625	5	5D	4	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-3e
ON TRACKS

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K
18	30	0.375	0.625	1.5	3	9 E(m)	2	3D	2
24	36	0.375	0.625	1.5	4.5	12E(m)	1.75	3.5D	1.875
36	54	0.625	0.875	2.25	6.75	18E(m)	2.875	5D	2.875

L	M	N	P	Q	R	S	T	U	V
3D*	3.5	2.825	4.470	1.5	2.417	2.417	7.137	7.136	1.5
3.5D	2.875	3.750	5.976	2	2.820	2.819	8.564	8.563	1.5
5D	4.5	5.625	8.964	3	4.028	4.028	12.234	12.234	2.25

COLORS: CIRCLE, DIAGONAL, BORDER - RED
SYMBOL - BLACK
BACKGROUND - WHITE



R8-3ePT
ON TRACKS (Plaque)

A	B	C	D	E	F	G	H
12	9	.375	.375	2	2C	1	1
24	18	.375	.625	3.5	4C	3	1.5
30	24	.375	.625	5	5C	4	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE




R8-3f
EXCEPT ON SHOULDER

*Reduce Spacing 30%.

A	B	C	D	E	F	G	H	J	K
18	30	0.375	0.625	1.5	3	9E(m)	2.5	2.5C*	3.5
24	36	0.375	0.625	1.5	4.5	12E(m)	2.25	3C	3
36	54	0.625	0.875	2.25	6.75	18E(m)	3.25	4.5C	4.75

L	M	N	P	Q	R	S	T	U	V
2.825	4.470	1.5	7.028	2.301	1.5	3.226	6.653	6.652	1.5
3.750	5.976	2	9.438	2.387	3	4.052	8.568	8.568	1.5
5.625	8.964	3	13.907	3.830	4	6.077	12.852	12.852	2.25

COLORS: BORDER, CIRCLE, DIAGONAL - RED
SYMBOL - BLACK
BACKGROUND - WHITE




R8-3fPT
EXCEPT ON SHOULDER (Plaque)

*Reduce spacing to fit.

A	B	C	D	E	F	G	H
12	9	.375	.375	2.375	1.5C	1.25	1
24	18	.375	.625	4.5	3C	3	1.5
30	24	.375	.625	6	4C	4	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE




R8-3gPT DBL (L,R)
LOADING ZONE (Arrow) (Plaque)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
12	9	.375	.375	1.5	1.5C	1.125	.375	2	1	7.75	.75	1
24	18	.375	.625	3	3C	2.25	.875	4	1.875	15.5	1.5	1.5
30	24	.375	.625	4	4C	3	1.375	5.375	2.25	20.5	2	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-3hPTL (R,DBL)
Time of Day (Plaque)

*Reduce spacing to fit.
**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
12	9	.375	.375	1.5	1.5C	1.125	.375	2	1	1	7.75	.75	1
24	18	.375	.625	3	3C	2.25	.875	4	1.875	2	15.5	1.5	1.5
30	24	.375	.625	4	4C	3	1.375	5.375	2.25	2.5	20.5	2	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE




R8-3iT
ON SHOULDER

*Reduce Spacing 30%.

A	B	C	D	E	F	G	H	J	K
18	30	0.375	0.625	1.5	3	9E(m)	2.5	2.5C*	3.5
24	36	0.375	0.625	1.5	4.5	12E(m)	2.25	3C	3
36	54	0.625	0.875	2.25	6.75	18E(m)	3.25	4.5C	4.75

L	M	N	P	Q	R	S
2.825	4.470	1.5	3.226	6.653	6.652	1.5
3.750	5.976	2	4.052	8.568	8.568	1.5
5.625	8.964	3	6.077	12.852	12.852	2.25

COLORS: BORDER, CIRCLE, DIAGONAL - RED
SYMBOL - BLACK
BACKGROUND - WHITE



R8-3iPT
ON SHOULDER (Plaque)

A	B	C	D	E	F	G	H	J	K
12	9	.375	.375	2.375	1.5D	1.25	1.5C	8.554	1
24	18	.375	.625	3.5	4D	3	4C	20	1.5
30	24	.375	.625	5	5D	4	5C	26	1.5

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-3kT
NO TRUCK PARKING (Plaque)

*Reduce Spacing 50%.

A	B	C	D	E	F	G	H
24	30	.375	.625	3.5	6D	5C	1.5
36	48	.625	.875	6.25	9D	7C	2.25
48	60	.75	1.25	7.5	12D	9C	3

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-4
EMERGENCY PARKING ONLY

*Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K	L	M	N
30	24	0.375	0.625	3.5	4C	2.5	4D	12.945	12.945	10.888	6.784	1.5
36	24	0.625	0.875	3.5	4D	2.5	4D	15.422	15.422	11.266	6.719	1.5
48	36	0.625	0.875	5	6D*	4	6D	20.880	20.879	16.332	10.176	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R8-5
NO STOPPING ON PAVEMENT

*Reduce Spacing 25%.

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	3.625	5D	2.25	5B*	3D	2.25
36	48	0.625	0.875	6	7D	5	7B*	4D	4
48	60	0.75	1.25	7.5	9D	6	9B*	5D	5

L	M	N	P	Q	R	S	T	U
4.028	4.028	9.811	9.810	2.417	2.417	9.921	9.920	1.5
5.640	5.639	13.735	13.735	3.223	3.222	13.228	13.227	2.25
7.251	7.250	17.659	17.659	4.028	4.028	16.535	16.534	3

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE



R8-6
NO STOPPING EXCEPT ON SHOULDER

*Reduce Spacing 25%.

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	3.625	5D	2.25	5B*	3C	2.25
36	48	0.625	0.875	6	7D	5	7B*	4C	4
48	60	0.75	1.25	7.5	9D	6	9B*	5C	5

L	M	N	P	Q	R	S	T	U	V
4.028	4.028	9.811	9.810	8.689	3.136	1.5	4.052	8.568	1.5
5.640	5.639	13.735	13.735	11.835	3.931	2.5	5.402	11.424	2.25
7.251	7.250	17.659	17.659	14.855	4.853	3.25	6.753	14.280	3

COLORS: LEGEND, BORDER - RED
BACKGROUND - WHITE




R8-7
EMERGENCY STOPPING ONLY

*Reduce Spacing 50%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
30	24	0.375	0.625	3.5	4C	2.5	4D	12.945	12.945	12.169	12.169	6.784	1.5
36	24	0.625	0.875	3.5	4D	2.5	4D	15.422	15.422	12.751	12.751	6.719	1.5
48	36	0.625	0.875	5	6D*	4	6D	20.880	20.879	18.254	18.253	10.176	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R8-8
DO NOT STOP ON TRACKS

A	B	C	D	E	F	G	H	J
24	30	0.375	0.625	3.625	4D	2.25	6.365	2.75
36	48	0.625	0.875	6	6D	4	9.548	4.25

K	L	M	N	P	Q	R	S	T
0.166	9.280	6.245	6.244	3.223	3.222	9.787	9.787	1.5
0.186	13.983	9.366	9.366	4.834	4.834	14.681	14.680	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R8-9
TRACKS OUT OF SERVICE

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	0.375	0.625	3	4C	8.123	8.123	7.853	0.150	2.5	5.202	8.863	8.863	1.5
36	0.625	0.875	4.5	6C	12.185	12.184	11.779	0.226	3.75	7.803	13.295	13.294	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE





R8-10R

R8-10L
STOP HERE WHEN FLASHING

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
24	36	0.375	0.625	3	5D	2.5	3D	0.875	2.364
36	48	0.625	0.875	4	7D	3	4D	1.625	3.373

L	M	N	P	Q	R	S	T	U	V
7.806	7.805	4.773	5.149	5.148	9.201	6.498	7	14.25	1.5
10.928	10.928	6.364	6.865	6.864	12.268	8.666	9.25	19	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R8-10aL
STOP HERE WHEN FLASHING



R8-10aR

*See Section 11 for arrow design.
**Reduce Spacing 30%.


A	B	C	D	E	F	G	H	J	K	L
24	30	0.375	0.625	3	5D	1.5	3D	6.5	2	3D**
36	42	0.625	0.875	4	7D	2.5	4D	10	2.5	4D**

M	N	P	Q	R	S	T	U	V	W	X
8.75	7.75	7.806	7.805	4.773	9.375	6.992	1.627	8.670	8.679	1.5
11.375	11.625	10.928	10.928	6.364	14	10.550	2.169	11.560	11.572	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-1
WALK ON LEFT FACING TRAFFIC



R9-2
CROSS ONLY AT CROSS WALKS

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-3
No Pedestrian Crossing (Symbol)

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J
18	0.375	0.625	1.125	2.375	5.5	1.5	3.5	1.5
24	0.375	0.625	1.5	3	7.5	2	5.125	1.5
30	0.5	0.75	1.875	3.75	9.375	2.5	6.25	1.875

COLORS: CIRCLE, DIAGONAL - RED
SYMBOL, BORDER - BLACK
BACKGROUND - WHITE




R9-3a
NO PEDESTRIAN CROSSING

*Reduce Spacing 35%.
**Reduce Spacing 40%.

A	B	C	D	E	F	G
12	18	0.375	0.438	3	3C	2.25

H	J	K	L	M	N	P
2B*	2C**	3.5	2.026	4.775	4.818	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-3bPR
USE CROSSWALK (Plaque)




R9-3bPL

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
18	12	0.375	0.438	1.625	4.25	0.875	3 B	2.25

K	L	M	N	P	Q	R	S	T
3 C	2.25	5.912	0.625	0.375	6.125	7.729	7.728	1.5



R9-3cP
RIDE WITH TRAFFIC (Plaque)

A	B	C	D	E	F	G	H	J	K	L
12	0.375	0.438	2	2C	1	2.361	2.391	4.282	4.281	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-4
No Hitchhiking (Symbol)

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
18	0.375	0.625	1.125	2.875	5	5.5	2.375	1.5	4.625	1.5
24	0.375	0.625	1.5	3.75	6.75	7.25	3.25	2	6.25	1.5


COLORS: CIRCLE, DIAGONAL - RED
BACKGROUND - WHITE
SYMBOL, BORDER - BLACK



R9-4a
NO HITCHHIKING

A	B	C	D	E	F	G	H	J	K	L	M	N
12	18	0.375	0.438	2.75	4.5 C	1.5	2.5C	3.039	3.038	3.764	4.439	1.5
18	24	0.375	0.625	3	6 C	2	4C	4.052	4.051	6.022	7.102	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-5
Bicycles USE PEDESTRIAN SIGNAL

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H
12	18	0.375	0.438	1.5	5	2C	1

J	K	L	M	N	P	Q
2	4.375	1.971	2.001	3.822	3.821	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-6
Bicycles YIELD TO PEDESTRIANS

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H
12	18	0.375	0.438	1.75	5	1.25	2C

J	K	L	M	N	P	Q	R
1	2	4.375	3.031	1.221	1.220	2.711	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-7
Shared-Use Path Restriction


For use on shared-use paths only.

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K
12	18	0.375	0.438	2	4B	1.5	1.75B	2.25	4.5


L	M	N	P	Q	R	S	T	U	V
2.5	4.222	3.292	0.875	0.188	0.187	0.375	4.342	0.5	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-8
PEDESTRIAN CROSSWALK


A	B	C	D	E	F	G	H	J	K	L
36	18	0.375	0.625	3.5	4D	3	15.230	15.111	15.110	1.5




R9-9
SIDEWALK CLOSED

A	B	C	D	E	F	G	H	J	K	L
24	12	0.375	0.438	2.125	3D	1.75	9.411	9.410	7.250	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-10DBL
SIDEWALK CLOSED, USE OTHER SIDE



R9-10L




R9-10R


*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
24	12	0.375	0.438	1.75	2C	0.938	2.625	0.937	10.114

L	M	N	P	Q	R	S	T	U
0.410	1.5	8.203	10.114	3.942	3.772	2.991	4.722	1.5



R9-11L
SIDEWALK CLOSED AHEAD, CROSS HERE



R9-11R

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
24	18	0.375	0.625	3	2C	1.5	0.937	2.625	10.051

L	M	N	P	Q	R	S	T	U
0.473	1.375	8.203	3.502	3.501	10.051	6.903	5.402	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-11aL
SIDEWALK CLOSED, CROSS HERE



R9-11aR

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H
24	12	0.375	0.438	1.75	2C	1.5	3

J	K	L	M	N	P	Q	R
10.114	0.410	1.5	8.203	8.75	6.903	5.402	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-12
BIKE LANE CLOSED

A	B	C	D	E	F	G	H	J	K	L	M	N
24	12	0.375	0.438	2.125	3 D	1.75	8.225	1.595	0.155	9.665	7.250	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-13
No Skaters

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N
18	0.375	0.625	4.688	4.313	4.312	4.687	5.283	5.282	6.375	7.875	1.5	1.5
24	0.375	0.625	6.25	5.75	5.75	6.25	7.043	7.042	8.5	10.5	2	1.5
30	0.5	0.75	7.813	7.188	7.187	7.812	8.805	8.804	10.625	13.125	2.5	1.875

COLORS: CIRCLE, DIAGONAL - RED
BACKGROUND - WHITE
SYMBOL, BORDER - BLACK



R9-14
No Equestrians

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N
18	0.375	0.625	3.5	5.5	4.5	4.5	5.437	5.436	6.375	7.875	1.5	1.5
24	0.375	0.625	4.625	7.375	5.875	6.125	7.204	7.203	8.5	10.5	2	1.5
30	0.5	0.75	5.875	9.125	7.375	7.625	8.970	8.970	10.625	13.125	2.5	1.875

COLORS: CIRCLE, DIAGONAL - RED
BACKGROUND - WHITE
SYMBOL, BORDER - BLACK




R9-16
No All-Terrain Vehicles

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
18	0.375	0.625	4.125	4.875	3.125	5.875	6.375	7.875	1.5	1.5
24	0.375	0.625	5.375	6.625	4.125	7.875	8.5	10.5	2	1.5
30	0.5	0.75	6.75	8.25	5	10	10.625	13.125	2.5	1.875

COLORS: CIRCLE, DIAGONAL - RED
BACKGROUND - WHITE
SYMBOL, BORDER - BLACK



R9-19P
EXCEPT ON SHOULDER (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M	N
18	12	0.375	0.438	3	2D	2	7.090	2.116	1.75	3.223	6.745	1.5
24	18	0.375	0.625	4.5	3C	3	9.439	2.386	3	4.052	8.568	1.5
30	24	0.375	0.625	6	4C	4	12.334	3.432	3.5	5.402	11.424	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-20
Bicycles ALLOWED USE OF FULL LANE

*See Section 11 for symbol design.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L
30	0.5	0.75	2.25	9	1.5	3.5D	2	3.5D**	2.75	7.875

M	N	P	Q	R	S	T	U	V	W
10.278	8.126	0.401	3.099	5.428	10.407	1.652	1.098	10.961	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-21
Bicycles USE SHOULDER ONLY

*See Section 11 for symbol design.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H
24	30	0.375	0.625	2.75	7.5	2.125	3.5C

J	K	L	M	N	P	Q	R
3.5C**	2.875	6.563	6.562	3.449	9.541	4.867	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-22
BICYCLES MUST EXIT

*Reduce Spacing 30%.
**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
24	30	0.375	0.625	2.875	4C*	2.349	4C	9.582

K	L	M	N	P	Q	R	S	T
9.581	5.543	5.542	4.242	4.241	5.447	5.25	12	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-23
Bicycle ALL TURNS FROM BIKE LANE

*See Section 11 for symbol design.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	0.375	0.438	2.375	4.5	1.5	1.75C**	1	1.75D	1.75C	3.938

N	P	Q	R	S	T	U	V	W	X	Y
3.937	3.298	0.75	0.874	4.921	2.898	4.079	0.772	0.228	4.622	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-23a
Bicycle LEFT TURN FROM BIKE LANE

*See Section 11 for symbol design.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	0.375	0.438	2.375	4.5	1.5	1.75C**	1	1.75D	1.75C	3.938

N	P	Q	R	S	T	U	V	W	X	Y
3.937	4.090	0.619	0.131	4.576	2.898	4.079	0.772	0.228	4.622	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-23b
Bicycle LEFT TURN MUST USE TURN BOX

*See Section 11 for symbol design.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	0.375	0.438	2.375	4.5	1.5	1.75C**	1	1.75C	3.938	3.937

N	P	Q	R	S	T	U	V	W	X	Y
4.090	0.618	0.132	4.576	4.650	0.200	3.449	4.641	0.121	3.519	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R9-23c
Bicycle LEFT TURN MUST USE TURN BOX (with Arrow, Oblique)


*See Section 11 for symbol and arrow design.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L
12	18	0.375	0.438	1.375	4.5	0.75	1.75C**	1	1.75C	0.5

M	N	P	Q	R	S	T	U	V	W
2.630	0.995	3.938	3.937	4.090	0.618	0.132	4.576	4.650	0.200

X	Y	Z	AA	BB	CC	DD	EE	FF	GG
3.449	4.641	0.121	3.519	1.315	1.314	0.938	3.25	2.5	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-24
Bicycle ALL TURNS (with Arrow, Oblique)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K
24	6	0.375	0.375	1.597	1.562	2.875	1.563	0.437	2C

L	M	N	P	Q	R	S	T	U
1	3.882	0.837	0.163	6.903	3.556	2.5	3.5	1




R9-24a
Bicycle ALL TURNS (with Arrow, Horizontal)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K
24	6	0.375	0.375	1.75	2.5	1.562	2.875	1.563	2C

L	M	N	P	Q	R	S	T	U
2	1	3.882	0.837	0.163	6.903	0.75	3.25	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-25
Bicycle U AND LEFT TURNS (with Arrow, Oblique)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L
24	9	0.375	0.375	2.920	3	2	2C	1	0.75	1.121

M	N	P	Q	R	S	T	U	V	W	X
1	2.629	1.613	1.25	4.822	3.066	1.984	4.919	2.5	4	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-25a
Bicycle U AND LEFT TURNS (with Arrow, Horizontal)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L
24	9	0.375	0.375	3.25	2.5	3	2	2C	1	0.5

M	N	P	Q	R	S	T	U	V	W	X
1.121	1	3.004	1.238	1.25	4.822	3.625	2.359	4.544	3.25	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-25b
Bicycle U AND LEFT TURNS (with Arrow, Through)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L	M
24	9	0.375	0.375	2	2C	1	2.5	4	3	2.5	0.663

N	P	Q	R	S	T	U	V	W	X	Y
5.25	0.5	1.121	0.716	0.284	4.242	1.25	4.822	0.929	6.903	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-26
Bicycle U TURN (with Arrow, Oblique)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K
24	6	0.375	0.375	1.597	1.562	2.875	1.563	2D	2

L	M	N	P	Q	R	S	T	U
1.5	1.362	1.5	0.607	5.838	4.306	2.5	3.5	1




R9-26a
Bicycle U TURN (with Arrow, Horizontal)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
24	6	0.375	0.375	1.75	2.5	1.562	2.875	1.563

K	L	M	N	P	Q	R	S
2D	2	1.5	1.362	0.607	5.838	3.25	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-26b
Bicycle U TURN (with Arrow, Through)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
24	6	0.375	0.375	2	2D	1.25	3.5	2.875

K	L	M	N	P	Q	R	S	T
1.625	2.5	1.5	5.031	0.969	0.531	1.362	6.445	1




R9-27
Bicycle LEFT TURN (with Arrow, Oblique)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
24	6	0.375	0.375	1.597	1.562	2.875	1.563	2C

K	L	M	N	P	Q	R	S
2	1	4.520	0.302	5.442	2.5	3.5	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R9-27a
Bicycle LEFT TURN (with Arrow, Horizontal)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
24	6	0.375	0.375	1.75	2.5	1.562	2.875	1.563

K	L	M	N	P	Q	R	S
2C	2	1	4.741	0.081	5.442	3.25	1




R9-27b
Bicycle LEFT TURN (with Arrow, Through)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
24	6	0.375	0.375	2	2C	1.25	3.5	2.875

K	L	M	N	P	Q	R	S	T
1.562	2.5	1.5	5.031	1	0.616	4.206	5.442	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-1
CROSS ONLY ON GREEN [symbolic circular green]

A	B	C	D	E	F	G	H	J
12	18	0.375	0.438	1.75	2D	1	0.75	3

K	L	M	N	P	Q	R	S
1.5	4.054	4.053	3.392	1.612	1.611	4.013	1.5

COLORS: LEGEND, BORDER - BLACK
CIRCLE - GREEN
BACKGROUND - WHITE



R10-2
CROSS ONLY ON [Symbolic Walk Indication] SIGNAL

*See Section 11 for symbol design.


A	B	C	D	E	F	G	H	J
9	12	0.375	0.375	1.375	1D	0.625	0.5	0.25

K	L	M	N	P	Q	R	S	T
2.5	2.027	1.696	0.806	0.805	1.5	2.292	2.291	1.5

COLORS: LEGEND, BORDER - BLACK
PED SYMBOL - WHITE ON BLACK
BACKGROUND - WHITE



R10-3L



R10-3R

Push Button for Walk Signal


*Reduce Spacing 20%.

**See Section 11 for symbol and arrow designs.

A	B	C	D	E	F	G	H	J	K	L
9	12	0.375	0.375	1	3.75	0.75	1D	0.5	0.25	2

M	N	P	Q	R	S	T	U	V	W
0.313	1.187	0.75C*	2.005	0.496	2.387	1.181	1.375	3	1.5

COLORS: LEGEND, BORDER - BLACK
PED SYMBOL - WHITE ON BLACK
BACKGROUND - WHITE



R10-3aL

PUSH BUTTON TO CROSS STEEET - Wait for Walk Signal



R10-3aR

*Reduce Spacing 20%.

**See Section 11 for symbol and arrow designs.

A	B	C	D	E	F	G	H	J	K	L
9	15	0.375	0.375	4	0.75C*	1	1D	0.75	0.25	2


M	N	P	Q	R	S	T	U	V	W	X
1.5	3.25	3.75	1	2.005	0.383	0.117	2.883	1.461	0.797	3.257

Y	Z	AA	BB	CC	DD	EE	FF	GG	HH
1.625	0.258	1.118	3.375	2.881	0.240	0.760	2.362	1.375	1.5

COLORS: LEGEND, BORDER - BLACK
PED SYMBOL - WHITE ON BLACK
BACKGROUND - WHITE



R10-3bL



R10-3bR
Push Button Educational


*See next page for symbol and legend dimensions.

A	B	C	D	E	F	G	H	J	K	L
9	12	0.375	0.375	0.880	2.240	0.130	0.25	0.088	2.200	0.087

M	N	P	Q	R	S	T	U	V	W
0.887	0.6 B	0.300	1.900	1.050	3.764	0.628	0.855	1.25	1.385

X	Y	Z	AA	BB	CC	DD	EE	FF	GG
0.625	1.068	0.668	1.185	0.680	0.806	0.360	1.639	1.537	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
UPRAISED HAND SYMBOL - ORANGE ON BLACK
PEDESTRIAN SYMBOL - WHITE ON BLACK



R10-3b | Sheet 2 of 2



R10-3cL



R10-3cR
Push Button Educational


*See next page for symbol and legend dimensions.

A	B	C	D	E	F	G	H	J	K	L
9	12	0.375	0.375	0.880	2.240	0.130	0.25	0.088	2.200	0.087


M	N	P	Q	R	S	T	U	V	W
0.887	0.600 B	0.300	1.900	1.050	3.688	0.532	0.623	1	1.065

X	Y	Z	AA	BB	CC	DD	EE	FF	GG
0.195	0.993	0.493	0.755	0.680	0.806	0.360	1.639	1.537	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
WALK - WHITE ON BLACK
DON"T WALK - ORANGE ON BLACK



R10-3c | Sheet 2 of 2



R10-3dL



R10-3dR

Push Button Educational - Two-Stage Crossing


*See next page for symbol and legend dimensions.

A	B	C	D	E	F	G	H	J	K	L
9	12	0.375	0.375	0.880	2.161	0.209	0.25	0.088	2.200	0.087


M	N	P	Q	R	S	T	U	V	W
0.887	0.600 B	0.300	1.900	1.050	3.764	0.628	0.855	1.25	1.385

X	Y	Z	AA	BB	CC	DD	EE	FF	GG
0.424	1.068	0.668	1.185	0.680	0.806	0.360	1.639	1.537	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
UPRAISED HAND SYMBOL - ORANGE ON BLACK
PEDESTRIAN SYMBOL - WHITE ON BLACK



R10-3d | Sheet 2 of 2



R10-3eL



R10-3eR

Push Button Educational - Countdown Signal


*See next page for symbol and legend dimensions.


A	B	C	D	E	F	G	H	J	K	L
9	15	0.375	0.375	1.005	2.240	0.255	0.25	0.373	3.880	1.012


M	N	P	Q	R	S	T	U	V	W
0.600 B	0.425	1.900	1.175	4.141	0.889	0.125	1.125	1.375	1.385


X	Y	Z	AA	BB	CC	DD	EE	FF	GG
0.635	1.068	0.678	1.195	0.680	0.806	0.360	1.639	1.537	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
PEDESTRIAN SYMBOL - WHITE ON BLACK
UPRAISED HAND SYMBOL - ORANGE ON BLACK
COUNTDOWN SYMBOL - ORANGE ON BLACK





















R10-3e | Sheet 2 of 2



R10-3fL



R10-3fR

Push Button Educational - Street Name


*See next page for symbol and legend dimensions.

A	B	C	D	E	F	G	H	J	K	L
9	15	0.375	0.375	1.25	2.187	0.313	0.25	0.375	2.187	1.125


M	N	P	Q	R	S	T	U	V	W
0.563 B	1.187	0.625	2.813	1.312	5.375	0.938	1.120	1.5	1.438

X	Y	Z	AA	BB	CC	DD	EE	FF	GG
0.615	1.121	0.868	1.059	0.753	0.640	0.438	1.537	1.75	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
UPRAISED HAND SYMBOL - ORANGE ON BLACK
PEDESTRIAN SYMBOL - WHITE ON BLACK



R10-3f | Sheet 2 of 2



R10-3gL



R10-3gR

Push Button Educational - Street Name


*See next page for symbol and legend dimensions.

A	B	C	D	E	F	G	H	J	K	L
9	15	0.375	0.375	1.25	2.188	0.313	0.25	0.375	2.188	1.125


M	N	P	Q	R	S	T	U	V	W
0.563 B	1.187	0.625	2.813	1.312	5.438	1	1.060	1.25	1.142

X	Y	Z	AA	BB	CC	DD	EE	FF	GG
0.392	1.238	0.5	0.835	0.523	0.870	0.438	1.537	1.75	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
DON'T WALK SYMBOL - ORANGE ON BLACK
WALK SYMBOL - WHITE ON BLACK



R10-3g | Sheet 2 of 2



R10-3hL



R10-3hR

Push Button Educational - Street Name - Two-Stage Crossing


*See next page for symbol and legend dimensions.

A	B	C	D	E	F	G	H	J	K	L
9	15	0.375	0.375	1.25	2.063	0.438	0.25	0.375	2.188	0.313


M	N	P	Q	R	S	T	U	V	W	X
1.125	0.563 B	1.187	0.625	2.813	1.312	5.375	0.937	1.120	1.5	1.438

Y	Z	AA	BB	CC	DD	EE	FF	GG	HH
0.615	1.121	0.868	1.059	0.753	0.640	0.438	1.537	1.75	1.5


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
UPRAISED HAND SYMBOL - ORANGE ON BLACK
PEDESTRIAN SYMBOL - WHITE ON BLACK



R10-3h | Sheet 2 of 2



R10-3iL



R10-3iR

Push Button Educational - Countdown Signal - Street Name


*See next page for symbol and legend dimensions.

A	B	C	D	E	F	G	H	J	K	L
9	15	0.375	0.375	0.938	2.188	0.125	0.25	0.188	3.938	0.25


M	N	P	Q	R	S	T	U	V	W	X
0.938	0.563 B	0.875	0.313	2.813	1.125	4.683	0.438	0.125	0.75	1.188

Y	Z	AA	BB	CC	DD	EE	FF	GG	HH	JJ
1.438	0.615	1.121	0.638	1.703	0.753	0.654	0.438	1.537	1.75	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
PEDESTRIAN SYMBOL - WHITE ON BLACK
UPRAISED HAND SYMBOL - ORANGE ON BLACK
COUNTDOWN SYMBOL - ORANGE ON BLACK



R10-3i | Sheet 2 of 2



R10-4L
PUSH BUTTON FOR GREEN



R10-4R

*Reduce Spacing 20%.
**See Section 11 for symbol and arrow design.


A	B	C	D	E	F	G	H	J	K	L	M
9	12	0.375	0.375	1	3	0.75C*	0.5	1D	0.375	2	0.25

N	P	Q	R	S	T	U	V	W	X	Y	Z
1.25	0.938	3.75	2.005	0.383	0.117	2.883	1.181	2.007	2.006	3	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
CIRCLE - GREEN



R10-4aL



R10-4aR
PUSH BUTTON - WAIT FOR GREEN

*Reduce Spacing 20%.


**See Section for symbol and arrow designs.

A	B	C	D	E	F	G	H	J	K	L
9	15	0.375	0.375	1	3.75	0.625	1D	0.313	1.625	0.312

M	N	P	Q	R	S	T	U	V	W	X
2	1.25	0.75C*	4	2.005	0.5	0.496	2.387	1.461	0.797	3.257

Y	Z	AA	BB	CC	DD	EE	FF	GG	HH	JJ
3.375	1.118	0.258	2	2.881	0.241	0.759	2.362	2.007	2.006	1.5

COLORS: LEGEND, BORDER - BLACK
CIRCLE - GREEN
BACKGROUND - WHITE



R10-4bR
PUSH BUTTON FOR (Symbol)




R10-4bL

*See Section 11 for symbol and arrow designs.

COLORS: LEGEND, BORDER - BLACK
SYMBOL - WHITE ON BLACK
BACKGROUND - WHITE



R10-5L
LEFT ON GREEN ARROW ONLY




R10-5R

*Reduce spacing 50%.

A	B	C	D	E	F	G	H	J
24	30	.375	.625	3.25	4C	2.5	4D	1.5
30	36	.5	.75	4.25	5C	2.5	5D	1.875
48	60	.75	1.25	6.5	8C	5	8D	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-6L
STOP HERE ON RED (Arrow)




R10-6R

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
24	36	0.375	0.625	4	5D	2.5	3D	2	3.143	7.806
36	48	0.625	0.875	5	7D	4	4D	1.75	3.641	10.928

M	N	P	Q	R	S	T	U	V	W	X
7.805	8.690	0.856	3	4.834	5.805	5.804	6.649	6.75	14.625	1.5
10.928	11.586	1.142	4	6.445	8.126	8.126	8.673	9.5	19	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-6aL
STOP HERE ON RED


R10-6aR

*See Section 11 for arrow design.


A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	3	5D	1.5	3D	5	9
36	42	0.625	0.875	4	7D	2.25	4D	7.5	12

L	M	N	P	Q	R	S	T	U	V
7.75	7.806	7.805	4.773	9.375	6.992	4.834	2.879	8.730	1.5
11.625	10.928	10.928	6.364	14	10.550	6.445	3.645	12.607	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



***Alternate 3rd Line Legends**



17.08



17.46

R10-7
DO NOT BLOCK INTERSECTION

**Reduce Spacing 50%.

A	B	C	D	E	F	G	H
24	30	0.375	0.625	4.5	5C	3.5	4B**

J	K	L	M	N	P	Q
6.653	2.5	0.376	9.528	8.628	10.465	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-8
USE LANE WITH GREEN ARROW

A	B	C	D	E	F	G	H
30	36	0.5	0.75	3	4E	2.5	5.542
36	42	0.625	0.875	3.75	4.5E	3	6.235
60	72	0.75	1.25	6	8E	5	11.084

J	K	L	M	N	P	Q	R
7.683	7.682	6.623	6.622	9.523	9.523	10.446	1.875
8.643	8.643	7.451	7.450	10.714	10.713	11.752	2.25
15.365	15.365	13.245	13.245	19.046	19.046	20.892	3


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-9T
PROTECTED LEFT ON GREEN ARROW


A	B	C	D	E	F	G	H
18	12	.375	.438	2	2C	1	1.5
36	24	.375	.625	4	4C	2	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-9aPT
(IA-23-1P)
TURN ONLY IN DIRECTION OF ARROW

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-10L
LEFT TURN SIGNAL




R10-10R
RIGHT TURN SIGNAL

A	B	C	D	E	F	G	H
24	30	0.375	0.625	4	5C	3.5	5.903
30	36	0.5	0.75	5	6C	4	7.077

J	K	L	M	N	P	Q	R
6.152	7.178	6.427	9.366	9.740	7.478	7.727	1.5
7.389	8.694	7.632	11.214	11.714	8.967	9.279	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-10a
U TURN SIGNAL

A	B	C	D	E	F	G	H
24	30	0.375	0.625	4	5E	3.5	5C
30	36	0.5	0.75	5	6E	4	6C

J	K	L	M	N	P
1.992	1.992	6.803	6.802	9.553	1.5
2.391	2.391	8.163	8.163	11.464	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-11
NO TURN ON RED

*Increase Spacing 20%.

A	B	C	D	E	F	G	H	J
24	30	0.375	0.625	3.25	5E*	2.25	4D	3
30	36	0.5	0.75	4.5	6E	2.5	4.5D	4.5
36	48	0.625	0.875	6	8E*	3.5	6D	5.5

K	L	M	N	P	Q	R	S	T
4.630	5.005	6.508	6.382	3.223	3.222	4.519	4.768	1.5
5.648	5.648	7.383	7.383	3.621	3.621	5.344	5.344	1.875
7.333	8.083	9.793	9.542	4.834	4.833	6.715	7.216	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-11a
NO TURN ON Circular RED

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	2.75	5E	2	4D	1.5	6
36	48	0.625	0.875	4.75	8E	3.5	6D	1.5	10

L	M	N	P	Q	R	S	T	U
4.703	4.702	6.445	6.445	6.445	2.875	9.287	3	1.5
7.524	7.524	9.668	9.667	9.667	4.313	13.931	5	2.25

COLORS: LEGEND, BORDER - BLACK
CIRCLE - RED
BACKGROUND - WHITE




R10-11b
NO TURN ON RED

A	B	C	D	E	F	G
24	0.375	0.625	3.5	4E	2.5	4D
36	0.625	0.875	5	6E	4	6D

H	J	K	L	M	N
3.762	6.445	6.445	2.875	9.287	1.5
5.643	9.668	9.667	4.312	13.931	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-11c
NO TURN ON RED EXCEPT FROM RIGHT LANE

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L
30	36	0.5	0.75	3.5	4C	2.25	4C*	5.402	3	1.241

M	N	P	Q	R	S	T	U	V	W	X
9.643	2.741	0.259	7.883	5.623	5.622	11.596	0.566	1.934	10.228	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-11d
NO TURN ON RED FROM THIS LANE (Arrow)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
30	42	0.5	0.75	4.25	4C	3	2	8.25	2.5	5.402	3	1.241

P	Q	R	S	T	U	V	W	X	Y	Z	AA
9.643	2.741	0.259	7.883	5.623	5.622	9.203	2.181	0.819	10.564	6	1.875


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-11T
NO RIGHT TURN ON RED

A	B	C	D	E	F	G	H	J	K
24	30	.375	.625	3.25	5E	2.25	4D	3	1.5
36	48	.625	.875	6	8E	3.5	6D	5.5	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-12
LEFT TURN YIELD ON GREEN

A	B	C	D	E	F	G	H	J	K	L	M
30	36	0.5	0.75	3.5	4C	2.5	5C	1.75	10	2.75	9.644

N	P	Q	R	S	T	U	V	W	X	Y
2.120	0.880	10.884	7.578	7.577	5.402	3	2.622	11.023	5	1.875


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
SYMBOL - GREEN



R10-12aT
LEFT TURN YIELD ON FLASHING YELLOW ARROW

A	B	C	D	E	F	G	H	J
30	30	0.50	0.75	3	3C	2	4D	1.875
36	42	0.625	0.875	4	4C	3	6D	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-12b
LEFT TURN YIELD TO Bicycle

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
30	36	0.5	0.75	4	4C	3	5C	2.5	3D	1.875

M	N	P	Q	R	S	T	U	V	W	X
10	2.625	9.644	1.870	0.630	10.884	7.578	7.577	2.191	8.75	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-13
EMERGENCY SIGNAL

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	18	.375	.625	4.5	2.5D	3.5	3D	9.639	9.639	7.043	7.043	1.5
36	24	0.375	0.625	5.625	4.75C	3.25	4.75C	15.372	15.372	9.076	9.075	1.5
42	30	0.5	0.75	7	6C*	4	6C	18.578	18.577	11.464	11.464	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-14b
STOP HERE ON FLASHING RED

*Increase Spacing 35%.
**Increase Spacing 20%.
***See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
24	36	0.375	0.625	2.5	5D*	2	3D**	4.5D**	1.967	8.182
36	48	0.625	0.875	3.75	7D	2.5	4D**	6D**	2.702	10.928

M	N	P	Q	R	S	T	U	V	W	X
8.830	0.964	3	4.965	9.549	5.377	5.377	6.600	6.75	14.5	1.5
11.907	1.285	4	6.621	12.732	7.170	7.169	8.652	9.5	19	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-15aR
TURNING VEHICLES Stop for Pedestrians



R10-15aL

*Reduce Spacing 20%.

**See Section 11 for symbol and arrow design.


A	B	C	D	E	F	G	H	J	K	L
30	0.375	0.625	4.188	3.625	2	3.188	1.875	12	2.5	3.875

M	N	P	Q	R	S	T	U	V	W	X
9	3.5	3C	3D*	2.25	3D	2.875	12.026	4.306	12.596	4.875

Y	Z	AA	BB	CC	DD	EE	FF	GG	HH
6.5	0.313	0.188	3.947	3.946	1.375	2.226	4.859	6.875	1.875

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW or
FLUORESCENT YELLOW-GREEN

LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
STOP SIGN BACKGROUND - RED
BACKGROUND, STOP SIGN LEGEND - WHITE




R10-16
U-TURN YIELD TO RIGHT TURN

A	B	C	D	E	F	G	H	J
30	36	0.5	0.75	3	4D	2.5	2.723	2

K	L	M	N	P	Q	R	S	T
4.084	8.806	7.304	7.303	2.922	2.921	7.165	6.445	1.875


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-20aP [A]
SUNDAY (and Times) (2 Lines) (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M	N
24	18	0.375	0.625	3.5	4 C	3	VAR	VAR	VAR	0.560	1.400	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-20aP [B]
MON-FRI (and Times) (3 Lines) (Plaque)

A	B	C	D	E	F	G	H
24	24	0.375	0.625	3.5	4C	3	VAR


J	K	L	M	N	P	Q	R
VAR	0.560	1.400	VAR	VAR	VAR	VAR	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-20bPT[A]
TIMES (and MON-FRI) (2 Lines) (Plaque)


Note: for use with R4-5aT[B].



R10-20bPT [B]
TIMES (and MON-FRI) (1 Line) (Plaque)

Note: for use with R4-5aT[C] and R4-5aT[D].

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-22
Bicycle Detector

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M
12	18	0.375	0.438	2.125	1.75B	1.25	1	2	0.5	3	3.875

N	P	Q	R	S	T	U	V	W	X	Y
1.663	1.844	4.757	2.381	0.25	3.554	1.075	4.75	1.891	1.906	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-23
CROSSWALK - STOP ON RED

*Increase Spacing 50%.

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	2.25	4B	1.25	1.75	5D*	4D

L	M	N	P	Q	R	S	T	U	V
6	2.125	10.305	10.304	8.343	6.445	3	9.287	3	1.5

COLORS: LEGEND, BORDER - BLACK
CIRCLE - RED
BACKGROUND - WHITE




R10-23a
STOP ON RED - YIELD ON FLASHING RED AFTER STOP

*Increase Spacing 70%.
**Reduce Spacing 40%.
***Increase Spacing 20%.
† Increase Spacing 10%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
24	30	0.375	0.625	2.375	4E*	1.75	3.5D	1.5	1.375	3E	3C**	3C***	3C†	8.055

R	S	T	U	V	W	X	Y	Z	AA	BB	CC	DD	EE
5.639	2.5	8.126	10.226	2.708	1.875	5.643	10.555	3.550	5.504	9.877	2	8.139	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-24
Bike PUSH BUTTON FOR GREEN LIGHT

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K
9	15	0.375	0.375	1.5	3.75	0.75	2.75	1C	0.5

L	M	N	P	Q	R	S	T	U	V
2.625	1.391	1.390	1.991	1.981	1	0.215	3.196	1.481	1.480

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-25
PUSH FOR WARNING LIGHTS - WAIT FOR GAP

*Reduce Spacing 20%.
**Reduce Spacing 10%.
***Increase Spacing 10%.


† Reduce Spacing 30%.
†† See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M
9	12	0.375	0.375	1	3	0.75C*	0.5	1C**	1C***	0.25	1C*

N	P	Q	R	S	T	U	V	W	X	Y	Z
1C†	3.75	3	2.005	0.383	0.117	2.883	1.885	0.5	1.153	3.538	1.844

AA	BB	CC	DD	EE	FF	GG	HH	JJ	KK	LL
1.844	2.323	0.5	0.782	1.135	1.969	0.964	0.75	1.369	3.083	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-26L

Bike PUSH BUTTON FOR GREEN LIGHT (Arrow)




R10-26R

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L	M
9	15	0.375	0.375	1.25	3	0.375	2.75	1C	0.5	2.125	1.438

N	P	Q	R	S	T	U	V	W	X	Y	Z
3.75	2.625	1.391	1.390	1.991	1.981	1	0.215	3.196	1.481	1.480	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-27
LEFT TURN YIELD ON FLASHING RED ARROW AFTER STOP

A	B	C	D	E	F	G	H	J	K	L	M
30	36	0.5	0.75	3.75	3.5C	2.75	8.439	1.855	0.770	9.524	8.981

N	P	Q	R	S	T	U	V	W	X	Y	Z
1.628	2.625	4.727	8.998	6.898	1.699	11.221	11.344	0.245	2.380	9.209	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-28
XX VEHICLES PER GREEN

A	B	C	D	E	F	G	H
24	30	0.375	0.625	3.25	4 D	2.5	4 C

J	K	L	M	N	P	Q
VAR	VAR	4.604	4.603	8.026	8.025	1.5

*ONE shown as an example, alternate first line legends may be applicable.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-29
XX VEHICLES PER GREEN EACH LANE

*1 shown as an example, alternate legends may be applicable.

A	B	C	D	E	F	G	H	J	K	L
36	24	0.375	0.625	3.25	4D	2.75	2.25	5D	VAR	4

M	N	P	Q	R	S	T	U	V	W	X
VAR	VAR	9.207	3	1.922	14.129	13.049	1.419	1.581	12.887	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-30
RIGHT TURN ON RED MUST YIELD TO U-TURN

A	B	C	D	E	F	G	H	J	K	L	M	N
30	36	0.5	0.75	3.75	3.5C	2.75	3.5 D	10.644	0.752	1.873	9.524	4.727

P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB
2.398	0.227	6.898	4.850	4.849	8.753	1.856	2.625	4.272	2.383	2.258	7.266	1.875


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R10-31P
AT SIGNAL (Plaque)

A	B	C	D	E	F	G	H	J	K
24	9	0.375	0.375	2.5	4B	3.922	3.112	9.533	1

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-32P
PUSH BUTTON FOR 2 SECONDS FOR EXTRA CROSSING TIME (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
9	12	0.375	0.375	1.438	1C	0.625	1.437	1.391	1.390	3.357	0.625

N	P	Q	R	S	T	U	V	W	X	Y
0.75	1.981	0.560	1.831	3.141	0.230	2.961	2.651	1.201	1.200	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-40
Bicycle Signal Mandatory Movement (Left Turn)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L
12	21	0.375	0.438	1.25	2D	0.845	1.75	3.916	1.739	1
24	36	0.375	0.625	2.5	3.75D	1.144	3.25	7.343	2.763	1.5

M	N	P	Q	R	S	T	U	V	W
5.25	4.594	4.593	4.583	2.720	3.375	2.803	3.241	3.392	1.5
7.5	6.563	6.562	8.593	6.361	6.25	5.257	6.096	6.360	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-40a
Bicycle Signal Mandatory Movement (Thru)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
12	21	0.375	0.438	1.25	2D	0.846	6.558	1
24	36	0.375	0.625	2.5	3.75D	1.144	12.212	1.5

K	L	M	N	P	Q	R	S
5.25	1.25	4.594	4.593	4.583	3.375	3.392	1.5
7.5	2.5	6.563	6.562	8.593	6.25	6.360	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-40b
Bicycle Signal Mandatory Movement (Right Turn)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L
12	21	0.375	0.438	1.25	2D	0.845	1.75	3.916	1.739	1
24	36	0.375	0.625	2.5	3.75D	1.144	3.25	7.343	2.763	1.5

M	N	P	Q	R	S	T	U	V	W
5.25	4.594	4.593	4.583	2.720	3.375	2.803	3.241	3.392	1.5
7.5	6.563	6.562	8.593	6.361	6.25	5.257	6.096	6.360	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-41
Bicycle Signal Optional Movement (Thru and Turn)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L
12	21	0.375	0.438	1.25	5.25	1	2D	0.859	1.675	5.940
24	36	0.375	0.625	2.5	7.5	1.5	3.75D	1.109	3.048	10.841

M	N	P	Q	R	S	T	U	V	W
1.777	4.594	4.593	4.583	2.811	2.866	2.449	2.625	5.541	1.5
3.243	6.563	6.562	8.593	5.125	5.218	4.470	4.75	10.114	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-41a
Bicycle Signal Optional Movement (Left and Right Turns)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K
12	21	0.375	0.438	1.25	1.777	5.939	2.534	2D	1
24	36	0.375	0.625	2.5	3.243	10.841	4.166	3.75D	1.5

L	M	N	P	Q	R	S	T	U	V
5.25	4.594	4.593	4.583	4.366	4.365	2.450	2.625	5.541	1.5
7.5	6.563	6.562	8.593	7.969	7.968	4.473	4.75	10.114	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-41b
Bicycle Signal Optional Movement (All)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L
12	21	0.375	0.438	1.25	1.777	5.940	1.675	0.858	2D	1
24	36	0.375	0.625	2.5	3.243	10.841	3.058	1.108	3.75D	1.5

M	N	P	Q	R	S	T	U	V	W
5.25	4.594	4.593	4.583	4.366	4.365	2.450	5.541	2.625	1.5
7.5	6.563	6.562	8.593	7.969	7.968	4.473	10.114	4.75	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R10-41c
Bicycle Signal Optional Movement (Left and Thru)

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K	L
12	21	0.375	0.438	1.25	1.777	5.940	1.675	0.858	2D	1
24	36	0.375	0.625	2.5	3.243	10.841	3.058	1.108	3.75D	1.5

M	N	P	Q	R	S	T	U	V	W
5.25	4.594	4.593	4.583	2.866	1.498	2.449	2.625	5.541	1.5
7.5	6.563	6.562	8.593	5.218	2.75	4.470	4.75	10.114	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R11-1
KEEP OFF MEDIAN

*Increase Spacing 50%.
**Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M
24	30	0.375	0.625	4	5C*	3.25	5C**	7.134	5.368	9.375	1.5
36	48	0.625	0.875	6.25	8C*	5.25	8C**	11.415	8.589	15	2.25
48	60	0.75	1.25	8.5	10C*	6.5	10C**	14.269	10.736	18.75	3



R11-2
ROAD CLOSED

A	B	C	D	E	F	G	H	J	K
48	30	0.5	0.75	5	8D	4	13.410	19.333	1.875

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

Alternate 1st Line Legends

STREET

R11-2a
STREET CLOSED

BRIDGE


R11-2bT
BRIDGE CLOSED

PATH

R11-2c
PATH CLOSED

RAMP

R11-2dT
RAMP CLOSED



R11-3
ROAD CLOSED - LOCAL TRAFFIC ONLY

*Optically center about vertical center line.

A	B	C	D	E	F	G	H	J	K	L	M
60	30	0.5	0.75	4	6C	3.375	5C*	4C	4.25	16.566	2.022

N	P	Q	R	S	T	U	V	W	X	Y	Z
22.587	VAR	3.75	13.955	1.451	17.506	13.485	3	7.383	9.743	11.124	1.875


Alternate 1st Line Legends

STREET CLOSED

R11-3a
STREET CLOSED - LOCAL TRAFFIC ONLY

BRIDGE CLOSED

R11-3b
BRIDGE CLOSED - LOCAL TRAFFIC ONLY



R11-4
ROAD CLOSED TO THRU TRAFFIC

A	B	C	D	E	F	G	H	J
60	30	0.5	0.75	4	6C	2.5	5C	16.566

K	L	M	N	P	Q	R	S	T
4	2.022	22.587	3.052	3.051	16.326	2.682	23.007	1.875

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R11-5aT
HIGH WATER ROAD CLOSED (Folding Sign)

See Appendix for folding sign hinge details.

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW


LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R11-5bT
HIGH WATER ROAD CLOSED WHEN FLASHING

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW


LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R11-6T
LOADS OVER Clearance Height


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

Example




W12-3PTL

LOADS OVER Clearance Height regulatory sign to be used with LOW CLEARANCE plaque.




R11-7T
VEHICLES OVER XX FT XX IN MUST EXIT

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R11-7aT
VEHICLES OVER XX FT XX IN MUST EXIT XX


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R11-8T
WHEN FLASHING OVERHEIGHT VEHICLE MUST EXIT

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW


LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R11-8T
WHEN FLASHING OVERHEIGHT VEHICLE MUST EXIT XX

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW


LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R11-9T
WHEN FLASHING OVERHEIGHT VEHICLE MUST STOP HERE

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW

LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R12-1
WEIGHT LIMIT

A	B	C	D	E	F	G	H	J
24	30	0.375	0.625	3	4D	1.75	2.125	5E
36	48	0.625	0.875	4.75	6D	3	3.75	8E

K	L	M	N	P	Q	R	S
5D	9.125	9.125	6.242	VAR	8.031	8.030	1.5
8D	13.688	13.687	9.363	VAR	12.849	12.849	2.25


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-1T
WEIGHT LIMIT

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

Example




W16-23PT

W16-3aP or W16-22PT


For advance sign, add warning sign plaques.

Not to exceed 20,000 LBS




R12-2bT
WEIGHT LIMIT

Not to exceed 34,000 LBS




R12-2cT
WEIGHT LIMIT

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-3T
NO TRUCKS OVER 7000 LBS EMPTY WT


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-4aT
WEIGHT LIMIT

Axle: Not to exceed 20,000 LBS
Tandem: Not to exceed 34,000 LBS
Axle must be less than Tandem.


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-4bT
WEIGHT LIMIT

Gross: Not to exceed 80,000 LBS
Axle or Tandem: Not to exceed 20,000 LBS
Axle or Tandem must be less than Gross.


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-4cT
WEIGHT LIMIT

Gross: Not to exceed 80,000 LBS
Tandem Axle: Not to exceed 34,000 LBS
Tandem Axle must be less than Gross.


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-7T
EMERGENCY VEHICLE WEIGHT LIMIT

Axle: Not to exceed 33,500 LBS
Tandem: Not to exceed 62,000 LBS
Gross: Not to exceed 86,000 LBS
Axle ≤ Tandem ≤ Gross


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-7PT
EMERGENCY VEHICLES Weight Limit (Plaque)


Axle: Not to exceed 33,500 LBS
Tandem: Not to exceed 62,000 LBS
Gross: Not to exceed 86,000 LBS
Axle ≤ Tandem ≤ Gross

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-8aT
WEIGHT LIMIT

Single Axle: Not to exceed 20,000 LBS
Tandem Axle: Not to exceed 34,000 LBS
Single Veh: Not to exceed 77,500 LBS
Combination Veh: Not to exceed 80,000 LBS
Axle ≤ Tandem ≤ Single Veh ≤ Combination Veh



*Reduced spacing 75%


R12-8bT
WEIGHT LIMIT

Single Axle: Not to exceed 20,000 LBS

Tandem Axle: Not to exceed 34,000 LBS

Single Axle must be less than Tandem Axle.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




Single Veh: Not to exceed 77,500 LBS

Combination Veh: Not to exceed 80,000 LBS

Single Veh ≤ Combination Veh

R12-8cT
WEIGHT LIMIT



Single Axle: Not to exceed 20,000 LBS

Single Veh: Not to exceed 77,500 LBS


Single Axle ≤ Single Veh

R12-8dT
WEIGHT LIMIT

*Reduced spacing 75%


**Variable legend
"X-7" = 4-7, 5-7, 6-7, or 7

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



Tandem Axle: Not to exceed 34,000 LBS
Single Veh: Not to exceed 77,500 LBS
Tandem Axle ≤ Single Veh

R12-8eT
WEIGHT LIMIT




Axle or Tandem: Not to exceed 20,000 LBS
Single Veh: Not to exceed 77,500 LBS
Axle or Tandem ≤ Single Veh

R12-8fT
WEIGHT LIMIT

*Reduced spacing 75%

**Variable legend
"X-7" = 4-7, 5-7, 6-7, or 7

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R12-8hT
WEIGHT LIMIT

*Variable legend
"X-7" = 4-7, 5-7, 6-7, or 7

**Reduce Spacing 20%


Axle or Tandem: Not to exceed 20,000 LBS
Single Veh: Not to exceed 77,500 LBS
Gross: Not to exceed 80,000 LBS
Axle or Tandem ≤ Single Veh ≤ Gross

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-8iT
WEIGHT LIMIT

Tandem Axle: Not to exceed 34,000 LBS
Single Veh: Not to exceed 77,500 LBS
Gross: Not to exceed 80,000 LBS
Tandem ≤ Single Veh ≤ Gross




R12-8jT
WEIGHT LIMIT

*Variable legend
"X-7" = 4-7, 5-7, 6-7, or 7

Single Axle: Not to exceed 20,000 LBS
Tandem Axle: Not to exceed 34,000 LBS
Single Veh: Not to exceed 77,500 LBS
Single Axle ≤ Tandem Axle ≤ Single Veh


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-8kT
WEIGHT LIMIT

**Variable legend
"X-7" = 4-7, 5-7, 6-7, or 7

(Both versions of) Single Veh: Not to exceed 77,500 LBS
Combination Veh: Not to exceed 80,000 LBS
Single Veh (2-3 axles) ≤ Single Veh (X-7 axles) ≤ Combnination Veh



*Reduced spacing 75%
**Variable legend
"X-7" = 4-7, 5-7, 6-7, or 7

R12-8mT
WEIGHT LIMIT

Single Veh: Not to exceed 77,500 LBS

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R12-9T
WIDTH LIMIT 8 FEET

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R12-9aT
WIDTH LIMIT 8 FT 6 IN

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R13-1T
ALL COMMERCIAL VEH & BUSES NEXT RIGHT WHEN FLASHING

A	B	C	D	E	F	G	H	J	K	L	M	N
96	48	.75	1.25	5.25	6	4.5	3	16.79	6	16.54	39.33	41.45
156	78	.75	1.5	7.75	10	7.5	6	28.81	10	29.16	67.97	69.09

O	P	Q	R	S	T	U	V	W	X	Y	Z	AA
1.99	4.04	5.2	6	28.23	22.36	6	1.35	25.66	24.27	6	6.89	37.16
1.82	6.68	8.67	8.5	47.06	37.26	7.26	2.26	42.76	40.45	10	11.48	61.93

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R13-1PTR
ALL TRUCKS NEXT RIGHT



R13-1PTL
ALL TRUCKS NEXT LEFT

A	B	C	D	E	F	G	H
72	30	.75	1.25	6	7D	4	3
144	48	.75	1.25	10	10E	8	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R13-1aT
ALL TRUCKS MUST STOP AHEAD
(Folding Sign)


See Appendix for folding sign hinge details.

Reverse side when folded up



STATION CLOSED

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R13-1bT
TRUCK-BUSES MUST STOP AHEAD
(Folding Sign)

See Appendix for folding sign hinge details.

Reverse side when folded up



STATION CLOSED

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R13-1cT
ALL TRUCKS NEXT RIGHT WHEN FLASHING

*Reduced spacing to 75%.


A	B	C	D	E	F	G	H
48	48	.75	1.25	7	5.5D*	4	12.848
78	60	.75	1.25	6.5	8D	5	19.438

J	K	L	M	N	P	Q
3	26.168	16.35	18.972	18.068	32.614	3
8	40.126	24.875	29.377	27.5	50.19	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R13-2T
ALL VEHICLES MUST STOP AHEAD WHEN FLASHING




R13-3T
USE LOW BEAMS

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R13-7T
LIVESTOCK POULTRY EXOTICS INSPECTION STATION NEXT RIGHT

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




Reverse side when folded up

R13-7aPT
OPEN STATION
(Folding Plaque)

See Appendix for folding sign hinge details.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R14-1
TRUCK ROUTE

*Reduce Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L	M
24	18	0.375	0.625	3	5D*	2	9.928	9.927	9.622	9.621	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R14-2
Hazardous Material Route

*Reduce Spacing 40%.

A	B	C	D	E	F	G	H	J	K	L
24	0.375	0.625	7.5	9C*	8	10	2	6.088	6.087	1.5
30	0.5	0.75	10	10C	10	12.5	2.5	7.204	7.204	1.875
36	0.625	0.875	12	12C	12	15	3	8.645	8.644	2.25
42	0.625	0.875	14	14C	14	17.5	3.5	10.086	10.085	2.25
48	0.75	1.25	15	18C	17	21	3	12.653	12.653	3

COLORS: CIRCLE - GREEN
LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R14-3
Hazardous Material Prohibition

*Reduce Spacing 40%.

A	B	C	D	E	F	G	H	J	K	L
24	0.375	0.625	7.5	9C*	8	10	2	6.088	6.087	1.5
30	0.5	0.75	10	10C	10	12.5	2.5	7.204	7.204	1.875
36	0.625	0.875	12	12C	12	15	3	8.645	8.644	2.25
42	0.625	0.875	14	14C	14	17.5	3.5	10.086	10.085	2.25
48	0.75	1.25	15	18C	17	21	3	12.653	12.653	3


COLORS: CIRCLE, DIAGONAL- RED
LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R14-6T
(HM) MUST FOLLOW

*1" Black border to be added to all white shields placed on sign, for contrast.

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE
SHIELDS - SEE SECTION 3- SMALL GUIDE SIGN DETAILS




R15-1
Grade Crossing (Crossbuck)

*Increase Spacing to fit space.

	A	B	C	D	E	F	G
🚲	24	4.5	0.875	2.75D	0.75	9	22.5
	48	9	1.75	5.5D	1.5	18	45


COLORS: LEGEND - BLACK
BACKGROUND - WHITE
NO BORDER



R15-2P
Number of Tracks (Plaque)

A	B	C	D	E	F	G	H	J
13.5	4.5	0.875	2.75D	1.25	2D	VAR	4.894	4.893
27	9	1.75	5.5D	2.5	4D	VAR	9.787	9.787

COLORS: LEGEND - BLACK
BACKGROUND - WHITE
NO BORDER



R15-3P
EXEMPT (Plaque)


A	B	C	D	E	F	G	H	J
24	12	0.375	0.438	4	4D	9.486	9.845	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R15-4a
Light Rail ONLY RIGHT LANE

Alternate Upper Section Legends



R15-4b
Light Rail ONLY LEFT LANE



R15-4c
Light Rail ONLY CENTER LANE

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H
24	30	0.375	0.625	1.75	3F	2	1

J	K	L	M	N	P	Q	R
1.25	11	2.75	7.158	6.439	6.438	6.889	1.5

UPPER SECTION
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLACK

LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R15-5
Light Rail DO NOT PASS

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K
24	30	0.375	0.625	1.75	3.25	7.5	4.25	1.25	4D

L	M	N	P	Q	R	S	T	U	V
2	9.625	8.125	15	6.365	3	9.446	6.266	6.265	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R15-5a
DO NOT PASS STOPPED TRAIN

A	B	C	D	E	F	G	H
24	30	0.375	0.625	4	4C	2	5.322

J	K	L	M	N	P	Q	R
2.801	0.199	7.923	5.302	9.664	9.663	6.002	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R15-6
No Motor Vehicles On Tracks

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K
24	0.375	0.625	2	2.375	7.625	2	5.970	5.969	1.5

COLORS: CIRCLE, DIAGONAL - RED
SYMBOL, BORDER - BLACK
BACKGROUND - WHITE




R15-6a
DO NOT DRIVE ON TRACKS

A	B	C	D	E	F	G	H
24	30	0.375	0.625	4	4D	2	6.365

J	K	L	M	N	P	Q	R
3	9.446	7.185	7.184	3.223	3.222	9.787	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R15-7
Light Rail, DIVIDED HIGHWAY Symbol

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K
24	0.375	0.625	2.5	2E	0.75	13.5	5.722	6.764	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R15-7a
Light Rail, DIVIDED HIGHWAY Symbol (T-Intersection)

*See Section 11 for symbol design.

**Modified symbol to show T-intersection.

A	B	C	D	E	F	G	H	J	K
24	0.375	0.625	2.5	2E	0.75	13.5	5.722	6.764	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R15-8
LOOK

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
18	9	0.375	0.375	1.75	2.625	0.5	2F	2.125	7	0.984	4.483	4.482	1
36	18	0.375	0.625	3.5	5.25	1	4F	4.25	14	1.969	8.965	8.965	1.5
48	24	0.75	1.25	4.625	6.75	1.875	5F	5.75	18	2.5	11.128	11.128	3

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R16-3
MOVE OVER OR REDUCE SPEED

*Reduce Spacing 10%.


A	B	C	D	E	F	G	H	J	K	L	M	N
60	48	0.625	0.75	3.813	5 D	2.437	3.5	3.5	3.5	4 C	3	4 C
84	60	0.75	1	4.5	7 D	2.5	3.125	5	4.5	5 D	3.75	5 D*
102	72	0.75	1.25	5.25	8 D	3.5	4.25	6	5.5	6 D	4.5	6 D

P	Q	R	S	T	U	V	W	X	Y	Z	AA	BB
4.5	18.308	0.402	5.5	12.406	16.859	4	3.654	12.456	8.056	24.266	0.552	4
4.625	25.282	0.912	7	17.369	23.602	7	5.116	17.438	11.279	34.672	0.073	7
5.75	28.893	1.043	8	19.850	26.974	7	5.846	19.930	12.890	39.625	0.083	8

CC	DD	EE	FF	GG	HH	JJ	KK	LL	MM	NN	PP
19.714	7.923	4.5	4.112	16.535	19.327	3.25	4.462	0.940	3.25	22.848	3
27.599	11.808	5	6.780	23.588	27.420	3.75	6.778	1.168	3.75	33.029	3
31.542	14.169	6	8.136	28.305	33.444	5	8.346	1.322	5	40.469	3

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW

LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R16-4T
MOVE VEHICLES OFF FREEWAY

A	B	C	D	E	F	G	H
60	42	30	12	0.625	0.875	3.75	5D
84	54	39	15	0.625	0.875	4.25	7D
96	60	42	18	0.75	1.25	5.375	8D

J	K	L	M	N	P	Q	R
2.375	0.875	3.5	5D	3.5	4.5D	5	2.25
2.875	0.875	4.25	7D	4.5	6D	5.75	3
3.375	1.25	4.25	8D	4.5	7D	5.75	3

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW

LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R16-15T
PROHIBITED ELECTRONIC MESSAGING WHILE DRIVING

*Reduce spacing 35%

A	B	C	D	E	F	G	H	J
60	54	42	12	0.75	1.25	3.7	5D	2
72	60	48	12	0.75	0.875	3.125	6D	2


K	L	M	N	P	Q	R	S	T
1.25	2	5C	3	6D	3	3C	4	3
0.875	2.5	6C	3.5	7D	2.5	4C	3.5	3

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW

LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R19-3T
DAMAGING TREES OR PLANTS ON HIGHWAYS PROHIBITED BY LAW




R19-4T
UNLAWFUL TO WRITE ON MAR OR DEFACE THE PROPERTY IN THIS AREA

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R19-5T
NO DUMPING ALLOWED

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R19-6T
LITTERING PROHIBITED $10-2000 FINE

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW

LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R19-6aT
Don't Mess With Texas UP TO $2000 FINE FOR LITTERING

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE




R19-6bT
LITTERING IS UNLAWFUL

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R19-6cT
FIREWORKS PROHIBITED IN REST AREA BY COUNTY COURT ORDER


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R19-7T
NO FISHING FROM BRIDGE

A	B	C	D	E	F	G	H	J	K
24	30	.375	.625	3.5	4D	2.25	4C	3.75	1.5
48	60	.75	1.25	6.5	8D	5	8C	6.5	3

COLORS: LEGEND - BLACK
BACKGROUND - WHITE




R19-8T
FASTEN SAFETY BELTS STATE LAW

A	B	C	D	E	F	G
30	22	8	0.5	0.8	2.7	3D
48	36	12	0.75	1.3	3.7	5D

H	J	K	L	M	N	P
1.5	0.8	2	4D	2.5	3	1.9
2	1.3	3.5	6E	4.5	5.5	3

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW

LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R19-8aT
Fasten Safety Belts State Law (Symbol)

*See Section 11 for symbol design

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R19-9T
CAMPING ON PUBLIC PROPERTY PROHIBITED STATE LAW

UPPER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - YELLOW


LOWER SECTION
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R19-10aT
BURN BAN IN EFFECT
(Folding Sign)

See Appendix for folding sign hinge details.


COLORS: BORDER - BLACK
LEGEND - RED
BACKGROUND - WHITE



R19-10bT
COUNTY BURN BAN IN EFFECT
(Folding Sign)


See Appendix for folding sign hinge details.

COLORS: BORDER - BLACK
LEGEND - RED
BACKGROUND - WHITE




R19-11T
NON-MOW AREA

COLORS: LEGEND - BLACK
BACKGROUND - WHITE
NO BORDER



R20-1PT
NEXT X MILES (Plaque)

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE





R20-4PT
X MILES AHEAD (Plaque)


COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



R23-1T
KEEP OUT (with Symbol)


COLORS: CIRCLE, DIAGONAL - RED
LEGEND, BORDER, SYMBOL - BLACK
BACKGROUND - WHITE

*See Section 11 for symbol design.



R23-1aT
NO TRESPASSING CONSTRUCTION PERSONNEL ONLY

COLORS: LEGEND, BORDER - BLACK
BACKGROUND- WHITE



R24-1T
SOURCE WATER PROTECTION AREA FOR
INFORMATION CONTACT LOCAL WATER (XXX) XXX-XXXX

COLORS: LEGEND, BORDER - BLACK
BACKGROUND- WHITE



R25-1T
Firearms
Prohibited
(Symbol)

R25-1aT
FIREARMS
PROHIBITED
(Optional)

COLORS: CIRCLE, DIAGONAL - RED
SYMBOL, BORDER - BLACK
BACKGROUND - WHITE

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

*See Section 11 for symbol design.



R25-2T
WARNING ILLEGAL TO CARRY FIREARMS - AMMUNITION
INTO MEXICO PENALTY - PRISON

UPPER SECTION:
COLORS: LEGEND - WHITE
BORDER - BLACK
BACKGROUND - WHITE & RED

LOWER SECTION:
COLORS: LEGEND - BLACK & RED
BORDER - BLACK
BACKGROUND - WHITE



R25-2aT

WARNING ILLEGAL TO CARRY FIREARMS - AMMUNITION INTO MEXICO PENALTY - PRISON BY MEXICAN LAW

UPPER SECTION:
COLORS: LEGEND - WHITE
BORDER - BLACK
BACKGROUND - WHITE & RED

LOWER SECTION:
COLORS: LEGEND - BLACK & RED
BORDER - BLACK
BACKGROUND - WHITE

(This page left intentionally blank)