



SECTION 3

Small Guide

Standard Highway Sign Designs for Texas

2026 Edition | September 2026



Drawings may not be to scale. Do not photocopy for manufacturing.

(This page left intentionally blank)

SMALL GUIDE



M1-1
Interstate Route
(1, 2 Digits)



M1-1
Interstate Route
(3 Digits)



M1-1a
Interstate Route -
Independent Route
Assembly Use
(1, 2 Digits)



M1-1a
Interstate Route -
Independent Route
Assembly Use
(3 Digits)



M1-2[A]
Off-Interstate
Route-Loop Guide
Sign Attachment Use
(1, 2 Digits)



M1-2[A]
Off-Interstate
Route-Loop Guide
Sign Attachment Use
(3 Digits)



M1-2
Off-Interstate
Route-Loop
Independent Route
Assembly Use
(1, 2 Digits)



M1-2
Off-Interstate
Route-Loop
Independent Route
Assembly Use
(3 Digits)



M1-3[A]
Off-Interstate
Route-Spur Guide
Sign Attachment
Use
(1, 2 Digits)



M1-3[A]
Off-Interstate
Route-Spur Guide Sign
Attachment Use
(3 Digits)



M1-3
Off-Interstate
Route-Spur
Independent Route
Assembly Use
(1, 2 Digits)



M1-3
Off-Interstate
Route-Spur
Independent Route
Assembly Use
(3 Digits)



M1-4[A]
U.S. Route Guide
Sign Use
(1, 2 Digits)



M1-4[A]
U.S. Route Guide
Sign Use (3 Digits)



M1-4
U.S. Route -
Independent Route
Assembly Use
(1, 2 Digits)



M1-4
U.S. Route -
Independent Route
Assembly Use
(3 Digits)



M1-4B
U.S. Business
Route Marker
Assembly
(Independent)



M1-5T[A]
Texas State Highway
Route Marker
(Attachment)



M1-5S[A]
SPUR Route
Marker



M1-5L[A]
LOOP Route
Marker



M1-5PA[A]
PA Route Marker




M1-5B[A]
BELTWAY Route Marker



M1-5F[A]
FM Route Marker



M1-5P[A]
PARK Route Marker



M1-5R[A]
RM Route Marker



M1-5T
Texas State
Highway
Route Marker
(Independent)



M1-5TB
Business Route
Marker Assembly
(Independent)



M1-5L
LOOP Route
Marker
(Independent)



M1-5PA
PA Route Marker
(Independent)



M1-5S
SPUR Route
Marker
(Independent)



M1-5B
BELTWAY
Route Marker
(Independent)



M1-5P
PARK ROAD
Route Marker



M1-5F
Texas FARM
ROAD Route
Marker
(Independent)



M1-5FS
Texas FARM
SPUR Route
Marker
(Independent)



M1-5FB
Texas Business
Assembly Road
Route Marker
(Independent)



M1-5R
Texas RANCH
ROAD Route
Marker
(Independent)



M1-5RR
RR Road
Route Marker
(Independent)



M1-6
County Route

SMALL GUIDE



M1-7
Forest Route



M1-8
State or
Local
Bicycle Route



M1-8a
State or
Local Bicycle
Route



M1-8b
Non-Numbered
Bicycle Route
(2 Lines)




M1-8c
Non-Numbered
Bicycle Route
(3 Lines)




M1-9
U.S. Bicycle
Route



M2-2
Combination Junction
(2 Route Signs)



M2-1P
Junction (Plaque)



M3-1P
Cardinal Direction - NORTH
(Plaque)




M3-2P
Cardinal Direction - EAST
(Plaque)



M3-3P
Cardinal Direction - SOUTH
(Plaque)



M3-4P
Cardinal Direction - WEST
(Plaque)



M4-1P
ALTERNATE (Plaque)



M4-1aP
ALT (Plaque)



M4-2P
BY-PASS (Plaque)



M4-3P
BUSINESS (Plaque)



M4-4P
TRUCK (Plaque)



M4-5P
TO (Plaque)



M4-6P
END (Plaque)



M4-7P
TEMPORARY (Plaque)




M4-7aP
TEMP (Plaque)



M4-14P
BEGIN (Plaque)




SMALL GUIDE



M5-1PL
Advance Turn Arrow -
90 Degree (Plaque)




M5-1PR
Advance Turn Arrow -
90 Degree (Plaque)




M5-2PL
Advance Turn Arrow -
45 Degree (Plaque)




M5-2PR
Advance Turn Arrow -
45 Degree (Plaque)




M5-3PL
Advance Turn Arrow -
Circular Intersection (Plaque)



M5-3PTL
Advance Turnaround
Arrow (Plaque)



M5-3PTR
Advance Turnaround
Arrow (Plaque)




M5-4P
LEFT LANE
(Plaque)




M5-5P
CENTER LANE
(Plaque)




M5-6P
RIGHT LANE
(Plaque)




M6-1PL
Directional Arrow -
Single Head Horizontal
(Plaque)




M6-1PR
Directional Arrow -
Single Head Horizontal
(Plaque)




M6-1PTL
Directional Arrow - Single Head Horizontal
(Plaque)




M6-1PTR
Directional Arrow - Single Head Horizontal
(Plaque)



M6-2PL
Directional Arrow -
Single Head
45 Degree (Plaque)




M6-2PR
Directional Arrow -
Single Head
45 Degree (Plaque)




M6-2aPL
Directional Arrow -
Single Head
45 Degree (Plaque)




M6-2aPR
Directional Arrow -
Single Head
45 Degree (Plaque)




M6-3AP
Directional Arrow -
Single Head Vertical
(Plaque)




M6-4P
Directional Arrow
- Double Head
Horizontal (Plaque)



M6-5PL
Directional Arrow -
Oblique Double Head
(Plaque)




M6-5PR
Directional Arrow -
Oblique Double Head
(Plaque)




M6-6PL
Directional Arrow -
Double Head 90
Degree (Plaque)



M6-6PR
Directional Arrow -
Double Head 90
Degree (Plaque)



M6-7PL
Directional Arrow -
Double Head 45 Bent
Degree (Plaque)



M6-7PR
Directional Arrow -
Double Head 45 Bent
Degree (Plaque)

SMALL GUIDE



D1-1L
Destination (1 Line) (Arrow)



D1-1R
Destination (1 Line) (Arrow)



D1-1aL
Destination and Distance
(1 Line) (Arrow)



D1-1aR
Destination and Distance
(1 Line) (Arrow)



D1-1bL
Bicycle Destination
(1 Line) (Arrow)



D1-1bR
Bicycle Destination
(1 Line) (Arrow)



D1-1cL
Bicycle Destination and Distance
(1 Line) (Arrow)



D1-1cR
Bicycle Destination and Distance
(1 Line) (Arrow)



D1-1d
Circular Intersection Destination
(1 Line) (Arrow)



D1-1e
Circular Intersection Departure Guide
(Arrow)



D1-2, D1-2d
Destination
(2 Lines) (Arrows)



D1-2
Destination
(2 Lines) (Arrows)



D1-2a
Destination and Distance
(2 Lines) (Arrows)



D1-2b
Bicycle Destination
(2 Lines) (Arrows)



D1-2c
Bicycle Destination and Distance
(2 Lines) (Arrows)



D1-3, D1-3d
Destination
(3 Lines) (Arrows)



D1-3
Destination
(3 Lines) (Arrows)



D1-3a
Destination and Distance
(3 Lines) (Arrows)



D1-3b
Bicycle Destination
(3 Lines) (Arrows)



D1-3c
Bicycle Destination and Distance
(3 Lines) (Arrows)



D2-1
Destination and Distance (1 Line)



D2-1a
Bike Route Destination and Distance (1 Line)



D2-2
Destination and Distance
(2 Lines)

SMALL GUIDE




D2-2a
Bike Route Destination and
Distance (2 Lines)




D2-3
Destination and Distance
(3 Lines)




D2-3a
Bike Route Destination and
Distance (3 Lines)



D3-1G (Green)
Street Name (1 Line)



D3-1G (Green)
Street Name (1 Line)



D3-1G (Green)
Street Name (1 Line)



D3-1G (Green)
Street Name (1 Line)



D3-1G
Street Name (1 Line)



D3-1G
Street Name (1 Line)



D3-1G
Street Name (2 Lines)



D3-1G
Street Name (2 Lines)



D3-1a
Street Name



D3-1a
Street Name



D3-1a
Street Name



D3-2
Advance Street Name (2 Lines)



D3-2
Advance Street Name (3 Lines)



D3-2
Advance Street Name (3 Lines)



D3-2
Advance Street Name (4 Lines)

SMALL GUIDE



D3-3T
County Road Name (1 Line)



D3-3T
County Road Name (1 Line)



D3-3aTL
CEMETERY (1 Line) (Arrow)



D3-3aTR
CEMETERY (1 Line) (Arrow)



D3-3bTL
CEMETERY (2 Lines) (Arrow)



D3-3bTR
CEMETERY (2 Lines) (Arrow)



D3-4T
County Road Name (1 Line)



D3-4aT
County Road Name (1 Line)



D4-1
Parking Area
Directional



D4-1
Parking Area
Directional



D4-1
Parking Area
Directional



D4-1
Parking Area
Directional



D4-1
Parking Area
Directional



D4-2L
PARK - RIDE



D4-2R
PARK - RIDE



D4-3L
Bicycle Parking Area
Directional



D4-3R
Bicycle Parking Area
Directional



D4-4L
Bicycle Sharing
Station Directional



D4-4R
Bicycle Sharing
Station Directional



D4-4aL
Bicycle Lockers
Directional



D4-4aR
Bicycle Lockers
Directional



D5-1T
REST AREA X MILE
ACCESSIBLE
(with Symbol)



D5-1aPTL
ON LEFT
(Plaque)



D5-1aPTR
ON RIGHT
(Plaque)



D5-2aPT
Emergency 911 Address (Plaque)

SMALL GUIDE



D5-5TL
REST AREA
ACCESSIBLE
(with Arrow and
Symbol)



D5-5TR
REST AREA
ACCESSIBLE
(with Arrow and
Symbol)



D5-5L
REST AREA
Directional



D5-5R
REST AREA
Directional



D5-5aT
Picnic Table (Symbol)



D5-5aPTL
Arrow (Plaque)



D5-5aPTR
Arrow (Plaque)



D5-9T
PARKING AREA
X MILE



D5-9cTL
PARKING AREA
(Arrow)



D5-9cTR
PARKING AREA
(Arrow)



D5-10T
PICNIC AREA X MILE
ACCESSIBLE
(with Symbol)



D5-10cTL
PICNIC AREA
ACCESSIBLE
(with Arrow and
Symbol)



D5-10cTR
PICNIC AREA
ACCESSIBLE
(with Arrow and
Symbol)



D5-11T[A]
SCENIC AREA
X MILE



D5-11cTL
SCENIC AREA
(VIEW) (Arrow)



D5-11cTR
SCENIC AREA
(VIEW) (Arrow)



D5-11T[C]
SCENIC OVERLOOK
X MILE



D5-11eTL
SCENIC OVERLOOK
(Arrow)



D5-11eTR
SCENIC OVERLOOK
(Arrow)



D7-1T (L)
State/National Park (Arrow)



D7-1T (R)
State/National Park (Arrow)




D7-1T (UP)
State/National Park (Arrow)



D7-2T
State/National Park (Distance)



D7-5TL
PUBLIC BOAT RAMP (Arrow)



D7-5TR
PUBLIC BOAT RAMP (Arrow)



D7-6aTL
HISTORICAL
MARKER X MILE ON
LEFT (Brown)



D7-6aTR
HISTORICAL
MARKER X MILE ON
RIGHT (Brown)



D7-7aTL
HISTORICAL
MARKER
(Arrow) (Brown)

SMALL GUIDE



D7-7aTR
HISTORICAL
MARKER
(Arrow) (Brown)



D7-8TL
REST AREA
HISTORICAL
MARKER X MILE
ON LEFT



D7-8TR
REST AREA
HISTORICAL
MARKER X MILE
ON RIGHT



D7-8aTL
REST AREA
HISTORICAL
MARKER (Arrow)



D7-8aTR
REST AREA
HISTORICAL
MARKER (Arrow)



D7-9TL
PICNIC AREA
HISTORICAL
MARKER X MILE
ON LEFT




D7-9TR
PICNIC AREA
HISTORICAL
MARKER X MILE
ON RIGHT



D7-9aTL
PICNIC AREA
HISTORICAL
MARKER (Arrow)



D7-9aTR
PICNIC AREA
HISTORICAL
MARKER (Arrow)



D7-10T
HISTORIC ROADSIDE PARK



D7-11T
PET AREA
(with Symbol)



D7-12T
VISITOR INFO



D7-13TL
WILDLIFE VIEWING AREA
(with Distance and Binoculars
Shield attached (Arrow))



D7-13TR
WILDLIFE VIEWING AREA
(with Distance and Binoculars
Shield attached (Arrow))



D8-1T
CMV INSPECTION STATION
1 MILE



D8-1aT
CMV INSPECTION STATION
1/2 MILE



D8-1bT
CMV Inspection
(45 Degree Arrow)



D8-2T
INSPECTION STATION
1 MILE



D8-2aT
INSPECTION STATION
1/2 MILE



D8-3aT
INSPECTION STATION
(Arrow)

SMALL GUIDE



D9-1
Telephone

1 MILE

D9-1aP
1 MILE (Plaque)

AHEAD

D9-1bP
AHEAD (Plaque)

CAMPING

D9-1cP
CAMPING (Plaque)



D9-1dP
Arrow (Plaque)



D9-2
Hospital



D9-3
Camping



D9-4
Litter Container



D9-6
International Symbol
of Accessibility
(Symbol)

 **ACCESSIBLE**

D9-6aT
ACCESSIBLE
(Plaque)

**VAN
ACCESSIBLE**

D9-6P
VAN ACCESSIBLE
(Plaque)



D9-7
Gas



D9-8
Food



D9-9
Lodging



D9-10
INFO



D9-10T
TOURIST INFO



D9-11
Diesel Fuel



D9-11a
Alternative Fuel -
Compressed Natural
Gas



D9-11b
Electric Vehicle
Charging

**ELECTRIC
VEHICLE
CHARGING**

D9-11bP
ELECTRIC VEHICLE
CHARGING (Plaque)



D9-11c
Alternative Fuel
(Ethanol)



D9-11d
Alternative Fuel
(Liquefied Natural
Gas)



D9-11e
Alternative Fuel
(Liquefied Petroleum
Gas)



D9-11f
Alternative Fuel
(Hydrogen)



D9-11g
Alternative Fuel
(Biofuel)



D9-11gT
Alternative Fuel

**CNG - LNG
LPG - HYD**

D9-11gP
CNG - LNG /
LPG - HYD (Plaque)

**CNG - LNG
HYD**

D9-11gPT
CNG - LNG /
HYD (Plaque)



D9-12
RV Sanitary Station



D9-13
Emergency Medical
Services

HOSPITAL

D9-13aP
HOSPITAL (Plaque)

**EMERGENCY
MEDICAL
CARE**

D9-13cP
EMERGENCY
MEDICAL CARE
(Plaque)

**TRAUMA
CENTER**

D9-13dP
TRAUMA CENTER
(Plaque)

POLICE

D9-14
POLICE (Plaque)

SMALL GUIDE



D9-16
Truck Parking



D9-16PT
TRUCK PARKING



D9-16aP
TRUCK EXTERNAL
POWER (Plaque)



D9-17P
NEXT SERVICES XX MILES



D9-19
ALTERNATIVE
FUELS CORRIDOR



D9-19aP
Alternative Fuels Corridor
(1 Line) (Plaque)



D9-20
Pharmacy
(Symbol)



D9-20aP
24 HR
(Plaque)



D9-21
Telecommunications
Device for the Deaf



D9-22
Wireless Internet



D9-19aP
Alternative Fuels
Corridor
(1 Line) (Plaque)



D9-19bP
Alternative Fuels
Corridor
(2 Lines) (Plaque)



D10-1
Reference
Location
(1 Digit)



D10-2
Reference
Location
(2 Digits)



D10-3
Reference
Location
(3 Digits)



D10-1a
Intermediate
Reference
Location
(1 Digit with
decimal)



D10-2a
Intermediate
Reference
Location
(2 Digits with
decimal)



D10-2a
Intermediate
Reference
Location
(3 Digits with
decimal)



D10-4
Enhanced
Reference
Location



D10-5
Intermediate
Enhanced
Reference
Location



D10-7aT
Texas
Reference
Location
Marker



D10-7bT
Texas
Reference
Location
Marker



D11-1
BIKE ROUTE



D11-1bP
BIKE ROUTE
(Plaque)



D11-1c
Bike Route with Destination

SMALL GUIDE



D11-10a
Shared-Use Path
Destination (1 Line)



D11-10d
Shared-Use Path Destination and
Distance (1 Line)



D11-10b
Shared-Use Path Destination
(2 Lines)



D11-10e
Shared-Use Path Destination and
Distance (2 Lines)



D11-10d
Shared-Use Path Destination
(3 Lines)



D11-10f
Shared-Use Path Destination and
Distance (3 Lines)



D11-11
Bicycles Directional
(Symbol)



D11-12
Pedestrians
Directional



D11-13
Skaters Directional




D11-14
Equestrians
Directional




D11-20L
Bicycle LEFT
TURN MAY USE
TURN BOX



D11-20R
Bicycle RIGHT
TURN MAY USE
TURN BOX



D11-20aL
Bicycle LEFT
TURN BOX
(with Arrow, Oblique)



D11-20aR
Bicycle RIGHT
TURN BOX
(with Arrow, Oblique)



D12-2
CARPOOL
INFORMATION



D12-3
Channel 9 Monitored



D12-5
TRAVEL INFO CALL
511 (Pictograph)



D12-5a
TRAVEL INFO CALL
511




D12-5bTL
TEXAS TRAVEL INFO
CENTER (Arrow)



D12-5bTR
TEXAS TRAVEL INFO
CENTER (Arrow)



D12-5T
THE EYES OF
TEXAS
(with Cowboy)



D12-6T
EMERGENCY
911



D12-7T
DWI YOU CAN'T
AFFORD IT



D12-8T
LIGHTS ON FOR SAFETY TURN
ON HEADLIGHTS NEXT XX
MILES



D12-8aT
LIGHTS ON
FOR SAFETY

SMALL GUIDE



D12-8bT
NEXT XX MILES



D13-1TL
TURNAROUND (ARROW)



D13-1TR
TURNAROUND (ARROW)



D13-3
FREEWAY
ENTRANCE



D13-3a
FREEWAY
ENTRANCE
(30 Degree Arrow)



D13-4T
FREEWAY
ENTRANCE
(Shield and 45
Degree Arrow)



I20-6T
ADOPT A HIGHWAY
NEXT X MILES
(GROUP NAME)
2 line group name



I20-6aT
ADOPT A HIGHWAY
NEXT X MILES



I20-6bT[A]
ADOPT A HIGHWAY |
2 line group name



I20-6bT[B]
ADOPT A HIGHWAY |
3 line group name



I20-6bT[C]
ADOPT A HIGHWAY |
4 line group name



I20-6bT[D]
Available (Plaque)



D15-1
Combination Lane
Use / Destination



D15-1
Combination Lane
Use / Destination



D17-3T
NEXT PASSING
LANE X MILES



D17-4T
PASSING LANE X
MILES



D17-7
Advance SLOW VEHICLE TURN
OUT XX MILES



D20-1TR (L)
COUNTY ROAD
(Number)



D20-1TL (R) (5)
COUNTY ROAD (Number)



D20-1TR (L) (6)
COUNTY ROAD
(Number)



D20-2T
COUNTY ROAD
(Number)



D20-2 (DBL) (5)
COUNTY ROAD (Number)



D20-2TR (DBL) (6)
COUNTY ROAD
(Number)



D20-3TR (L)
COUNTY ROAD
(Number)

SMALL GUIDE



D20-4T
COUNTY ROAD
(Number)



D20-5T (L | R)
Combined COUNTY
ROAD (Number)



D20-5T (R | L)
Combined COUNTY
ROAD (Number)



D20-5T (L | L)
Combined COUNTY
ROAD (Number)



D20-5T (R | R)
Combined COUNTY
ROAD (Number)




D20-6T (UP | DBL)
Combined COUNTY
ROAD (Number)




D20-7T (UP | L)
Combined COUNTY
ROAD (Number)



D20-7T (UP | R)
Combined COUNTY
ROAD (Number)



D20-8T (L45 | DBL)
Combined COUNTY
ROAD (Number)



D20-8T (R45 | DBL)
Combined COUNTY
ROAD (Number)



D20-9T (L45 | L)
Combined COUNTY
ROAD (Number)



D20-9T (R45 | R)
Combined COUNTY
ROAD (Number)



D20-9T (L45 | R)
Combined COUNTY
ROAD (Number)



D20-9T (R45 | L)
Combined COUNTY
ROAD (Number)



D21-1T (DBL)
COUNTY ROAD (Name) (1 Line)



D21-1T (UP)
COUNTY ROAD (Name) (1 Line)



D21-1T (L)
COUNTY ROAD (Name) (1 Line)



D21-1T (R)
COUNTY ROAD (Name) (1 Line)



D21-1T (L45)
COUNTY ROAD (Name) (1 Line)




D21-1T (R45)
COUNTY ROAD (Name) (1 Line)



D21-1aT (L)
COUNTY ROAD
(Single Name) (2 Lines)



D21-1aT (L45)
COUNTY ROAD
(Single Name) (2 Lines)



D21-1aT (R)
COUNTY ROAD
(Single Name) (2 Lines)



D21-1aT (R45)
COUNTY ROAD
(Single Name) (2 Lines)

SMALL GUIDE



D21-1aT (DBL)
COUNTY ROAD
(Single Name) (2 Lines)



D21-1aT (UP)
COUNTY ROAD
(Single Name) (2 Lines)



D21-2T (L | R)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (L | L)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (R | R)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (L45 | L45)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (R45 | R45)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (L45 | L)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (R45 | R)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (L45 | R)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (L | R45)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (UP | R)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (UP | L)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (UP | R45)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (UP | L45)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (UP | DBL)
COUNTY ROAD
(Name) (2 Lines)




D21-2T (UP | UP)
COUNTY ROAD
(Name) (2 Lines)



D21-2T (L45 | R45)
COUNTY ROAD
(Name) (2 Lines)



D21-3T (L | R)
COUNTY ROAD
(Long Name) (3 Lines)



D21-3T (UP | L)
COUNTY ROAD
(Long Name) (3 Lines)




D21-3aT (UP | R)
COUNTY ROAD
(Long Name) (3 Lines)



D21-3aT (L | R)
COUNTY ROAD
(Long Name) (3 Lines)



D23-1TL
STATE SENATOR
(REPRESENTATIVE) (with Arrow)



D23-1TR
STATE SENATOR
(REPRESENTATIVE) (with Arrow)



D24-2TR
PUBLIC BEACH ACCESS ROAD
(Arrow)



D24-1T
PUBLIC BEACH PARKING AREA
XXX FT



D24-2TL
PUBLIC BEACH ACCESS ROAD
(Arrow)

SMALL GUIDE



D25-1TL
VETERANS AFFAIRS
CEMETERY (Arrow)



D25-1TR
VETERANS AFFAIRS
CEMETERY (Arrow)



D25-2TL
VETERANS AFFAIRS
HOSPITAL (Arrow)



D25-2TR
VETERANS AFFAIRS
HOSPITAL (Arrow)



D25-3TL
VETERANS AFFAIRS
MEDICAL CLINIC
(Arrow)



D25-3TR
VETERANS AFFAIRS
MEDICAL CLINIC
(Arrow)



D26-1TL
TEXAS DEPARTMENT OF
PUBLIC SAFETY (Arrow)



D26-1TR
TEXAS DEPARTMENT OF
PUBLIC SAFETY (Arrow)



D26-2TL
TEXAS DEPARTMENT OF
PUBLIC SAFETY DRIVER
LICENSE (Arrow)



D26-2TR
TEXAS DEPARTMENT OF
PUBLIC SAFETY DRIVER
LICENSE (Arrow)



D26-3TL
TEXAS DEPARTMENT OF STATE
HEALTH SERVICES (Arrow)



D26-3TR
TEXAS DEPARTMENT OF STATE
HEALTH SERVICES (Arrow)



D26-4TL
TEXAS DEPARTMENT OF AGING
AND DISABILITY SERVICES
(Arrow)



D26-4TR
TEXAS DEPARTMENT OF AGING
AND DISABILITY SERVICES
(Arrow)



D26-5TL
TEXAS DEPARTMENT OF
FAMILY AND PROTECTIVE
SERVICES (Arrow)



D26-5TR
TEXAS DEPARTMENT OF
FAMILY AND PROTECTIVE
SERVICES (Arrow)



D26-6TL
TEXAS DEPARTMENT OF
ASSISTIVE AND REHABILITATIVE
SERVICES (Arrow)



D26-6TR
TEXAS DEPARTMENT OF
ASSISTIVE AND REHABILITATIVE
SERVICES (Arrow)



D26-7TL
TEXAS HEALTH AND HUMAN
SERVICES OFFICES (Arrow)



D26-7TR
TEXAS HEALTH AND HUMAN
SERVICES OFFICES (Arrow)




D26-8TL
STATE OFFICES (Arrow)




D26-8TR
STATE OFFICES (Arrow)

SMALL GUIDE



D26-9TL
TEXAS WORKFORCE
SOLUTIONS VOCATIONAL
REHAB SERVICES (Arrow)



D26-9TR
TEXAS WORKFORCE
SOLUTIONS VOCATIONAL
REHAB SERVICES (Arrow)



D26-10TL
TEXAS DEPT OF
TRANSPORTATION (Arrow)



D26-10TR
TEXAS DEPT OF
TRANSPORTATION (Arrow)



D71-BR
Texas Trail Signs



D71-FR
Texas Trail Signs



D71-FT
Texas Trail Signs



D71-HC
Texas Trail Signs



D71-IN
Texas Trail Signs



D71-LA
Texas Trail Signs



D71-MT
Texas Trail Signs



D71-PE
Texas Trail Signs



D71-PL
Texas Trail Signs



D71-TR
Texas Trail Signs



M71-PT
Texas Trail Signs



M11-1
National Historic Trail
Identification (2 Lines)



M11-1
National Historic Trail
Identification (3 Lines)



M11-1a
National Historic Trail
Identification



M11-1aP
National Historic Trail -
HISTORIC ROUTE
(Plaque)



M11-1dP
National Historic Trail -
Distance (2 Lines)
(Plaque)



M11-1eP
National Historic Trail -
Distance (1 Line)
(Plaque)



I1-1
Traffic Signal Speed



I2-1
Jurisdictional Boundary -
TEXAS STATE LINE



I2-1T
CITY LIMIT



I2-1aT
CITY LIMIT POP XXXX

SMALL GUIDE



I2-1bT
ENTERING CITY
LIMIT/LEAVING



I2-1cT
County Name



I2-1dT
COUNTY LINE



I2-2
Geographical
Feature - RIVER



I2-3
Grade Separation
Identification



I2-3a
Grade Separation
Identification
(2 Lines)



I2-4
FUTURE INTERSTATE
CORRIDOR



I2-4a
FUTURE I-XX CORRIDOR



I3-5
Airport (Symbol)



I3-6
Bus Station (Symbol)



I3-7
Train Station
(Symbol)



I3-9
Vehicle Ferry
Terminal (Symbol)



I4-1
Library
(Symbol)



I-ARW
Horizontal
Arrow



I13-1[A]
Emergency
Notification



D73-1T
TxDOT Office
(3 Lines)



I3-8
Light Rail Transit
System (Symbol)



I3-10P
Ferry (Plaque)




I4-1PT
LIBRARY




I4-2
Recycling Center



I13-1[B]
Emergency
Notification




D73-1aT
TxDOT Office
(2 Lines)



TX1-1T
STATE
MAINTENANCE
ENDS



TX1-2T
STATE MAINTENANCE
BEGINS



TX1-3T
CONSTRUCTED
AND MAINTAINED BY
TXDOT



TX1-4T
MAINTAINED
BY TXDOT



TX2-1T
NOTICE
STATE LAW USE OF
FACILITY




TX3-1T
PROPERTY OF THE STATE
OF TEXAS PENALTY FOR
PRIVATE USE




TX4-1T
PLEASE HELP
PREVENT
GRASS FIRES



TX4-2T
PLEASE HELP
PREVENT FOREST
FIRES



TX5-1T
ROAD UTILITY
DISTRICT NO



TX5-2T
COUNTY MUNICIPAL
UTILITY DISTRICT NO

ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE



M1-1
Interstate Route (1, 2 Digits)

*Optically space numerals about the vertical centerline. In a few cases, numerals cannot be placed within the space available. For these cases, the Series D may be reduced to Series C, and as a second choice, the next smaller height available.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
24	0.5	6.5	12D*	5.5 MIN	5	15	15	14.697	9	2	2.5C	7.691	7.690
36	0.75	9.75	18D*	8.25 MIN	7.5	22.5	22.5	22.045	13.5	3	3.75C	11.536	11.535
48	1	13	24D*	11 MIN	10	30	30	29.394	18	4	5C	15.381	15.380

COLORS: LEGEND, BORDER - WHITE
UPPER SECTION BACKGROUND - RED
LOWER SECTION BACKGROUND - BLUE

ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE



M1-1
Interstate Route (3 Digits)

*Optically space numerals about vertical the centerline. In a few cases, numerals cannot be placed within the space available. For these cases, the Series D may be reduced to Series C, and as a second choice, the next smaller height available.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q
30	24	0.5	6.5	12D*	5.5 MIN	5	17	24	16.882	13	2	2.5C	7.691	7.690
45	36	0.75	9.75	18D*	8.25 MIN	7.5	25.5	36	25.323	19.5	3	3.75C	11.536	11.535
60	48	1	13	24D*	11 MIN	10	34	48	33.764	26	4	5C	15.381	15.380

COLORS: LEGEND, BORDER - WHITE
 UPPER SECTION BACKGROUND - RED
 LOWER SECTION BACKGROUND - BLUE

ROUTE SIGN FOR INDEPENDENT USE



M1-1a
Interstate Route - Independent Route Assembly Use (1, 2 Digits)

*Optically space numerals about the vertical centerline. In a few cases, numerals cannot be placed within the space available. For these cases, the Series D may be reduced to Series C, and as a second choice, the next smaller height available.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R
24	0.5	8.5	10D*	5.5 MIN	5	15	15	14.697	9	2	2.5C	1.5D	7.691	7.690	3.065
36	0.75	12.75	15D*	8.25 MIN	7.5	22.5	22.5	22.045	13.5	3	3.75C	2.25D	11.536	11.535	4.597
48	1	17	20D*	11 MIN	10	30	30	29.394	18	4	5C	3D	15.381	15.380	6.129

COLORS: LEGEND, BORDER - WHITE
UPPER SECTION BACKGROUND - RED
LOWER SECTION BACKGROUND - BLUE

ROUTE SIGN FOR INDEPENDENT USE



M1-1a

Interstate Route - Independent Route Assembly Use (3 Digits)

*Optically space numerals about the vertical centerline. In a few cases, numerals cannot be placed within the space available. For these cases, the Series D may be reduced to Series C, and as a second choice, the next smaller height available.

A	B	C	D	E	F	G	H	J	K	L	M	N	P	Q	R	S
30	24	0.5	8.5	10D*	5.5 MIN	5	17	24	16.882	13	2	2.5C	1.5D	7.691	7.690	3.065
45	36	0.75	12.75	15D*	8.25 MIN	7.5	25.5	36	25.323	19.5	3	3.75C	2.25D	11.536	11.535	4.597
60	48	1	17	20D*	11 MIN	10	34	48	33.764	26	4	5C	3D	15.381	15.380	6.129

COLORS: LEGEND, BORDER - WHITE
 UPPER SECTION BACKGROUND - RED
 LOWER SECTION BACKGROUND - BLUE

ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE

H distance directly above lowest point of top of sign.



M1-2[A]

Off-Interstate Route-Loop Guide Sign Attachment Use (1, 2 Digits)


*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J
24	0.75	8.5	10D*	5.5 MIN	5	15	15	14.697
36	1.125	12.75	15D*	8.25 MIN	7.5	22.5	22.5	22.045
48	1.5	17	20D*	11 MIN	10	30	30	29.394

K	L	M	N	P	Q	R	S
9	2	2.5C	1.5D	6.502	6.502	2.454	0.5
13.5	3	3.75C	2.25D	9.754	9.753	3.681	0.75
18	4	5C	3D	13.005	13.004	4.908	1

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE



M1-2[A]
Off-Interstate Route-Loop Guide Sign Attachment Use (3 Digits)

*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J
30	24	0.75	8.5	10D*	5.5 MIN	5	17	24
45	36	1.125	12.75	15D*	8.75 MIN	7.5	25.5	36
60	48	1.5	17	20D*	11 MIN	10	34	48

K	L	M	N	P	Q	R	S	T
16.882	13	2	2.5C	1.5D	6.502	6.502	2.454	0.5
25.323	19.5	3	3.75C	2.25D	9.754	9.753	3.681	0.75
33.764	29	4	5C	3D	13.005	13.004	4.908	1

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

ROUTE SIGN FOR INDEPENDENT USE



M1-2

Off-Interstate Route-Loop Independent Route Assembly Use (1, 2 Digits)

*Optically space numerals about vertical centerline.

**For suffix designation, email TPP-GIS@txdot.gov or contact TRF office.


A	B	C	D	E	F	G	H	J	K
24	0.75	8.5	10D*	5.5 MIN	5	15	15	14.697	9
36	1.125	12.75	15D*	8.25 MIN	7.5	22.5	22.5	22.045	13.5
48	1.5	17	20D*	11 MIN	10	30	30	29.394	18

L	M	N	P	Q	R	S	T	U	V
2	2.5C	1.5D	6.502	6.502	2.454	0.5	.5	1.5D**	1
3	3.75C	2.25D	9.754	9.753	3.681	0.75	.75	2.25D**	1.5
4	5C	3D	13.005	13.004	4.908	1	1	3D**	2

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



ROUTE SIGN FOR INDEPENDENT USE



M1-2

Off-Interstate Route-Loop Independent Route Assembly Use (3 Digits)

*Optically space numerals about vertical centerline.

**For suffix designation, email TPP-GIS@txdot.gov or contact TRF office.

A	B	C	D	E	F	G	H	J	K	L
30	24	0.75	8.5	10D*	5.5 MIN	5	17	24	16.882	13
45	36	1.125	12.75	15D*	8.75 MIN	7.5	25.5	36	25.323	19.5
60	48	1.5	17	20D*	11 MIN	10	34	48	33.764	29

M	N	P	Q	R	S	T	U	V	W
2	2.5C	1.5D	6.502	6.502	2.454	0.5	0.5	1.5D**	1
3	3.75C	2.25D	9.754	9.753	3.681	0.75	0.75	2.25D**	1.5
4	5C	3D	13.005	13.004	4.908	1	1	3D**	2

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE

H distance directly above lowest point of top of sign.



M1-3[A]

Off-Interstate Route-Spur Guide Sign Attachment Use (1, 2 Digits)

*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J
24	0.75	8.5	10D*	5.5 MIN	5	15	15	14.697
36	1.125	12.75	15D*	8.25 MIN	7.5	22.5	22.5	22.045
48	1.5	17	20D*	11 MIN	10	30	30	29.394

K	L	M	N	P	Q	R	S	T
9	2	2.5C	1.5D	6.502	6.502	2.463	2.462	0.5
13.5	3	3.75C	2.25D	9.754	9.753	3.694	3.693	0.75
18	4	5C	3D	13.005	13.004	4.925	4.924	1

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE



M1-3[A]

Off-Interstate Route-Spur Guide Sign Attachment Use (3 Digits)

*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J	K
30	24	0.75	8.5	10D*	5.5 MIN	5	17	24	16.882
45	36	1.125	12.75	15D*	8.75 MIN	7.5	25.5	36	25.323
60	48	1.5	17	20D*	11 MIN	10	34	48	33.764

L	M	N	P	Q	R	S	T	U
13	2	2.5C	1.5D	6.502	6.502	2.463	2.462	0.5
19.5	3	3.75C	2.25D	9.754	9.753	3.694	3.693	0.75
29	4	5C	3D	13.005	13.004	4.925	4.924	1

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

ROUTE SIGN FOR INDEPENDENT USE

H distance directly above lowest point of top of sign.



M1-3

Off-Interstate Route-Spur Independent Route Assembly Use (1,2 Digits)

*Optically space numerals about vertical centerline.

**For suffix designation, email TPP-GIS@txdot.gov or contact TRF office.

A	B	C	D	E	F	G	H	J	K	L
24	0.75	8.5	10D*	5.5 MIN	5	15	15	14.697	9	2
36	1.125	12.75	15D*	8.25 MIN	7.5	22.5	22.5	22.045	13.5	3
48	1.5	17	20D*	11 MIN	10	30	30	29.394	18	4

M	N	P	Q	R	S	T	U	V	W
2.5C	1.5D	6.502	6.502	2.463	2.462	0.5	0.5	1.5D**	1
3.75C	2.25D	9.754	9.753	3.694	3.693	0.75	0.75	2.25D**	1.5
5C	3D	13.005	13.004	4.925	4.924	1	1	3D**	2

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



ROUTE SIGN FOR INDEPENDENT USE



M1-3

Off-Interstate Route-Spur Independent Route Assembly Use (3 Digits)

*Optically space numerals about vertical centerline.

**For suffix designation, email TPP-GIS@txdot.gov or contact TRF office.


A	B	C	D	E	F	G	H	J	K	L
30	24	0.75	8.5	10D*	5.5 MIN	5	17	24	16.882	13
45	36	1.125	12.75	15D*	8.75 MIN	7.5	25.5	36	25.323	19.5
60	48	1.5	17	20D*	11 MIN	10	34	48	33.764	29

M	N	P	Q	R	S	T	U	V	W	X
2	2.5C	1.5D	6.502	6.502	2.463	2.462	0.5	0.5	1.5D**	1
3	3.75C	2.25D	9.754	9.753	3.694	3.693	0.75	0.75	2.25D**	1.5
4	5C	3D	13.005	13.004	4.925	4.924	1	1	3D**	2

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE




*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G
24	5.5	12D*	6.5	1	5	7
36	8.25	18D*	9.75	1.5	7.5	10.5
48	11	24D*	13	2	10	14

H	J	K	L	M	N	P
2	3	8	3.571	8.5	5.687	9.081
3	4.5	12	5.356	12.75	8.531	13.622
4	6	16	7.141	17	11.375	18.162

COLORS: LEGEND - BLACK
BACKGROUND - WHITE
NO BORDER

ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE




*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H
30	24	5.5	12D*	6.5	4	5	7
45	36	8.25	18D*	9.75	6	7.5	10.5
60	48	11	24D*	13	8	10	14

J	K	L	M	N	P	Q	R
10	9	7.483	5.687	9.081	3	2	11
15	13.5	11.225	8.531	13.622	4.5	3	16.5
20	18	14.967	11.375	18.162	6	4	22

COLORS: LEGEND - BLACK
BACKGROUND - WHITE
NO BORDER

ROUTE SIGN FOR INDEPENDENT USE



U.S. Route - Independent Route Assembly Use (1, 2 Digits)


*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J
24	5.5	12D*	6.5	0.757	2.5	7.5	7	4.5
36	8.25	18D*	9.75	1.136	3.75	11.25	10.5	6.75
48	11	24D*	13	1.515	5	15	14	9

K	L	M	N	P	Q	R	S
0.5	8.5	3.743	5.731	9.175	3	7.757	1.5
0.75	12.75	5.614	8.596	13.762	4.5	11.636	2.25
1	17	7.485	11.461	18.350	6	15.515	3

COLORS: LEGEND - BLACK
 INNER BACKGROUND - WHITE
 OUTER BACKGROUND - BLACK
 NO BORDER

ROUTE SIGN FOR INDEPENDENT USE



M1-4
U.S. Route - Independent Route Assembly Use (3 Digits)


*Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J
30	24	5.5	12D*	6.5	3.757	2.5	7.5	10
45	36	8.25	18D*	9.75	5.636	3.75	11.25	15
60	48	11	24D*	13	7.515	5	15	20

K	L	M	N	P	Q	R	S	T
9.5	4.5	0.5	7.578	5.731	9.175	3	10.757	1.5
14.25	6.75	0.75	11.367	8.596	13.762	4.5	16.136	2.25
19	9	1	15.155	11.461	18.350	6	21.515	3

COLORS: LEGEND - BLACK
INNER BACKGROUND - WHITE
OUTER BACKGROUND - BLACK
NO BORDER

BUSINESS ROUTE SIGN ASSEMBLY FOR INDEPENDENT USE



M1-4B

U.S. Business Route Marker Assembly (Independent)

SIGN	A	B	C	D	E
1, 2 DIGITS	24	24	2D**	3	3
1, 2 DIGITS	36	36	2D**	4.5	3
3 DIGITS	30	24	2D**	3	3
3 DIGITS	45	36	2D**	4.5	3

*Refer to M1-4 for shield design.

**For suffix designation,
email TPP-GIS@txdot.gov
or contact TRF office.

COLORS: LEGEND - BLACK
INNER BACKGROUND - WHITE
OUTER BACKGROUND - BLACK
NO BORDER



ROUTE SIGNS FOR INDEPENDENT USE



M1-5F

Texas FARM ROAD Route Marker (Independent)



*Alternate Legend

M1-5FS


Texas FARM SPUR Route Marker (Independent)

A	B	C	D	E	F	G	H	J	K	L	M	N
24	1.75	2D	7	6D	5D	4D	8.5	2D	2.75	9.75	9.75	1.5
36	2.625	3D	10.5	9D	7D	6D	12.75	3D	4.125	14.625	14.625	2.25

COLORS: NUMBERS - BLACK
LEGEND & TEXAS - WHITE
BACKGROUND - BLACK



BUSINESS ROUTE SIGN ASSEMBLY FOR INDEPENDENT USE



M1-5FB
Texas Business Assembly Road Route Marker (Independent)


*For suffix designation, email TPP-GIS@txdot.gov or contact TRF office.

A	B	C	D	E	F	G	H	J	K
24	1.75	9	6D	5D	4D	4.75	2D*	6.5	1.6
36	2.75	13.25	9D	7D	6D	8.25	2D*	9.75	2.25

COLORS: NUMBERS - BLACK
LEGEND & TEXAS - WHITE
BACKGROUND - BLACK



ROUTE SIGN FOR INDEPENDENT USE



M1-5R
Texas RANCH ROAD Route Marker (Independent)

A	B	C	D	E	F	G	H	J	K	L	M	N
24	1.75	2D	7	6D	5D	4D	8.5	2D	2.75	10.5	9.75	1.5
36	2.625	3D	10.5	9D	7D	6D	12.75	3D	4.125	15.75	14.625	2.25

COLORS: NUMBERS - BLACK
LEGEND & TEXAS - WHITE
BACKGROUND - BLACK



ROUTE SIGNS FOR INDEPENDENT USE




M1-5RR
RR Road Route Marker (Independent)

A	B	C	D	E	F	G	H	J	K	L	M	N
24	1.125	4D	5.625	6D	5D	4D	8.5	2D	2.75	7.375	9.75	1.5
36	1.625	6D	8.5	9D	7D	6D	12.75	3D	4.125	11.125	14.625	2.25

COLORS: NUMBERS - BROWN
LEGEND & TEXAS - WHITE
BACKGROUND - BROWN



TEXAS ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE



M1-5T[A]

Texas State Highway Route Marker (Attachment)

A	B	C	D	E	F	G	H
VAR	24	2.5	4D	3	12D	2 MIN	1.5
VAR	36	4	6D	4	18D	3 MIN	2.25
VAR	48	5	8D	6	24D	4 MIN	3


*Alternate 1st Line Legends



M1-5S[A]
SPUR Route Marker



M1-5L[A]
LOOP Route Marker



M1-5PA[A]
PA Route Marker

BELTWAY

M1-5B[A]
BELTWAY Route Marker

PARK

M1-5P[A]
PARK Route Marker

FM

M1-5F[A]
FM Route Marker


RM

M1-5R[A]
RM Route Marker



COLORS: LEGEND - BLACK
BACKGROUND - WHITE
NO BORDER

TEXAS ROUTE SIGNS FOR INDEPENDENT USE



M1-5T

Texas State Highway Route Marker (Independent)

A	B	C	D (3 digits)	E	F	G	H (2 digits)	J (max)	K
24	1.5	5	7D	4	4D	4	9D	18	1.5
36	1.5	7	11D	6	6D	5.5	14D	30	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



BUSINESS ROUTE SIGN ASSEMBLY FOR INDEPENDENT USE



M1-5TB

Business Route Marker Assembly (Independent)


**For suffix designation, email TPP-GIS@txdot.gov or contact TRF office.

A	B	C	D (3 digits)	E	F	G	H	J	K	L (2 digits)	M (max)	N
24	1.5	4	7D	3	4D	1.5	2D	2.5	3.5	9D	18	1.5
36	1.5	6	11D	5	6D	3	2D	3	5	14D	30	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



ROUTE SIGNS FOR INDEPENDENT USE



M1-5L

LOOP Route Marker (Independent)

Alternate 1st Line Legends

PA ^D

M1-5PA

PA Route Marker
(Independent)

SPUR ^D

M1-5S

SPUR Route Marker
(Independent)

BELTWAY ^K

M1-5B

BELTWAY Route Marker
(Independent)

A	B	C	D	E (3 digits)	F	G (2 digits)	H (4 digits)	J (max)	K	L
24	0.75	4	4D	7D	5	9D	6D	18	4C	1.5
36	0.75	6	6D	11D	7	14D	10D	30	6C	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



PARK ROUTE SIGNS FOR INDEPENDENT USE




M1-5P
PARK ROAD Route Marker

A	B	C	D	E	F	G	H
24	1.5	3.5	3D	2	7E	3.5	1.5
36	1.5	5	5D	2.5	11E	5	2.25

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE





M1-6
County Route

*Optically space numerals about centerline.

A	B	C	D	E	F	G	H
24	0.75	5	2D	2	8D*	3	14.188
36	0.75	7.5	3D	3	12D*	4.5	21.281

J	K	L	M	N	P	Q	R
9.313	2.688	6.625	5.313	VAR	VAR	5.104	5.103
13.969	4.031	9.938	7.969	VAR	VAR	7.656	7.655

COLORS: LEGEND, BORDER - YELLOW
BACKGROUND - BLUE




M1-7
Forest Route

*See Section 11 for symbol design.

**Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J	K	L	M	N
18	12.75	0.5	2.625	6D**	1.125	4	1.625	7	2	4.679	99.412	80.588
24	17	0.5	3.5	8D**	1.75	5	2.25	9.5	2.5	6.377	99.333	80.667
36	25.5	0.75	5.25	12D**	2.25	8	3.25	14	4	9.358	99.412	80.588

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN



M1-8


State or Local Bicycle Route

*See Section 11 for symbol design.

**Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J	K
12	18	1	2	4.5	2.5	5D**	2	1	1.5
18	24	0.75	2.5	6.75	2	7.5D**	3.25	1	1.5

COLORS: LEGEND - WHITE
 INNER BACKGROUND - GREEN
 OUTER BACKGROUND - WHITE
 NO BORDER



M1-8a
State or Local Bicycle Route

*See Section 11 for symbol design.

**Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J	K	L
12	18	1	0.25	4	0.75	4.5	4D**	1.75	1	1.5
18	24	0.75	0.375	5	1.375	6.75	5D**	2.625	1	1.5

COLORS: LEGEND - WHITE
INNER BACKGROUND - GREEN
OUTER BACKGROUND - WHITE
NO BORDER



M1-8b
Non-Numbered Bicycle Route (2 Lines)

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K
12	0.5	1.25	3.625	0.75	2CV-3W	1.125	VAR	VAR	1.5
18	0.5	1.75	5.5	1.25	3CV-3W	1.75	VAR	VAR	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




M1-8c
Non-Numbered Bicycle Route (3 Lines)

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
12	0.5	1	3.25	0.5	1.5CV-2W	0.875	VAR	VAR	VAR	1.5
18	0.5	1.375	5	0.75	2.25CV-2W	1.375	VAR	VAR	VAR	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



M1-9
U.S. Bicycle Route


*See Section 11 for symbol design.

**Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J	K
12	18	0.5	1.5	1.25	1.25E	0.75	4.5	1	4D**
18	24	0.5	1.5	1.75	1.5E	1	6	1.25	6D**

L	M	N	P	Q	R	S	T	U
1.5	9	6	1.263	1.388	0.25	0.375	1	1.5
2	12	8.5	1.516	1.666	0.300	0.450	0.75	1.5


COLORS: LEGEND - GREEN
INNER BACKGROUND - WHITE
OUTER BACKGROUND - GREEN
NO BORDER



M2-1P
Junction (Plaque)

A	B	C	D	E	F	G	H	J
21	15	0.375	0.438	3	9C	8.554	8.553	1.5
30	24	0.375	0.625	5	14C	11.405	11.404	1.5

U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE



12x6 is for Bicycle Route sign assemblies only and shall be white on green.

A	B	C	D	E	F	G	H
12	6	0.375	1.5	3D	3.437	3.437	1
21	15	0.5	3	9C	8.554	8.553	1.5
30	24	0.75	5	14C	11.405	11.404	1.5



INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



M2-2
Combination Junction (2 Route Signs)


*See **ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE** for sign design.

**Increase width if a 3-digit route shield or more than two route shields are used.

A	B	C	D	E	F	G	H	J	K	L
60**	48	1	6	8CV-3W	5	24	25.096	VAR	2	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






M3-1P

Cardinal Direction - NORTH (Plaque)



**(B)
Blue**



**(G)
Green**
**(BR)
Brown**


*Reduce spacing 30%.

**Reduce spacing to fit.

12x6 is for Bicycle Route sign assemblies only and shall be white on green.



A	B	C	D	E	F	G	H	J	K	L
12	6	.375	.375	1.75	3C*	1.25	3.5C*	4.510	1	.375
24	12	.375	.438	3.5	6C*	2.5	7C*	9.945	1.5	.5
36	18	.375	.625	6	8C	4	10C	14.205	1.5	.5
48	18	.375	.625	4	12C	2	14C	19.891	1.5	.5




M3-2P

Cardinal Direction - EAST (Plaque)



**(B)
Blue**



**(G)
Green**
**(BR)
Brown**

12x6 is for Bicycle Route sign assemblies only and shall be white on green.



A	B	C	D	E	F	G	H	J	K	L
12	6	.375	.375	1.75	3C*	1.25	3.5C	3.418	1	.375
24	12	.375	.438	3.5	6C	2.5	7C	8.147	1.5	.5
36	18	.375	.625	6	8C	4	10C	11.049	1.5	.5
48	18	.375	.625	4	12C	2	14C	16.295	1.5	.5


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE


**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





M3-3P

Cardinal Direction - SOUTH (Plaque)



(B)
Blue


*Reduce spacing 30%.

**Reduce spacing to fit.

12x6 is for Bicycle Route sign assemblies only and shall be white on green.




A	B	C	D	E	F	G	H	J	K	L
12	6	.375	.375	1.75	3C*	1.25	3.5C*	4.478	1	.375
24	12	.375	.438	3.5	6C*	2.5	7C*	9.857	1.5	.5
36	18	.375	.625	6	8C	4	10C	14.220	1.5	.5
48	18	.375	.625	4	12C	2	14C	19.714	1.5	.5



M3-4P

Cardinal Direction - WEST (Plaque)



(B)
Blue

(G)
Green

(BR)
Brown

12x6 is for Bicycle Route sign assemblies only and shall be white on green.



A	B	C	D	E	F	G	H	J	K	L
12	6	.375	.375	1.75	3C*	1.25	3.5C	3.713	1	.375
24	12	.375	.438	3.5	6C	2.5	7C	8.828	1.5	.5
36	18	.375	.625	6	8C	4	10C	12.049	1.5	.5
48	18	.375	.625	4	12C	2	14C	17.656	1.5	.5

U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
 BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
 BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
 BACKGROUND - BLUE

**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
 BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
 BACKGROUND - GREEN






M4-1P
ALTERNATE (Plaque)




(B)
Blue



12x6 is for Bicycle Route sign assemblies only and shall be white on green.




A	B	C	D	E	F	G	H
12	6	.375	.375	2	2B	1	.375
24	12	.375	.438	4	4B	1.5	.5
36	18	.375	.625	6	6B	1.5	.5
48	18	.375	.625	5	8B	1.5	.5



M4-1aP
ALT (Plaque)



(B)
Blue



12x6 is for Bicycle Route sign assemblies only and shall be white on green.



A	B	C	D	E	F	G	H
12	6	.375	.375	1.5	3D	1	.375
24	12	.375	.438	3	6D	1.5	.5
36	18	.375	.625	4.5	9D	1.5	.5
48	18	.375	.625	3	12D	1.5	.5


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE

**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






M4-2P
BY-PASS (Plaque)



(B)
Blue




(G)
Green

(BR)
Brown

*Reduce spacing to fit.

12x6 is for Bicycle Route sign assemblies only and shall be white on green.


A	B	C	D	E	F	G	H	J
12	6	.375	.375	1.75	2.5B	9.5	1	.375
24	12	.375	.438	3.5	5B	19	1.5	.5
36	18	.375	.625	5.25	7.5B	28.5	1.5	.5
48	18	.375	.625	4	10B	38	1.5	.5



M4-3P
BUSINESS (Plaque)



(B)
Blue



(G)
Green

(BR)
Brown

*Reduce spacing to fit.

12x6 is for Bicycle Route sign assemblies only and shall be white on green.

A	B	C	D	E	F	G	H	J
12	6	.375	.375	1.75	2.5B	10	1	.375
24	12	.375	.438	3.5	5B	20	1.5	.5
36	18	.375	.625	5.25	7.5B	30	1.5	.5
48	18	.375	.625	4	10B	40	1.5	.5




U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






M4-4P
TRUCK (Plaque)

*Reduce spacing 20%.

A	B	C	D	E	F	G
24	12	.375	.438	3	6C*	1.5
36	18	.375	.625	4.5	9C	1.5
48	18	.375	.625	3	12C	1.5

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE







M4-5P
TO (Plaque)



(B)
Blue



(G)
Green




(BR)
Brown

12x6 is for Bicycle Route sign assemblies only and shall be white on green.




A	B	C	D	E	F	G	H
12	6	.375	.375	1.5	3E	1	.375
24	12	.375	.438	3	6E	1.5	.5
36	18	.375	.625	4.5	9E	1.5	.5
48	18	.375	.625	3	12E	1.5	.5




M4-6P
END (Plaque)



(B)
Blue



(G)
Green



(BR)
Brown

12x6 is for Bicycle Route sign assemblies only and shall be white on green.



A	B	C	D	E	F	G	H
12	6	.375	.375	1.5	3D	1	.375
24	12	.375	.438	3	6D	1.5	.5
36	18	.375	.625	4.5	9D	1.5	.5
48	18	.375	.625	3	12D	1.5	.5


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE


**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





M4-7P
TEMPORARY (Plaque)

A	B	C	D	E	F	G	H
24	12	.375	.438	4	4B	21	1.5
36	18	.375	.625	6	6B	31	1.5
48	18	.375	.625	5	8B	42	1.5



	A	B	C	D	E	F	G
	12	6	.375	2	2B	10	1
12x6 is for Bicycle Route sign assemblies only and shall be white on green.	24	12	.5	4	4B	21	1.5
	36	18	.5	6	6B	31	1.5
	48	18	.5	5	8B	42	1.5


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE


**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





M4-7aP
TEMP (Plaque)

A	B	C	D	E	F	G
24	12	.375	.438	3.5	5E	1.5
36	18	.375	.625	5.25	7.5E	1.5
48	18	.375	.625	4	10E	1.5



12x6 is for Bicycle Route
sign assemblies only and
shall be white on green.

A	B	C	D	E	F
12	6	.375	1.75	2.5E	1
24	12	.5	3.5	5E	1.5
36	18	.5	5.25	7.5E	1.5
48	18	.5	4	10E	1.5

U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE

**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





M4-14P
BEGIN (Plaque)

12x6 is for Bicycle Route sign assemblies only and shall be white on green.

	A	B	C	D	E	F	G	H	J
	12	6	.375	.375	1.75	2.5D	9.18	1	.375
	24	12	.375	.438	3.5	5D	18.013	1.5	.5
	36	18	.375	.625	5	8D	28.82	1.5	.5




U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE

**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





M5-1PL

Advance Turn Arrow - 90 Degree (Plaque)

*See Section 11 for arrow design.


A	B	C	D	E	F
12	9	-	-	1.026	3.959
21	15	.375	.438	2.063	7.125
30	24	.375	.625	3.25	11.375

G	H	J	K	L	M	N
1.932	1.5	3.375	.25	.5	1	.5
3.188	2.625	5.063	.375	.563	1.5	.5
5	4.25	8	.563	.875	1.5	.75


12x9 is for Bicycle Route sign assemblies only and shall be white on green.




M5-1PR




(B)
Blue



(G)
Green



(BR)
Brown



M5-2PL

Advance Turn Arrow - 45 Degree (Plaque)

*See Section 11 for arrow design.


A	B	C	D	E	F
12	9	-	-	2.467	2.857
21	15	.375	.438	4.5	4.75
30	24	.375	.625	7.25	7.5

G	H	J	K	L	M	N
.747	1.5	2.963	.25	.5	1	.5
1.125	2.625	5.438	.375	.75	1.5	.5
1.75	4.25	8.750	.625	.875	1.5	.75


12x9 is for Bicycle Route sign assemblies only and shall be white on green.




M5-2PR



(B)
Blue



(G)
Green



(BR)
Brown


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN


**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






M5-3PL


Advance Turn Arrow - Circular Intersection (Plaque)



(B)
Blue



(G)
Green




(BR)
Brown

*See Section 11 for arrow design.

A	B	C	D	E	F
21	15	.375	.438	1.565	11.81
30	24	.375	.625	2.8	18.38


G	H	J	K	L	M
1.625	3.063	5.75	7.375	3	130°
2.82	4.68	8.959	11.88	4.125	130°

N	P	Q	R	S	T	U
1.125	40°	1.375	2.25	1	1.5	.5
1.987	40°	2.131	3.5	1.95	1.5	.75




M5-3PTL


Advance Turnaround Arrow (Plaque)




M5-3PTR



(B)
Blue



(G)
Green



(BR)
Brown

*See Section 11 for arrow design.

A	B	C	D	E
21	15	.375	.438	5.25
30	24	.375	.625	8.375

F	G	H	J	K	L
5.75	.5	.75	2.25	1.5	.5
9.25	.75	1.25	3.5	1.5	.75


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE


FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

OFF-INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN








M5-4P
LEFT LANE (Plaque)





M5-6P
RIGHT LANE (Plaque)

A	B	C	D	E	F	G	H	J
24	18	.375	.625	3	5D	2	1.5	.5
36	24	.375	.625	3.5	7D	3	1.5	.75



M5-5P
CENTER LANE (Plaque)



A	B	C	D	E	F	G	H	J	K
24	18	.375	.625	3	5C	2	5D	1.5	.5
36	24	.375	.625	3.5	7C	3	7D	1.5	.75


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE


OFF-INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





Directional Arrow - Single Head Horizontal (Plaque)


*See Section 11 for arrow design.



M6-1PL

12x9 is for Bicycle Route sign assemblies only and shall be white on green.

A	B	C	D	E	F	G	H	J
12	9	-	-	4.25	4.5	1.625	1	.5
21	15	.375	.438	7.125	7.5	2.625	1.5	.5
30	24	.375	.625	11.25	11.5	4.25	1.5	.75



Directional Arrow - Single Head Horizontal (Plaque)

*See Section 11 for arrow design.



M6-1PTL

A	B	C	D	E	F	G	H	J
60	15	.375	.438	7.125	7.5	2.625	1.5	.5
68	24	.375	.625	11.25	11.5	4.25	1.5	.75


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
 BACKGROUND - WHITE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
 BACKGROUND - BROWN

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
 BACKGROUND - BLUE


**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
 BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
 BACKGROUND - GREEN







M6-2PR

Directional Arrow - Single Head
45 Degree (Plaque)



M6-2aPL

Directional Arrow - Single Head
45 Degree (Plaque)



M6-2PL




M6-2aPR

12x9 is for Bicycle Route sign assemblies only and shall be white on green.


	A	B	C	D	E	F	G	H	J	K	L
	12	9	-	-	3.375	3	2.625	1.625	3	1	.5
	21	15	.375	.438	5.625	5.063	4.313	2.625	5.063	1.5	.5
	30	24	.375	.625	9	8	6.875	4.25	8.125	1.5	.75

*See Section 11
for arrow design.




M6-3AP

Directional Arrow - Single Head Vertical (Plaque)



M6-4P

Directional Arrow - Double Head Horizontal (Plaque)



12x9 is for Bicycle Route sign assemblies only and shall be white on green.

	A	B	C	D	E	F	G	H	J
	12	9	-	-	1.625	3	4.5	1	.5
	21	15	.375	.438	2.625	4.875	7.5	1.5	.5
	30	24	.375	.625	4.25	7.75	11.75	1.5	.75

*See Section 11
for arrow design.


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE

FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN


OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN







M6-5PR

Directional Arrow - Oblique
Double Head (Plaque)



M6-6PR

Directional Arrow - Double
Head 90 Degree (Plaque)



M6-5PL




M6-6PL

*See Section 11 for arrow design.

	A	B	C	D	E	F	G	H	J	K	L	M	N	P
	12	9	-	-	1.375	3.625	3	1.2	3.2	1.8	4	1.6	1	.5
	21	15	.375	.438	2.25	5.875	5.25	2.25	5.75	2.75	5.75	2.75	1.5	.5
	30	24	.375	.625	3.625	9.375	8.375	3.625	9.125	4.375	9.125	4.375	1.5	.75

12x9 is for Bicycle Route sign assemblies only and shall be white on green.




M6-7PR

Directional Arrow - Double Head
45 Bent Degree (Plaque)




A	B	C	D	E	F
12	9	-	-	1.375	3.375
21	15	.375	.438	2.25	5.75
30	24	.375	.625	3.625	9.125

G	H	J	K	L	M
3.125	2.25	4	1.25	1	.5
5.5	3.875	6.75	2.125	1.5	.5
8.75	4.375	10.75	3.375	1.5	.75



12x9 is for Bicycle Route sign assemblies
only and shall be white on green.



M6-7PL


U.S. or STATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE

INTERSTATE ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE


FOREST ROUTE SIGN ASSEMBLY
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN

**OFF-INTERSTATE ROUTE SIGN ASSEMBLY,
BICYCLE ROUTE SIGN ASSEMBLY**
COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D1-1L
Destination (1 Line) (Arrow)



D1-1R




*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
VAR	6	.375	2	2CV-3W	.75	2	3	.75
VAR	12	.5	3	6CV-3W	2.25	4.5	9	1.5
VAR	18	.5	5	8CV-3W	2.75	6	12	1.5

18" panel with 8" font is STANDARD design.
(12" panel with 6" font is used when right of way is limited).

**Roundabout configuration is for VARx18 sizes only.




COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




Off-Roadway Signs. Not
intended to be seen by motorists.








D1-1aL
Destination and Distance (1 Line) (Arrow)



D1-1aR

*See Section 11 for arrow design.




COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





Off-Roadway Signs. Not
intended to be seen by motorists.









Bicycle Destination (1 Line) (Arrow)




Bicycle Destination and Distance (1 Line) (Arrow)




*See Section 11 for symbol and arrow design.




COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D1-1d
Circular Intersection Destination (1 Line) (Arrow)

*See Section 11
for arrow design.




D1-1e
Circular Intersection Departure Guide (Arrow)


*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN







D1-2
[Bicycle] Destination (2 Lines) (Arrows)




D1-2a
[Bicycle] Destination and Distance (2 Lines) (Arrows)

*See Section 11 for arrow design.




COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN







D1-2b
Bicycle Destination (2 Lines) (Arrows)





D1-2c
Bicycle Destination and Distance (2 Lines) (Arrows)

*See Section 11 for symbol and arrow design.



COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





For 8CV-3W font only.




D1-3
Destination (3 Lines) (Arrows)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
VAR	36	.75	4.5	6CV-3W	2.25	4.5	9	6.175	6.87	2.25
VAR	42	.75	4.5	8CV-3W	2.75	6	12	7.126	10.874	2.25


42" panel with 8" font is STANDARD design.
(36" panel with 6" font is used when right of way is limited).




D1-3d
Circular Intersection Destination (3 Lines)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D1-3
[Bicycle] Destination (3 Lines) (Arrows)




D1-3a
[Bicycle] Destination and Distance (3 Lines) (Arrows)

*See Section 11 for arrow design.




Off-Roadway Signs. Not
intended to be seen by motorists.








D1-3b
Bicycle Destination (3 Lines) (Arrows)



D1-3c
Bicycle Destination and Distance (3 Lines) (Arrows)


*See Section 11 for
symbol and arrow design.





Destination and Distance (1 Line)


12" Panel with 6" font is used when right of way is limited.




18" Panel with 8" font is STANDARD design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D2-1
[Bicycle] Destination and Distance (1 Line)




D2-1a
Bike Route Destination and Distance (1 Line)

*See Section 11 for symbol design.


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D2-2
Destination and Distance (2 Lines)

24" Panel with 6" font is used when right of way is limited.




D2-2


30" Panel with 8" font is STANDARD design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D2-2
[Bicycle] Destination and Distance (2 Lines)




D2-2a
Bike Route Destination and Distance (2 Lines)

*See Section 11 for symbol design.


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D2-3
Destination and Distance (3 Lines)

36" Panel with 6" font is used when right of way is limited.




D2-3

42" Panel with 8" font is STANDARD design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN







*See Section 11 for symbol design.



Off-Roadway Signs. Not intended to be seen by motorists.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D3-1G (Green)

Street Name (1 Line)


(Without border, principal legend with or without descending strokes)

A	B	C	D	E	F	G	H	J	K	L	M	N
VAR	6	.375	1.5	3CV-3W	2CV-3W	2.5	2 MIN	2.25	.75	1.25	1.75	2.25
VAR	8	.375	2	4CV-3W	3CV-3W	3	3 MIN	3	1	1.75	2.25	2.75
VAR	12	.5	3	6CV-3W	4CV-3W	5	4.5 MIN	4.5	1.5	2.75	3.25	4.75
VAR	18	.5	5	8CV-3W	6CV-3W	7	6 MIN	6	1.5	5	5	7


Ground Mount

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN, BLUE, OR BROWN






A	B	C	D	E	F	G	H	J	K	L
VAR	18	.5	3.665	10.67CV-3W	4	4CV-3W	2	4	4 MIN	1.5
VAR	24	.75	6	12CV-3W	4.5	6CV-3W	3	5	5 MIN	1.5



A	B	C	D	E	F	G	H	J	K
VAR	18	.5	3.665	10.67CV-3W	7CV-3W	7	5 MIN	7.5	1.5
VAR	24	.75	6	12CV-3W	8CV-3W	10	6 MIN	9	1.5



D3-1G

Street Name (1 or 2 Lines)

NOTES:


*See Section 11 for arrow design.

1. Street name signs for signalized intersections mounted on mast arms or span wires.
2. Border can be eliminated and spacing can be adjusted when there is a conflict with descenders and ascenders.
3. See special arrow designed for D1-1.
4. Supplementary lettering is optional.
5. 12" letter height and CV-3W letter are considered the desirable minimum.
 - a) 10.67" letter height may be used when space limitations restrict overall size of sign
 - b) 8" letter height and CV-2W should be limited only to dual street names at intersection

Overhead Mount

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN, BLUE, OR BROWN





D3-1G

[Bicycle] Street Name (2 Lines)


Ground Mount

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



Off-Roadway Signs. Not
intended to be seen by motorists.






D3-1a
Street Name



A	B	C	D	E	F	G	H	J	K	L	M	N
VAR	8	.375	2	4CV-3W	3	3CV-3W	2	2 MIN	3	1	6	1
VAR	12	.5	3	6CV-3W	5	4CV-3W	3	3 MIN	4.5	1	10	1.5
VAR	18	.5	5	8CV-3W	7	6CV-3W	4	4.5 MIN	6	1	16	1.5
VAR*	18	.5	3.665	10.67CV-3W	7.335	7CV-3W	4	5 MIN	7.5	1	16	1.5
VAR*	2	.75	6	12CV-3W	10	8CV-3W	6	6 MIN	9	2	20	1.5

***Overhead Mount**

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




D3-2

Advance Street Name (2 Lines)


A	B	C	D	E
VAR	30	.75	6.75	6CV-3W
VAR	36	.75	7.75	8CV-3W

F	G	H	J
6	4.5CV-3W	6 MIN	1.875
6.5	6CV-3W	8 MIN	2.25



D3-2

Advance Street Name (3 Lines)



*See Section 11 for arrow design.


A	B	C	D	E	F
VAR	42	.75	5.5	6CV-3W	3.875
VAR	48	1	6.25	8CV-3W	4.25

G	H	J	K	L	M
6	4.5CV-3W	5.5	2.25	6	2.25
5	6CV-3W	5.25	2.75	8	3

*See Section 11 for arrow design.

A	B	C	D	E	F	G
VAR	42	.75	5.5	6CV-3W	4	3.75
VAR	54	1	9.25	8CV-3W	7.25	4.25

H	J	K	L	M	N	P
6	4.5CV-3W	5.5	10.75	6	2.25	2.25
5	6CV-3W	5.25	10.75	8	2.75	3



D3-2

Advance Street Name (4 Lines)




A	B	C	D	E
VAR	54	1	5.5	6CV-3W
VAR	66	1	7	8CV-3W

F	G	H	J	K
5	4.5CV-3W	5.5	6	3
6	6CV-3W	5.5	8	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D3-3T
County Road Name (1 Line)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D3-3aTL
CEMETERY (1 Line) (Arrow)



D3-3aTR



D3-3bTL
CEMETERY (2 Lines) (Arrow)

*See Section 11
for arrow design.





D3-3bTR

Historical cemeteries should
have a brown background

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





*Reduce spacing to fit.


Vertical spacing can be adjusted when there is a conflict with descenders and ascenders.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D4-1
Parking Area Directional



*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
18	15	0.375	0.438	2.5	10E	4	2	4	6	2E
30	24	0.375	0.625	4.5	15E	6	3.5	6.25	10.75	3E

M	N	P	Q	R	S	T	U	V	W	X
2.25	8.105	11.046	2	1.75	4	1	1.125	2.75	2	1.5
4.25	12.158	16.568	4.5	3	6.5	1.5	2	4	4	1.5

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE




*Increase Spacing 25%.

**See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J	K
24	30	0.75	2.5	7	2.5	4D*	3.5	4	8.525
30	36	0.75	2.75	8.5	3	5D*	4.25	4.5	10.657
36	48	0.75	4	11	4.5	6D*	6	6	12.913

L	M	N	P	Q	R	S	T	U
5.025	1.5	2	5.859	5.858	6	4	1.5	1.5
6.281	1.875	2.5	7.323	7.323	7.5	5	1.75	1.875
7.412	2.5	3	8.788	8.788	9	6	2.25	2.25

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



D4-3R

Bicycle Parking Area Directional



D4-3L

*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
18	12	0.375	0.438	4.387	1.875	3B	1	4.25

K	L	M	N	P	Q	R	S
5.577	1.861	7.506	3.779	3.726	3	4	1.5

COLORS: LEGEND, BORDER - GREEN
BACKGROUND - WHITE



*See Section 11 for symbol and arrow design.

A	B	C	D	E	F	G	H	J
12	18	0.5	1.5	4	1.25	2B	2C	3

K	L	M	N	P	Q	R	S
3.842	0.875	0.453	5.170	4.262	4.261	3	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



D4-4aL



D4-4aR

Bicycle Lockers Directional

*See Section 11 for symbol and arrow design.


A	B	C	D	E	F	G	H	J	K	L	M
12	18	0.5	1.5	4	1.25	2C	3	2.331	4.812	3	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




D5-1T
REST AREA X MILE ACCESSIBLE (with Symbol)

*See Section 11
for symbol design.



COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






D5-5TR
REST AREA ACCESSIBLE (with Arrow and Symbol)

*See Section 11 for symbol and arrow design.



D5-5TL



D5-2aPT
Emergency 911 Address (Plaque)

**Size to be used with D5-5.

***Size to be used with D5-2a. (See Section 4 - Large guide signs)

	A	B	C	D	E	F
	36	9	2.5	4D	2.25	.5
**	42	9	2.5	4D	2.25	.5
***	78	12	3	6CV-4W	3	1

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D5-5R
REST AREA Directional



D5-5L




D5-2aPT

Example

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M	N
42	48	0.75	6	8D	6	5.5	10	4.5	11.808	13.608	14	2.25


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D5-5aT
Picnic Table (Symbol)



D5-5aPTL



D5-5aPTR
Arrow (Plaque)

**See Section 11 for arrow design.


A	B	C	D	E	F
18	0.5	1.5	15	1.5	18
24	0.75	2	20	1.5	24
30	0.75	2.5	25	1.875	24

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D5-9T
PARKING AREA X MILE



D5-9cTR
PARKING AREA (Arrow)

*See Section 11
for arrow design.



D5-9cTL


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D5-10T

PICNIC AREA X MILE ACCESSIBLE (with Symbol)



D5-10cTR

PICNIC AREA ACCESSIBLE (with Arrow and Symbol)


*See Section 11 for symbol and arrow design.




D5-10cTL

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D5-11T[A]
SCENIC AREA X MILE



D5-11cTR
SCENIC AREA (VIEW) (Arrow)

**See Section 11
for arrow design.

***Alternate 2nd Line Legend.**



D5-11cTL




COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D5-11T[C]
SCENIC OVERLOOK X MILE



D5-11eTR
SCENIC OVERLOOK (Arrow)




*See Section 11 for arrow design.



D5-11eTL

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






*See Section 11
for arrow design

For freeway sign detail, refer to Section 4.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN







For freeway sign detail, refer to Section 4.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN





*See Section 11
for arrow design

D7-5TR

****3rd Line Alternate (spacing reduced 20%)**

TEXAS PARKS AND WILDLIFE DEPARTMENT

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN





COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN





D7-8TL



D7-8TR

REST AREA HISTORICAL MARKER X MILE ON RIGHT/LEFT



D7-8aTL



D7-8aTR

REST AREA HISTORICAL MARKER (Arrow)

*See Section 11 for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D7-9TL



D7-9TR

PICNIC AREA HISTORICAL MARKER X MILE ON RIGHT/LEFT



D7-9aTL




D7-9aTR

PICNIC AREA HISTORICAL MARKER (Arrow)

*See Section 11 for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D7-10T
HISTORIC ROADSIDE PARK

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN





D7-11T
 PET AREA (with Symbol)

*See Section 11 for symbol design.

COLORS: LEGEND, BORDER - WHITE
 BACKGROUND - BROWN






D7-12T
VISITOR INFO

*Reduce spacing 25%.


A	B	C	D	E	G	F
18	.5	2	3.25D	1.75	1.5	9B
24	.5	2.5	4.5D	2.5	1.5	12B
30	.75	3.25	5.5D	3	1.875	15B

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN



D7-13TR
WILDLIFE VIEWING AREA (with Distance and
Binoculars Symbol attached (Arrow))

*See Section 11 for
symbol and arrow design.



D7-13TL

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN





D8-1T
CMV INSPECTION STATION 1 MILE

A	B	C	D	E	F	G	H	J	K
78	60	1.5	6.125	8CV-4W	5.25	6.25	6CV-4W	7.125	4
120	96	2	10.5	12CV-4W	9	10	10CV-4W	11.5	9

L	M	N	P	Q	R	S	T
11.75	32.99	24.61	3.39	6	4.78	14.17	8CV-4W
17.63	49.48	36.92	5.08	10	8.225	23.305	12CV-4W

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D8-1aT
CMV INSPECTION STATION 1/2 MILE

A	B	C	D	E	F	G	H	J	K
78	60	1.5	5.375	8CV-4W	5.25	7	6CV-4W	7.125	4
120	96	2	10.5	12CV-4W	9	10	10CV-4W	11.5	9

L	M	N	P	Q	R	S	T
11.75	32.99	24.61	12.92	6	0.005	18.91	8CV-4W
17.63	49.48	36.98	19.39	10	1.07	30.46	12CV-4W

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D8-1bT
CMV Inspection (45 Degree Arrow)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L	M
60	60	1.5	3	6.42	8CV-4W	6	6	19.16	11.75	24.61	9.58
66	66	1.5	6	6.67	10CV-4W	7.5	6	19.16	11.75	24.61	9.58


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D8-2T
INSPECTION STATION 1 MILE

A	B	C	D	E	F	G	H
90	54	1.5	9	8CW-4W	6	6CW-4W	9
132	78	2	12	12CW-4W	9	10CW-4W	12




D8-2aT
INSPECTION STATION 1/2 MILE

A	B	C	D	E	F	G	H
90	54	1.5	9	8CW-4W	6	6CW-4W	9
132	78	2	12	12CW-4W	9	10CW-4W	12

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D8-3aT
INSPECTION STATION (Arrow)


*Reduce spacing to fit.

**See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K	L
48	42	1	4	6CV-4W	14	4.5	7	5CV-4W	5	3
66	60	1.5	6	8CV-4W	20	6	10	6CV-4W	8	4
84	78	2	8	10CV-4W	26	7.5	13	8CV-4W	10	5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D9-1
Telephone

*See Section 11 for symbol design.

A	B	C	D	E
24	0.75	2	20	1.5
30	0.75	2.5	25	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-1aP
1 MILE (Plaque)



D9-1bP
AHEAD (Plaque)



D9-1cP
CAMPING (Plaque)




D9-1dP
Arrow (Plaque)

*See Section 11 for arrow design.

Sheeting on plaques shall match parent sign.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






D9-2
Hospital

A	B	C	D	E	F	G
24	0.75	3	18E(m)	7.295	7.294	1.5
30	0.75	3.75	22.5E(m)	9.118	9.118	1.875
36	.75	3	30E(m)	11.953	11.953	2.25

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-3
Camping

*See Section 11 for symbol design.

A	B	C	D	E
24	0.75	5	14	1.5
30	0.75	6.25	17.5	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-4
Litter Container

*See Section 11 for symbol design.

A	B	C	D	E	F
24	30	0.75	5	20	1.5
36	48	0.75	8	32	2.25

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




*See Section 11 for symbol design.

A	B	C	D	E
24	.75	2	20	1.5
30	.75	2.5	25	1.875

D9-6


International Symbol of Accessibility (Symbol)



D9-6aT

ACCESSIBLE (Plaque)

A	B	C	D	E	F	G	H
24	6	.5	1.75	2.5C	1.25	4	1.5
30	7	.5	2	3C	2	5	1.5
36	9	.5	2.5	4C	1.5	6	1.5




D9-6P

VAN ACCESSIBLE (Plaque)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






*See Section 11 for symbol design.

A	B	C	D	E
24	0.75	3	18	1.5
30	0.75	3.75	18	1.875

For use on conventional roads only


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



*See Section 11 for symbol design.

A	B	C	D	E	F
24	0.75	2	20	10	1.5
30	0.75	2.5	25	12.5	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-9
Lodging

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H
24	0.75	8	9	7	9.965	9.964	1.5
30	0.75	10.25	11.25	8.5	12.456	12.455	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-10
INFO

*Reduce Spacing 50%.

A	B	C	D	E	F	G
24	0.75	6	12B*	10.055	10.054	1.5
30	0.75	7.5	15B*	12.568	12.568	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-10T
TOURIST INFO

A	B	C	D	E	F	G	H
24	24	.5	2.5	5C	2	12C	1.5
30	30	.75	3.25	6C	2.5	15C	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






D9-11
Diesel Fuel

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H
24	0.75	2	7	6E(m)	2.432	2.431	1.5

For use on conventional roads only

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-11a
Alternative Fuel - Compressed Natural Gas

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
24	0.75	2	6	4E(m)	0.625	0.625	0.75	1.621	1.621	1.5

For use on conventional roads only

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-11b
Electric Vehicle Charging

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	0.75	1.5	7.75	4E(m)	1.75	3	2	2.488	0.474	2.848	0.834	1.5

For use on conventional roads only

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-11bP
ELECTRIC VEHICLE CHARGING (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M	N
24	18	0.5	2.5	3C	2	7.428	7.427	6.723	6.722	8.088	8.087	1.5
30	24	0.75	3.25	4C	2.75	9.904	9.903	8.963	8.963	10.784	10.783	1.5

For use on conventional roads only

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-11c
Alternative Fuel (Ethanol)




D9-11d
Alternative Fuel
(Liquefied Natural Gas)



D9-11e
Alternative Fuel
(Liquefied Petroleum Gas)



D9-11f
Alternative Fuel
(Hydrogen)




D9-11g
Alternative Fuel
(Biofuel)

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J
24	0.75	2	6	4E(m)	0.625	0.75	20	1.5

For use on conventional roads only

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-11gT
Alternative Fuel


*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L	M	N
24	0.75	2	6	4E(m)	0.625	0.625	0.75	2	2	1.485	1.485	1.5

For use on conventional roads only

Note: Must be used in combination with a supplemental plaque (D9-11gP or D9-11gpT).


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-11gP
CNG - LNG / LPG - HYD (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
24	12	0.5	2	3D	2	7.447	1.5	0.554	0.946	7.055	6.785

N	P	Q	R
1.140	0.360	7.566	1.5



D9-11gPT
CNG - LNG / HYD (Plaque)


A	B	C	D	E	F	G	H	J	K	L	M
24	12	0.5	2	3D	2	7.447	1.5	0.554	0.946	7.055	7.566

For use on conventional roads only

Note: Example signs shown. See TMUTCD Section 2H.14 for applicable alternative fuels.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D9-12
RV Sanitary Station

*See Section 11 for symbol design.

A	B	C	D	E
24	0.75	2	20	1.5
30	0.75	2.5	25	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-13
Emergency Medical Services

*See Section 11 for symbol design.

A	B	C	D	E
24	0.75	2	20	1.5
30	0.75	2.5	25	1.875


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-13aP
HOSPITAL (Plaque)

A	B	C	D	E	F	G	H
24	12	0.5	4	4C	10.077	10.451	1.5
30	12	0.5	3.5	5C	12.518	13.142	1.5


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-13cP
EMERGENCY MEDICAL CARE (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M
24	18	0.5	2.5	3C	2	9.709	6.948	6.947	4.052	4.051	1.5
30	24	0.75	3.25	4C	2.75	12.945	9.264	9.263	5.402	5.402	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-13dP
TRAUMA CENTER (Plaque)

*Increase Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L
24	12	0.5	2	3D*	2	8.081	8.081	7.403	7.402	1.5
30	15	0.5	2.375	4D*	2.25	10.775	10.774	9.870	9.870	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-14
POLICE (Plaque)

*Reduce Spacing 20%.

A	B	C	D	E	F	G
24	0.75	8.5	7B*	10.036	10.035	1.5
30	0.75	10.5	9B*	12.903	12.902	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-16
Truck Parking

*See Section 11 for symbol design.


A	B	C	D	E	F	G	H	J	K
24	0.75	3.5	8E(m)	3	7	2.5	2.742	3.742	1.5
30	0.75	4.375	10E(m)	4	8.75	2.875	3.428	4.677	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-16PT
TRUCK PARKING

A	B	C	D	E	F	G	H	J
24	18	.5	3.5	4C	3	6.885	9.046	1.5
30	24	.75	5.125	5C	3.75	8.606	11.31	1.875




D9-17P
NEXT SERVICES XX MILES

A	B	C	D	E	F	G	H	J
72	24	.75	4	6CV-3W	4	6CV-3W	4	4
114	30	1	5.25	8CV-5WR	5.5	6CV-5WR	6	4

K	L	M	N	P	Q	R	S	T
19.42	4.41	6.71	30.54	VAR	6	3.12	18.88	1.5
29.33	7.23	9.85	46.42	VAR	8	1.04	24.14	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






D9-16aP
TRUCK EXTERNAL POWER (Plaque)

A	B	C	D	E	F	G	H	J	K
24	0.75	3.625	3.5C	3.125	6.057	9.279	9.278	6.285	1.5
30	0.75	4.5	4.5C	3.75	7.788	11.930	11.929	8.081	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





D9-19
ALTERNATIVE FUELS CORRIDOR

*Reduce Spacing 40%.

A	B	C	D	E	F	G	H	J	K	L	M
24	0.75	5	3C	2.5	3C	10.519	10.519	4.907	8.163	8.162	1.5
36	0.75	6.75	5C*	3.75	5C	16.232	16.231	8.178	13.605	13.604	2.25

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-19aP

Alternative Fuels Corridor (1 Line) (Plaque)


*Reduce Spacing 20%.

**Example designs shown (see TMUTCD Section 2H.14 for applicable alternative fuels).

A	B	C	D	E	F	G	H	J	K
30	9	0.5	3	3D	VAR	4.382	0.75	1.5	1.25
42	12	0.5	4	4D	VAR	5.843	1	2	2

L	M	N	P	Q	R	S	T	U
7.447	6.785	1	3D*	VAR	7.386	0.75	7.183	6.833
9.929	9.047	1.5	4D*	VAR	9.848	1	9.577	9.111

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D9-19bP

Alternative Fuels Corridor (2 Lines) (Plaque)

*Example design shown with maximum of five alternative fuels (see TMUTCD Section 2H.14). Use standard hyphen and letter spacing for layouts with four alternative fuels. Center each line of legend about centerline.

A	B	C	D	E	F	G	H
30	12	0.5	2	3D	2	4.382	0.75
42	18	0.5	3.5	4D	3	5.843	1.5

J	K	L	M	N	P	Q
1.5	1.25	7.447	7.055	6.785	7.566	1.5
2	2	9.929	9.407	9.047	10.088	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K
24	.75	2.5	19	1.5	12	.5	4	4D	1.5
30	.75	3	24	1.875	12	.5	3.5	5D	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






D9-21
Telecommunications Device for the Deaf

*See Section 11 for symbol design.

A	B	C	D	E
24	0.75	2	20	1.5
30	0.75	2.5	25	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




D9-22
Wireless Internet


*See Section 11 for symbol design.

A	B	C	D	E
24	0.75	2	20	1.5
30	0.75	2.5	25	1.875


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D10-1
Reference Location
(1 Digit)



D10-2
Reference Location
(2 Digits)



D10-3
Reference Location
(3 Digits)

*Reduce spacing 50%.


 6 inch sizes for bicycle use only.

	A	B ₁	B ₂	B ₃	C	D	E	F	G	H	J	K	L
	6	9	-	-	.375	1	2CV-2W*	1	4CV-6W	1	-	-	.75
	6	-	15	-	.375	1	2CV-2W*	1.5	4CV-6W	-	3	-	.75
	6	-	-	21	.375	1.5	2CV-2W*	1	4CV-6W	-	3	1.5	.75
	10	18	27	36	.5	3	4CV-2W*	2	6CV-6W	3	1.5	3	1.5
	12	24	36	48	.5	3	4CV-2W	3	10CV-6W	4	-	2.5	1.5


Optically space numerals about centerline.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D10-1a
Intermediate Reference
Location (1 Digit with decimal)



D10-2a
Intermediate Reference
Location (2 Digits with decimal)



D10-3a
Intermediate Reference
Location (3 Digits with decimal)

 6 inch sizes for bicycle use only.

	A	B ₁	B ₂	B ₃	C	D	E	F	G	H	J	K	L	M
	6	15	-	-	.375	1	2CV-2W*	1	4CV-6W	.75	-	-	.5	.75
	6	-	21	-	.375	1	2CV-2W*	1.5	4CV-6W	.75	1.5	-	.5	.75
	6	-	-	24	.375	.75	2CV-2W*	1	4CV-6W	-	1	.5	.5	.75
	10	27	36	48	.5	3	4CV-2W*	2	6CV-6W	1.25	3	2.75	.5	1.5
	12	36	48	60	.5	3	4CV-2W	3	10CV-6W	1.25	2	1.25	.5	1.5

Optically space numerals about centerline.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





A	B	C	D	E	F	G	H	J	K	L
12	30	0.5	3.125	3.25C*	1.25	8	3D	1.5	6C†	2.625
18	54	0.5	4	6B**	4	13	6C	4	8C†	5

M	N	P	Q	R	S	T	U	V	W
3.75C*	4.564	4.563	4.217	4.216	VAR	4.176	4.175	4.546	1.5
7B**	6.773	6.773	7.203	7.203	VAR	6.103	6.103	7.689	1.5

Optically space numerals about centerline.

COLORS: LEGEND, BORDER - WHITE
 BACKGROUND - GREEN



*Standard Alphabet Series B (NORTH & SOUTH).

**Reduce Spacing 40% (NORTH & SOUTH)

***See ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE for sign design.

†Standard Alphabet Series B may be substituted where spacing limitations occur.



D10-5
Intermediate Enhanced Reference Location

A	B	C	D	E	F	G	H	J	K	L	M
12	36	0.5	1.875	3.25C*	1.25	8	3D	1.5	6C†	1	6D
18	60	0.5	2.75	6B**	3.75	13	6C	2	8C†	2	8D

N	P	Q	R	S	T	U	V	W	X	Y	Z
1.375	3.75C*	4.456	4.217	4.216	VAR	VAR	4.176	4.175	4.564	4.563	1.5
2.25	7B**	7.689	7.203	7.203	VAR	VAR	6.103	6.103	6.773	6.773	1.5


Optically space numerals about centerline.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D11-1
BIKE ROUTE

*See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
24	18	0.5	1.5	10.5	3C	6.992	2	0.546	9.538	1.5
30	24	.75	2.125	9	4.5	4C	2.25	6.875	12.5	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



BIKE ROUTE (Plaque)



Bike Route with Destination


*See Section 11 for symbol design.

**Optically space about vertical centerline.


A	B	C	D	E	F	G	H
24	18	0.5	1.75	11	1.25	2.5CV-2W	1.5

J	K	L	M	N	P	Q
2CV-3W	9.625	2.5 MIN**	2.922	2.5	VAR	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




D11-10a
Shared-Use Path Destination (1 Line)





D11-10d
Shared-Use Path Destination and Distance (1 Line)

*See Section 11 for
symbol and arrow designs.


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





Off-Roadway Signs. Not intended to be seen by motorists.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



D11-11
Bicycles Directional (Symbol)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

*See Section 11
for symbol design.

Note: For use with
D11-1c, D11-11, or D3-1



D11-12
Pedestrians Directional

*See Section 11 for symbol design.

A	B	C	D	E
18	0.5	2.75	12.5	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




D11-13
Skaters Directional

*See Section 11 for symbol design.

A	B	C	D	E
18	0.5	4	10	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



D11-14
Equestrians Directional

*See Section 11 for symbol design.

A	B	C	D	E
18	0.5	3	12	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



D11-20L
Bicycle LEFT TURN MAY USE TURN BOX

*Reduce Spacing 20%.

**See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
12	18	0.5	2.375	4.5	1.5	1.75C*	1	1.75C	4.090	0.618

M	N	P	Q	R	S	T	U	V	W	X
0.132	4.576	3.747	0.351	0.649	3.449	4.640	0.122	1	3.519	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



D11-20R

Bicycle RIGHT TURN MAY USE TURN BOX

*Reduce Spacing 40%.

**See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J	K	L
12	18	0.5	2.375	4.5	1.5	1.75C*	1	1.75C	4.825	0.158
M	N	P	Q	R	S	T	U	V	W	X
0.592	4.116	3.747	0.351	0.649	3.449	4.640	0.122	1	3.519	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



D11-20aL


Bicycle LEFT TURN BOX (with Arrow, Oblique)

*See Section 11 for symbol and arrow designs.

A	B	C	D	E	F	G	H	J	K
12	18	0.5	1.295	4	0.75	1.75D	1	0.5	2.504

L	M	N	P	Q	R	S	T	U
2.503	2.820	2.819	2.076	2.075	1.580	2.5	4	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



D11-20aR


Bicycle RIGHT TURN BOX (with Arrow, Oblique)

*See Section 11 for symbol and arrow designs.

A	B	C	D	E	F	G	H	J	K
12	18	0.5	1.295	4	0.75	1.75D	1	0.5	4.635

L	M	N	P	Q	R	S	T	U
4.634	2.820	2.819	2.076	2.075	1.580	2.5	4	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




D12-2
CARPOOL INFORMATION

A	B	C	D	E	F	G	H	J
60	42	0.75	6	6E	5	8	17.711	4
96	66	1.5	9	10E	8	11	29.518	6.5

K	L	M	N	P	Q	R	S
0.579	22.290	9.723	22.868	1.612	2.388	VAR	2.25
1.049	37.066	16.205	38.113	2.354	3.646	VAR	6

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D12-3
Channel 9 Monitored

*Optically center about centerline.

A	B	C	D	E	F	G	H
84	48	1	6	6E	4	VAR	VAR
132	84	2	10	10E	8	VAR	VAR

J	K	L	M	N	P	Q	R
VAR	9	VAR	22.149	11.106	42.317	4.863	3
VAR	12	VAR	36.915	18.510	70.528	8.105	6

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D12-5

TRAVEL INFO CALL 511 (Pictograph)

*Increase Spacing 50%.

**See Section 11 for symbol design.

A	B	C	D	E	F	G	H	J
48	60	1	4.5	18	4.5	6D	6D*	6
66	72	1	5.875	22	4.75	8E	8E*	5.875

K	L	M	N	P	Q	R	S	T
14.288	14.287	8.345	8.344	18.038	1.175	6	10.865	3
22.927	22.927	12.964	12.964	26.787	3.703	7	16.084	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






D12-5a
TRAVEL INFO CALL 511

*Increase Spacing 50%.

A	B	C	D	E	F	G	H	J	K	L	M	N	P
48	36	0.75	4.5	6D	14.288	14.287	8.345	8.344	18.038	1.173	6	10.865*	2.25
66	48	1	6	8E	22.927	22.927	12.964	12.964	26.787	3.703	7	16.084*	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE






D12-5T
THE EYES OF TEXAS (with Cowboy)

COLORS: LEGEND - RED, BLUE AND BLACK
BACKGROUND - WHITE
NO BORDER








D12-7T
DWI YOU CAN'T AFFORD IT

COLORS: LEGEND - BLACK
DWI - RED
TEXAS, BORDER - WHITE
BACKGROUND - BLUE



D12-8T
LIGHTS ON FOR SAFETY TURN ON HEADLIGHTS NEXT XX MILES



COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



D13-1TL
TURNAROUND (Arrow)

*See Section 11
for arrow design



D13-1TR

A	B	C	D	E	F	G	H	J	K
66	24	.75	3.75	6CV-3W	7.5	6.75	2.625	24	1.5
96	48	1	9	8CV-3W	15	16	5.25	48	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D13-3
FREEWAY ENTRANCE



D13-3a
FREEWAY ENTRANCE (30 Degree Arrow)

*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN







D13-4T
 FREEWAY ENTRANCE
 (Shield and 45 Degree Arrow)

*See Section 11
 for arrow design.

**See **ROUTE SIGN FOR
 GUIDE SIGN ATTACHMENT
 USE** for sign design.

COLORS: LEGEND, BORDER - WHITE
 SHIELD - SEE ROUTE SIGN FOR ATTACHMENT USE DETAILS
 BACKGROUND - GREEN






COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE



COLORS: LEGEND, BORDER - BLUE
BACKGROUND - WHITE





*See **ROUTE SIGN FOR GUIDE SIGN ATTACHMENT USE** for sign design.

**See section 1, for sign R3-5 or R3-5a for sign details.



D15-1

Combination Lane Use / Destination

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D17-3T
NEXT PASSING LANE X MILES



D17-4T
PASSING LANE X MILES

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D17-7

Advance SLOW VEHICLE TURN OUT XX MILES

A	B	C	D	E	F	G	H	J	K
72	36	.75	5	6CV-3W	4	2.5	9CV-3W	3.5	2.25
96	54	1	8	8CV-3W	7	5	12CV-3W	6	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D20-1TL (R) (5)



D20-1TR (L) (6)




*See Section 11
for arrow design.



D20-2 (DBL) (5)





D20-2TR (DBL) (6)



COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D20-5T (R | L)



D20-5T (L | L)




D20-5T (R | R)





*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN








D20-9T (R45 | R)
Combined COUNTY ROAD (Number)

*See Section 11
for arrow design.



COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D21-1aT (UP)



D21-1aT (L45)





D21-1aT (R45)



D21-1aT (L)



D21-1aT (DBL)




D21-1aT (R)

COUNTY ROAD (Single Name) (2 Lines)

*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D21-2T (L | L)



D21-2T (R | R)



D21-2T (L45 | L45)



D21-2T (R45 | R45)



D21-2T (L45 | L)



D21-2T (R45 | R)



D21-2T (L45 | R)






D21-2T (L | R45)

D21-2T
COUNTY ROAD (Name) (2 Lines)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

*See Section 11
for arrow design.





D21-2T (UP | R45)



D21-2T (UP | L45)



D21-2T (UP, DBL)



D21-2T (UP, UP)




D21-2T (L45, R45)

D21-2T
COUNTY ROAD (Name) (2 Lines)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN

*See Section 11
for arrow design.





D21-3T (L | L)



D21-3T (R | R)



D21-3T (L45 | L)



D21-3T (L45 | R)



D21-3T (UP | L)



D21-3T (UP | UP)




D21-3T (L45 | R45)



D21-3T (R45 | R)



D21-3T (L45 | L45)



D21-3T (R45 | R45)



D21-3T

COUNTY ROAD (Long Name) (3 Lines)

*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






*See Section 11
for arrow design.




D21-3T
COUNTY ROAD (Long Name) (3 Lines)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D21-3aT (UP | R)




D21-3aT (UP | L)



D21-3aT (UP | L45)



D21-3aT (UP | R45)



*See Section 11
for arrow design.



D21-3aT (UP | DBL)




D21-3aT (UP | UP)

D21-3aT

COUNTY ROAD (Long Name) (3 Lines)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D21-3aT (L | L)



D21-3aT (R | R)



D21-3aT (L45 | L45)



D21-3aT (R45 | R45)



D21-3aT (L45 | L)



D21-3aT (L | R45)



D21-3aT (L45 | R)



D21-3aT (L45 | R45)





D21-3aT (R45 | R)

*See Section 11
for arrow design.

D21-3aT
COUNTY ROAD (Long Name) (3 Lines)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





****Alternate First Line Legends**

US Rep
State Rep

US Representative
State Representative

US Senator

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D24-1T
PUBLIC BEACH PARKING AREA XXX FT



D24-2TR
PUBLIC BEACH ACCESS ROAD (Arrow)




D24-2TL

* "PUBLIC" may be replaced with beach name.

**See Section 11 for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






*See Section 11
for arrow design.

**COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN**





A	B	C	D	E	F	G	H	J	K
60	18	.5	3.5	4CV-3W	3	3	7	1.5	1.5
84	24	.75	3.75	6CV-3W	4.5	4.5	9	2.25	1.5



TEXAS DEPARTMENT OF PUBLIC SAFETY (Arrow)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
54	18	.5	3.5	4CV-3W	3	3	7	1.5	1.5
84	24	.75	3.75	6CV-3W	4.5	4.5	9	2.25	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D26-2TL



D26-2TR



TEXAS DEPARTMENT OF PUBLIC SAFETY DRIVER LICENSE (Arrow)

*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J
60	24	.75	3	4CV-3W	3	7	1.5	1.5
84	36	.75	4.5	6CV-3W	4.5	9	2.25	2.25

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN







*See Section 11
for arrow design.



COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






D26-6TR
TEXAS DEPARTMENT OF ASSISTIVE AND
REHABILITATIVE SERVICES (Arrow)

*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN







This sign is used in lieu of multiple department signs when multiple departments are located at the same location.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





D26-9TR
TEXAS WORKFORCE SOLUTIONS
VOCATIONAL REHAB SERVICES (Arrow)


*See Section 11
for arrow design.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





A	B	C	D	E	F	G	H	J	K
60	18	.5	3.5	4CV-3W	3	3	7	1.5	1.5
84	24	.75	3.75	6CV-3W	4.5	4.5	9	2.25	1.5



D26-10TR
TEXAS DEPT OF TRANSPORTATION (Arrow)



*See Section 11 for arrow design.

A	B	C	D	E	F	G	H	J	K
60	18	.5	3.5	4CV-3W	3	3	7	1.5	1.5
84	24	.75	3.75	6CV-3W	4.5	4.5	9	2.25	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



Texas Trail Signs



*See Section 11 for symbol and arrow designs.

M71-PT must be posted in combination with a trail sign on same assembly below the parent sign.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE





M11-1

National Historic Trail Identification (2 Lines)

*NPS Rawlinson Roadway

**Series E 2000

Example design shown with desirable word legend height and Standard Alphabet series. To accommodate longer trail names, one or more adjustments can be applied in the following order: a slight reduction to the spacing between letters, reduction to Standard Alphabet Series C, and a reduction in letter height to 3 inches minimum.



M11-1

National Historic Trail Identification (3 Lines)

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN
SYMBOL - VARIES

National Historic Trails are a part of the National Trail System and are a Federal program. In Texas, all signs are typically provided by the National Park Service and manufactured by the Utah Correctional Industries Sign Shop, although a local vendor may be selected under certain circumstances.

Alternate National Historic Trail logos





M11-1a

National Historic Trail Identification

Alternate National Historic Trail logos



*Example national historic trail logo shown.


A	B	C	D	E	F	G	H	J	K	L
24	0.5	1.5	10	1.25	3.5D	2.25	2	VAR	VAR	1.5

Example design shown with desirable word legend height and Standard Alphabet series. To accommodate longer trail names, one or more adjustments can be applied in the following order: a slight reduction to the spacing between letters, reduction to Standard Alphabet Series C, and a reduction in letter height to 3 inches minimum.

National Historic Trails are a part of the National Trail System and are a Federal program. In Texas, all signs are typically provided by the National Park Service and manufactured by the Utah Correctional Industries Sign Shop, although a local vendor may be selected under certain circumstances.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN
SYMBOL - VARIES






M11-1aP

National Historic Trail - HISTORIC ROUTE (Plaque)

A	B	C	D	E	F	G	H	J
24	12	0.5	2	3D	8.406	8.405	5.974	1.5
36	16	0.5	3.5	4D	11.207	11.207	7.965	1.5

National Historic Trails are a part of the National Trail System and are a Federal program. In Texas, all signs are typically provided by the National Park Service and manufactured by the Utah Correctional Industries Sign Shop, although a local vendor may be selected under certain circumstances.


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN



M11-1dP

National Historic Trail - Distance (2 Lines) (Plaque)

A	B	C	D	E	F	G	H	J	K	L	M	N
24	12	0.5	1.625	3.5D	1.75	5.289	5.288	EQ	VAR	2.5	12.571	1.5
36	16	0.5	3.5	4D	3	6.125	6.125	EQ	VAR	4	14.657	1.5




M11-1eP

National Historic Trail - Distance (1 Line) (Plaque)

A	B	C	D	E	F	G	H	J	K
24	12	0.5	4.25	3.5D	EQ	VAR	2.5	12.571	1.5
36	16	0.5	6.5	5D	EQ	VAR	5	17.958	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BROWN



11-1
Traffic Signal Speed

*Increase Spacing 100%.

**Optically space numerals about vertical centerline.

A	B	C	D	E	F	G	H	J
24	36	0.75	4	4C	2.5	2.75	8D	4D*

K	L	M	N	P	Q	R	S
8.943	7.363	1.655	1.095	7.923	VAR**	5.844	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



A
I2-1

Jurisdictional Boundary - TEXAS STATE LINE

A	B	C	D	E	F	G	H
30	18	.5	4	4CV-4W	3	3CV-3W	1.5
78	36	.75	5	12CV-4W	6	8CV-3W	2.25

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





I2-1aT to be
used only on
conventional
roads.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






I2-1bT
ENTERING CITY LIMIT/LEAVING

A	B	C	D	E	F	G	H	J	K	ROAD
VAR	42	.75	2.625	4CV-3W	3	6CV-5WR	3CV-3W	2	2.25	Conventional
VAR	48	1	2.875	4CV-3W	3	6CV-5WR	3CV-3W	2	3	Conventional with Population
VAR	54	1	3	5CV-3W	4	8CV-5WR	4CV-3W	2.5	3	Freeway and Expressway

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





A	B	C	D	E	F	ROAD
VAR	12	.5	3	6CV-5WR	1.5	Conventional
VAR	18	.5	5	8CV-5WR	1.5	Freeway and Expressway



A	B	C	D	E	F	G	H	ROAD
VAR	24	.75	4	8CV-5WR	4	4CV-3W	1.5	Conventional
VAR	36	.75	7	10CV-5WR	6	6CV-3W	2.25	Freeway and Expressway

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





A


12-2

Geographical Feature - RIVER

A	B	C	D	E	F	G
VAR	18	.5	2.5	5CV-3W	3	1.5
VAR	24	.75	4.25	6CV-5WR	3.5	1.5
VAR	36	.75	5.5	10CV-5WR	5	2.25

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN






I2-3

Grade Separation Identification

A	B	C	D	E	F	G	H	J	K
VAR	18	0.5	4.5	9CV-5WR	9 MIN	VAR	9	VAR	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




I2-3a
Grade Separation Identification (2 Lines)

*Controlling line of legend.

**Optically space non-controlling line.

A	B	C	D	E	F	G	H	J	K	L	M	N
VAR	24	0.75	3.25	7CV-3W	3.5	7 MIN*	VAR	7 MIN**	VAR	VAR	VAR	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




I2-4
FUTURE INTERSTATE CORRIDOR

*Increase Spacing 20%.

A	B	C	D	E	F	G	H	J	K	L
54	36	0.75	4.5	6D*	6D	14.805	21.942	20.067	20.066	2.25
72	48	1	6	8D*	8D	19.740	29.256	26.755	26.755	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



I2-4a
FUTURE I-XX CORRIDOR

*Increase Spacing 20%.


**Increase Spacing 50%.

***Optically center about centerline.

A	B	C	D	E	F	G	H
48	36	0.75	4.5	6D*	6D**	6D	14.805
66	48	1	6	8D*	8D	8D	19.740

J	K	L	M	N	P	Q
VAR***	0.960	3	VAR	19.215	19.214	2.25
VAR***	1.280	4	VAR	25.619	25.619	3

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




13-5
Airport (Symbol)

*See Section 11 for symbol design.

A	B	C	D	E
24	.75	2	20	1.5
30	.75	2.5	25	1.875
36	.75	3	30	2.25

For large guide signs, a 36x36 plaque should be used above the parent sign.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




I3-6
Bus Station (Symbol)

*See Section 11 for symbol design.

A	B	C	D	E
24	.75	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




13-7
Train Station (Symbol)

*See Section 11 for symbol design.

A	B	C	D	E
24	.75	2.5	19	1.5
30	.75	3	24	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




I3-8
Light Rail Transit Station (Symbol)

*See Section 11 for symbol design.

A	B	C	D	E
24	.75	1.625	20.75	1.5
30	.75	2	26	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN




I3-9
Vehicle Ferry Terminal (Symbol)

*See Section 11 for symbol design.

A	B	C	D	E
24	.75	6.75	10.5	1.5
30	.75	8.4375	13.125	1.875


COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



13-10P
Ferry (Plaque)

A	B	C	D	E	F	G	H
24	12	0.5	4	4D	8.065	8.065	1.5
30	18	0.5	6.5	5D	10.082	10.081	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





I4-1
Library (Symbol)

*See Section 11 for symbol design.

A	B	C	D	E
24	.75	2	20	1.5
30	.75	2.5	25	1.875

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN



*See Section 11
for arrow design.

Sheeting on plaques shall match parent sign.

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - GREEN





A	B	C	D	E	F	G	H	J	K	L	M
30	36	0.75	2.5	19	1.75	4C	2	2.75	11.844	8.063	1.875

2026 Edition | September 2026



I13-1 [A]
Emergency Notification



*Reduce spacing between hyphen and numerals as needed to 0.125 minimum.

A	B	C	D	E	F	G	H	J	K
12	9	0.375	1	1C	0.75	1D*	0.5	0.5 D	4.102

L	M	N	P	Q	R	S	T	U	V
0.065	4.917	1.351	2.061	4.412	VAR	VAR	0.590	0.5	0.125

W	X	Y	Z	AA	BB	CC	DD	EE	FF
1.681	1.25	VAR	VAR	VAR	VAR	VAR	0.5	VAR	1.5

COLORS: LEGEND, BORDER - WHITE
BACKGROUND - BLUE




NOTES:


1. Office text / address is optional (maximum of 3 lines).
2. Contact TRF for sign design.

COLORS: LEGEND - AS SHOWN - BLUE/BLACK
BORDER - BLUE
BACKGROUND - WHITE






TX1-1T
STATE MAINTENANCE ENDS




TX1-2T
STATE MAINTENANCE BEGINS

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE






TX1-3T
CONSTRUCTED AND MAINTAINED BY TXDOT




TX1-4T
MAINTAINED BY TXDOT

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE





TX2-1T
NOTICE STATE LAW USE OF FACILITY



TX3-1T
PROPERTY OF THE STATE OF TEXAS PENALTY FOR PRIVATE USE

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE







TX4-1T
PLEASE HELP PREVENT GRASS FIRES



TX4-2T
PLEASE HELP PREVENT FOREST FIRES

COLORS: LEGEND, BORDER - BLACK
BACKGROUND - WHITE





COLORS: LEGEND, BORDER - BLACK
 BACKGROUND - WHITE

