

Paint Systems for Steel Piling in Marine Environments

Material Producer List
Materials and Tests Division

Paint Systems for Steel Piling in Marine Environments

The following manufacturers have complied with the requirements of Norsok M501 System 7 of item 407, "Steel Piling."

The materials listed below are pre-qualified for use when item 407 is referenced. These materials require no further testing before use unless deemed necessary by the Project Engineer or the Materials and Tests Division (MTD). Tex-736-I, "Sampling Structural Coatings," describes the sampling method.

The Department reserves the right to conduct random sampling of pre-qualified, certified materials for testing and to perform random audits of test reports. Department representatives may sample material from the manufacturing plant, the project site, and the warehouse. MTD reserves the right to test samples to verify compliance with item 407.

For qualification on the MPL contact DMS_Prequal@txdot.gov following the pre-qualification procedure. For additional information, contact the MTD's Coatings, Calibration and Traffic Materials Section at (512)-221-4998.

Paint Systems for Steel Piling in Marine Environments

Producer	Contact	Producer Code	Paint System	Individual Products/Product Code
Sherwin Williams	101 W. Prospect Avenue, Cleveland, OH 44115 (800) 524-5979	99846	First Coat: Macropoxy 646, 7.5 mil (DFT min.) Second Coat: Macropoxy 646, 7.5 mil (DFT min.)	MACROPOXY® 646 Fast Cure Epoxy (Part A) Black/B58B600
				MACROPOXY® 646 Fast Cure Epoxy (Part A) Ultradeep Base/B58T604
				MACROPOXY® 646 Fast Cure Epoxy (Part A) Mill White/B58W610
				MACROPOXY® 646 Fast Cure Epoxy (Part A) Safety Red/B58R600
				MACROPOXY® 646 Fast Cure Epoxy (Part A) Safety Yellow/B58Y600
Carboline	2150 Schuetz Road St. Louis, MO USA 63146 (800)-848-4645	99980	First Coat: Carboguard 890 GF, 9 mil (DFT min.) Second Coat: Carboguard 890 GF, 9 mil (DFT min.)	CARBOGUARD 890 PART A/0986A1NL
				CARBOGUARD 890 PART B/0986B1NL
				GLASS FLAKE ADDITIVE/4402C1NL
International Paint LLC	6001 Antoine Drive Houston, Texas 77091 (800) 589-1267	99978	First Coat: INTERZONE 954, 7.5 mil (DFT min.) Second Coat: INTERZONE 954, 7.5 mil (DFT min.)	INTERZONE 954 PART A/95402A
				INTERZONE 954 PART B/EAA964